

WESTERN BIRDS, INDEX, VOLUME 30, 1999

Compiled by Jack W. Schlotte and Philip Unitt

- Aechmophorus clarkii*, 178
occidentalis, 178
Aegolius acadicus, 200–205
Aethia psittacula, 76
Aimophila sumichrasti, 178
 Ainley, David G., see Spear, L. B.
 Albatross, Black-footed, 6, 21
 Light-mantled, 179
Alectoris chukar, 212
Amazilia beryllina, 179
 violiceps, 58, 66
 Amazon, Yellow-cheeked, 127
Amazona autumnalis, 127
 finschi, 127
 viridigenalis, 127
 Ambrose, Robert E. (Skip), see
 McIntyre, C. L.
Ammodramus caudacutus, 178
 leconteii, 94, 108, 178
 nelsoni, 117
 Anhinga, 73
Anhinga anhinga, 73
Anous minutus, 6, 21, 26
 stolidus, 6, 21
Anser erythropus, 58
 indicus, 73
Anthus cervinus, 94, 101
 hodgsoni, 58
 spragueii, 69, 79, 101, 114
Aphelocoma insularis, 178
Aquila chrysaetos, 35, 37
Ara militaris, 127
Aratinga, 127
Archilochus alexandri, 211
Asio flammeus, 35
 otus, 126
Athene cunicularia, 212
Atlapetes albinucha, 177
 gutturialis, 177
 Auklet, Cassin's, 76
 Parakeet, 76

Baeolophus wollweberi, 97–98
Basileuterus belli, 116
 rufifrons, 94, 107, 115, 116
 Beardless-Tyrannulet, Northern, 95
 Becard, Gray-collared, 125
 Rose-throated, 79
 Behrstock, Robert A., Book review:
 Nightjars: A Guide to Nightjars and
 Related Nightbirds, 129–130

 Bittern, American, 211
 Blackbird, Brewer's, 131–132
 Rusty, 109, 118, 131
 Bobolink, 109
 Bobwhite, Masked, 179
Bolborhynchus lineola, 127
Bombycilla cedrorum, 80
 garrulus, 101, 114
 Booby, Blue-footed, 61, 72, 189
 Brown, 61
 Masked, 72
 Red-footed, 6, 21, 61, 72–73
 Boone, James L., Patrick E. Lederle,
 and Steven L. Petersen, More
 additions to the birds of the Nevada
 Test Site, 211–213
Botaurus lentiginosus, 211
 Brambling, 118
 Brant, 179
Branta bernicla, 179
 canadensis, 179
Brotogeris chiriri, 127
 versicolorus, 127
 Brush-Finch, White-naped, 177
 Yellow-throated, 177
 Buchanan, Joseph B., Recent changes
 in the winter distribution and
 abundance of Rock Sandpipers in
 North America, 193–199
Bulweria bulwerii, 6, 8, 9, 10, 11, 12,
 13, 14, 25, 26, 27, 28, 58
 Bunting, Painted, 71, 80–81, 109,
 117
 Rustic, 58, 70
 Snow, 94, 108
 Varied, 109
Buteo albonotatus, 62–63
 jamaicensis, 35
 lagopus, 34–35, 37

Calcarius lapponicus, 108, 117
 pictus, 58, 70, 117
Calidris acuminata, 138, 155
 ferruginea, 63, 74
 fuscicollis, 63, 74
 minuta, 74
 minutilla, 181
 ptilocnemis, 193–199
 ruficollis, 63, 73–74, 138, 155,
 179
Callipepla gambelii, 212

INDEX

- Calonectris leucomelas*, 49–52, 60
Calypte anna, 214
Campostoma imberbe, 95
Caprimulgus carolinensis, 130
 ridgwayi, 57, 66, 74
 vociferus, 130
Cardellina rubrifrons, 70
Cardinalis sinuatus, 70–71, 108
Carduelis flammea, 80, 118
 Catbird, Gray, 69, 100
Catharacta maccormicki, 1, 6, 24,
 25, 26
 skua, 24
Cathartes aura, 62
Catharus fuscescens, 79, 98–99, 113
 guttatus, 124, 201, 202
 minimus, 113
Catherpes mexicanus, 125
Chadrius alexandrinus, 44–48
Chen canagica, 62
 Chickadee, Black-capped, 97, 99, 124
 Chestnut-backed, 201
 Mexican, 113
Chlidonias leucopterus, 57, 65, 71
 niger, 175
Chordeiles acutipennis, 212
 gundlachi, 130
 minor, 129
 Chuck-will's-widow, 130
 Chukar, 212
Circus cyaneus, 34, 35, 36, 37
Cistothorus platensis, 79, 103
Clangula hyemalis, 170, 171
Coccyzus erythrophthalmus, 66
Colinus virginianus, 179
Columbina talpacoti, 66, 76
Contopus pertinax, 66, 76, 95, 178
 sordidulus, 67
 virens, 58, 66–67, 75, 95
 Contreras, Alan, New historic records
 of Anna's Hummingbird from
 Oregon, 214
 Contreras-Balderas, Armando J., see
 Ruiz-C., G.
Coragyps atratus, 57, 62, 179
 Cormorant, Neotropic, 61
Corvus corax, 62, 207, 208
 imparatus, 178
 Crane, Sandhill, 206–210
Creagrus furcatus, 57, 64
 Crow, Mexican, 178
 Tamaulipas, 178
 Cuckoo, Black-billed, 66
 Common, 183
 Oriental, 183
Cuculus canorus, 183
 saturatus, 183
 Curlew, Bristle-thighed, 57, 133–155,
 181–183
 Long-billed, 211
Cyanocitta cristata, 68, 78, 94, 97, 98
Cyanocompsa cyanooides, 117
Cyanocorax dickeyi, 112
 morio, 113
Cygnus buccinator, 73, 81, 179
 columbianus, 62, 73
 cygnus, 57, 62
Cyananthus latirostris, 66
Dendroica caerulescens, 103
 castanea, 104, 115
 cerulea, 80, 94, 105
 discolor, 94, 104
 dominica, 104
 fusca, 103–104
 graciae, 70, 79
 magnolia, 103, 114
 occidentalis, 103
 palmarum, 104, 115, 125, 178
 pennsylvanica, 102–103, 125, 211,
 212
 pinus, 79, 94, 104, 114
 striata, 104–105, 115
 tigrina, 103, 112
 virens, 103, 114
 Dickcissel, 109, 117
Dolichonyx oryzivorus, 109
 Dove, Ruddy Ground, 66, 76
 Tuxtla Quail, 178
Dumetella carolinensis, 69, 100
 Eagle, Bald, 35
 Golden, 35, 37
 Egret, Reddish, 61–62
Egretta rufescens, 61–62
 tricolor, 61
 Eider, Common, 169, 170, 171
 King, 73
 Spectacled, 167–173
Emberiza rustica, 58, 70
Empidonax alnorum, 110
 difficilis, 76, 77
 flaviventris, 67, 76, 77, 95, 110
 fulvifrons, 95
 minimus, 110
 virescens, 95
Empidonomus variegatus, 77
Euphagus carolinus, 109, 118, 131
 cyanocephalus, 131–132
Euthlypis lachrymosa, 107

INDEX

- Falco columbarius*, 35
peregrinus, 35, 60, 212
rusticolus, 35
sparverius, 34, 35
 Falcon, Peregrine, 35, 60, 212
 Feldstein, Steven, see Mlodinow, S. G.
 Finch, Black Rosy, 110
 Gray-crowned Rosy, 110
 White-naped Brush, 177
 Yellow-throated Brush, 177
 Flycatcher, Acadian, 95
 Alder, 110
 Ash-throated, 111
 Brown-crested, 111
 Buff-breasted, 95
 Coues', 178
 Dusky-capped, 67, 77, 95
 Gray Silky, 80
 Great Crested, 67
 Least, 110
 Nutting's, 110–111
 Pileated, 110
 Piratic, 77
 Scissor-tailed, 67, 79, 96
 Streaked, 77
 Sulphur-bellied, 77
 Variegated, 77
 Western, 76, 77
 Yellow-bellied, 67, 76, 77, 95, 110
 Force, Michael P., Richard A. Rowlett,
 and Geoff Grace, A sight record of
 a Streaked Shearwater in Oregon,
 49–52
Fregata magnificens, 189
 minor, 6, 21, 26, 57, 61, 179, 189
 Frigatebird, Great, 6, 21, 26, 57, 61,
 179, 189
 Magnificent, 189
Fringilla montifringilla, 118
 Fulmar, Northern, 49
Fulmarus glacialis, 49
 Garrett, Kimball L., Book review:
 Parrots: A Guide to Parrots of the
 World, 126–128
Gavia adamsii, 59, 72
 arctica, 72
 immer, 211
Geotrygon carrikeri, 178
 Gnatcatcher, Black-capped, 98, 113
 Godwit, Bar-tailed, 73, 133, 138, 155
 Hudsonian, 63
 Golden-Plover, American, 179
 Pacific, 136, 138
 Goose, Bar-headed, 73
 Canada, 179
 Emperor, 62
 Lesser White-fronted, 58
 Goshawk, Northern, 35
 Grackle, Common, 71–72, 80, 94,
 109, 174
 Great-tailed, 211, 212
 Grace, Geoff, see Force, M. P.
 Grebe, Clark's, 178
 Western, 178
 Grosbeak, Blue-black, 117
 Rose-breasted, 211, 212
 Yellow, 108–109, 117
 Ground-Dove, Ruddy, 66, 76
Grus canadensis, 206–210
 Guan, Crested, 180
 Gull, Band-tailed, 57, 178
 Belcher's, 57, 178
 Black-headed, 64
 Black-tailed, 178
 California, 49, 55
 Glaucous-winged, 49
 Herring, 55, 56
 Heuglin's, 179
 Iceland, 56, 58
 Ivory, 39–43, 57, 64–65
 Kumlien's, 56
 Laughing, 190–191
 Lesser Black-backed, 64, 179
 Little, 63–64
 Mew, 55
 Ross', 58
 Sabine's, 125, 190
 Slaty-backed, 58
 Swallow-tailed, 57, 64
 Thayer's, 55–56, 178
 Western, 49
 Yellow-legged, 179
Gygis alba, 6, 8, 9, 10, 11, 12, 13,
 14, 15, 25, 26, 27, 28
 Gyrfalcon, 35
Haematopus bachmani, 63
 *palliatu*s, 63, 73
Haliaeetus leucocephalus, 35
 Handel, Colleen M., Book review:
 Habitat Characteristics of Some
 Passerine Birds in Western North
 American Taiga, 217–218
 Harrier, Northern, 34, 35, 36, 37
 Hawk, Red-tailed, 35
 Rough-legged, 34–35, 37
 Sharp-shinned, 35

INDEX

- Zone-tailed, 62–63
Helmitheros vermivorus, 70, 80, 105, 115
 Heron, Tricolored, 61
 Yellow-crowned Night, 52–53, 62, 73
Heteroscelus brevipes, 133, 138, 155
incanus, 181
Hirundo fulva, 58
 rustica, 124
 Howell, Steve N. G., Book review: The Birds of Sonora, 125–126; Book review: The National Geographic Society Field Guide to the Birds of North America, 215–217; Molt, ageing, and identification of immature Long-tailed Jaegers, 219–200; see also King, J. R.; see also Patten, M. A.
 Hummingbird, Allen's, 86–93
 Anna's, 214
 Berylline, 179
 Black-chinned, 211
 Broad-billed, 66
 Broad-tailed, 91
 Calliope, 91
 Rufous, 86–93
 Violet-crowned, 58, 66
 White-eared, 179
Hylocharis leucotis, 179
Hylocichla mustelina, 68–69, 99

Icterus bullockii, 118
 cucullatus, 211
 galbula, 110
 graduacauda, 118
 parisorum, 118
 pustulatus, 72, 110, 118
 spurius, 109–110, 118
 wagleri, 94, 109, 118
Ictinia mississippiensis, 73
Ixoreus naevius, 99, 211

 Jaeger, Parasitic, 1, 6, 9, 23, 25, 26, 190, 219, 220
 Pomarine, 6, 9, 23, 26, 27, 219, 220
 Long-tailed, 23, 219–220
 Jaramillo, Alvaro, see McKee, B.
 Jay, Blue, 68, 78, 94, 97, 98
 Brown, 113
 Island Scrub, 178
 Tufted, 112
 Jones, Roy M., Seabirds carried inland by Tropical Storm Nora, 185–192

 Junco, Dark-eyed, 125
 White-winged, 178
Junco aikeni, 178
 hyemalis, 125

 Kestrel, American, 34, 35
 King, Jon R., Book review: Shrikes: A Guide to the Shrikes of the World, 128; and Steve N. G. Howell, Variation in iris color of adult Thayer's Gulls, 55–56
 Kingbird, Couch's, 57
 Eastern, 96
 Thick-billed, 67, 111
 Tropical, 96
 Kinglet, Golden-crowned, 201, 202
 Kiskadee, Great, 94, 95–96, 111
 Kite, Mississippi, 73
 Kittiwake, Red-legged, 57, 64, 65
 Kluz, Daniel A., see Ryan, T. P.

Lampornis castaneiventris, 178
Larus argentatus, 55, 56
 atricilla, 190–190
 belcheri, 57, 178
 cachinnans, 179
 californicus, 49, 55
 canus, 55
 crassirostris, 178
 fuscus, 64, 179
 glaucescens, 49
 glaucoides, 56, 58
 heuglini, 179
 minutus, 63–64
 occidentalis, 49
 ridibundus, 64
 schistisagus, 58
 thayeri, 55–56, 177
Lanius excubitor, 96, 111, 128
 isabellinus, 128
 meridionalis, 128
 phoenicuroides, 128
Laterallus jamaicensis, 179
Legatus leucophaius, 77
 Lederle, Patrick E., see Boone, J. L.
Leucosticte atrata, 110
 tephrocotis, 110
Limnothlypis swainsonii, 94, 105, 113, 115
Limosa haemastica, 63
 lapponica, 73, 133, 138, 155
 Littlefield, Carroll D., Greater Sandhill Crane productivity on privately

INDEX

- owned wetlands in eastern Oregon, 206–210
- Longspur, Lapland, 108, 117
Smith's, 58, 70, 117
- Loon, Arctic, 72
Common, 211
Yellow-billed, 59, 72
- Macaw, Military, 127
- Maggie, Black-billed, 113
- McCaffery, Brian J., Michael L. Wege, and Christopher A. Nicolai, Spring migration of Spectacled Eiders at Cape Romanzof, Alaska, 167–173
- McCaskie, Guy, and Mike San Miguel, Report of the California Bird Records Committee: 1996 records, 57–85; see also Patten, M. A.
- McIntyre, Carol L., and Robert E. (Skip) Ambrose, Raptor migration in autumn through the upper Tanana River valley, Alaska, 33–38
- McKee, Bert, and Alvaro Jaramillo, Variation in iris color of female Brewer's Blackbirds, 131–132
- McKenzie, Paul M., and Mark B. Robbins, Identification of adult male Rufous and Allen's Hummingbirds, with specific comments on dorsal coloration, 86–93
- Melanitta fusca*, 170
nigra, 179
- Melanotis caerulescens*, 94, 100, 111
- Meleagris gallopavo*, 180
- Merlin, 35
- Mlodinow, Steven G., Steven Feldstein, and Bill Tweit, The Bristle-thighed Curlew landfall of 1998: Climatic factors and notes on identification, 133–155
- Mockingbird, Blue, 94, 100, 111
- Morlan, Joseph, see Patten, M. A.
- Motacilla alba*, 101
cinerea, 179
flava, 69, 79
lugens, 69, 101
sp., 94
- Mountain-Gem, Variable, 178
- Murre, Common, 76
Thick-billed, 66, 75–76
- Murrelet, Ancient, 200, 201, 202–203, 204
- Myadestes occidentalis*, 125
unicolor, 113
- Myiarchus cinerascens*, 111
crinitus, 67
nuttingi, 110–111
tuberculifer, 67, 77, 95
tyrannulus, 111
- Myioborus miniatus*, 94, 107, 116
- Myiodynastes luteiventris*, 77
maculatus, 77
- Nicolai, Christopher A., see McCaffery, B. J.
- Nighthawk, Antillean, 130
Common, 129
Lesser, 212
- Night-Heron, Yellow-crowned, 52–53, 62, 73
- Nightjar, Buff-collared, 57, 66, 74
- Noddy, Black, 6, 21, 26
Brown, 6, 21
- Numenius americanus*, 211
phaeopus, 133, 134, 136, 137, 138, 146–151, 155, 182, 183
tahitiensis, 57, 133–155, 181–183
- Nuthatch, Red-breasted, 53–54
- Nyctanassa violacea*, 52–53, 62, 73
- Oceanodroma castro*, 6, 21
leucorhoa, 6, 8, 9, 10, 12, 14, 16, 17, 18, 21, 25, 27, 28, 187, 189
melania, 187, 188
microsoma, 188, 191
- Oenanthe oenanthe*, 68, 94, 98, 100
- Oldsquaw, 170, 171
- Oporornis agilis*, 70, 94, 106, 114, 116
formosus, 106
philadelphia, 70, 94, 106, 116
tolmiei, 116
- Oriole, Audubon's, 118
Baltimore, 110
Black-vented, 94, 109, 118
Bullock's, 118
Hooded, 211
Orchard, 109–110, 118
Scott's, 118
Streak-backed, 72, 110, 118
- Osprey, 35
- Otus flammeolus*, 179
- Ovenbird, 105–106
- Owl, Barn, 211, 212
Burrowing, 212
Flammulated, 179
Long-eared, 126
Northern Saw-whet, 200–205

INDEX

- Short-eared, 35
 Oystercatcher, American, 63, 73
 Black, 63
- Pachyramphus aglaiae*, 79
 major, 125
- Pagophila eburnea*, 39–43, 57, 64–65
- Pandion haliaetus*, 35
- Parakeet, Barred, 127
 Canary-winged, 127
 White-winged, 127
 Yellow-chevroned, 127
- Parkes, Kenneth C., Head color in
 Bronzed Common Grackles,
 Quiscalus quiscula versicolor, 174
- Parrot, Lilac-crowned, 127
 Red-crowned, 127
 Red-lored, 127
- Parula americana*, 102
 pitiayumi, 94, 102, 114
 superciliosa, 94, 102
- Parula, Northern, 102
 Tropical, 94, 102, 114
- Parus atricapillus*, 97, 99, 124
 rufescens, 201
 sclateri, 113
 wollweberi, 97–98
- Passer domesticus*, 212
- Passerculus sandwichensis*, 125
- Passerina ciris*, 71, 80–81, 109, 117
 versicolor, 109
- Patten, Michael A., Guy McCaskie, and
 Joseph Morlan, First record of the
 American Woodcock for California,
 with a summary of its status in
 western North America, 156–166;
 and Steve N. G. Howell, Book
 review: The American Ornitholo-
 gists' Union Check-list of North
 American Birds, 177–180
- Penelope purpurascens*, 180
- Petersen, Steven L., see Boone J. L.
- Petrel, Band-rumped Storm, 6, 21
 Black, 187, 188
 Black-winged, 6, 8, 9, 10, 12, 14,
 15, 16, 17, 18, 25, 26, 27, 28
 Bulwer's, 6, 8, 9, 10, 11, 12, 13,
 14, 25, 26, 27, 28, 58
 Cook's, 23
 Dark-rumped, 6, 8, 9, 10, 11, 12,
 13, 14–15, 25, 26, 27, 28, 60,
 72
 Great-winged, 58
 Harcourt's Storm, 6, 21
- Henderson, 21, 24
 Herald, 1, 6, 21–22, 25
 Juan Fernandez, 6, 8, 9, 10, 12,
 14, 16, 17, 18, 19, 20, 25, 26,
 27, 28
 Kermadec, 6, 21, 22, 24, 26
 Leach's Storm, 6, 8, 9, 10, 12, 14,
 16, 17, 18, 21, 25, 27, 28,
 187, 189
 Least Storm, 188, 191
 Mottled, 6, 8, 9, 10, 12, 14, 16,
 17, 20–21, 25, 27, 60
 Murphy's, 6, 24
 Parkinson's, 58
 Phoenix, 22
 Pycroft's, 1, 6, 9, 22–23, 25, 26,
 27
 Solander's, 24
 Stejneger's, 1, 6, 24, 25, 27
 Tahiti, 1, 6, 22, 25, 26
 White-necked, 6, 8, 9, 10, 12, 14,
 16, 17, 19, 20, 25, 26, 27, 28
- Petrochelidon fulva*, 68, 94, 97
 pyrrhonota, 97
- Pewee, Eastern Wood, 58, 66–67, 75,
 95
 Greater, 66, 76, 95
- Phaethon aethereus*, 189
 lepturus, 6, 9, 21, 189
 rubricauda, 6, 21, 60–61
- Phalacrocorax brasilianus*, 60
- Pheucticus chrysopeplus*, 108–109,
 117
 ludovicianus, 211, 212
- Phoebastria nigripes*, 6, 21
- Phoebe, Eastern, 95
- Phoebastria palpebrata*, 179
- Phylloscopus borealis*, 58, 68, 78
- Pica pica*, 113
- Picoides arcticus*, 178
- Pipilo erythrophthalmus*, 178
 maculatus, 178
- Pipit, Olive-backed, 58
 Red-throated, 94, 101
 Sprague's, 69, 79, 101, 114
- Piranga bidentata*, 94, 107–108, 117
 olivacea, 70, 107, 117
- Pitangus sulphuratus*, 94, 95–96, 111
- Plectrophenax nivalis*, 94, 108
- Plover, American Golden, 179
 Pacific Golden, 136, 138
 Snowy, 44–48
- Pluvialis dominica*, 179
 fulva, 136, 138

INDEX

- Poecile atricapillus*, 97, 99, 124
 rufescens, 201
 sclateri, 113
Polioptila nigriceps, 98, 113
Porzana carolina, 124, 211
 Powell, Abby N., see Tucker, M. A.
Procellaria parkinsoni, 58
Protonotaria citrea, 105, 115, 125
Pterodroma alba, 22
 arminjoniana, 21
 atrata, 21, 24
 cervicalis, 6, 8, 9, 10, 12, 14, 16,
 17, 19, 20, 26, 27, 28
 cookii, 23
 externa, 6, 8, 9, 10, 12, 14, 16,
 17, 18, 19, 20, 25, 26, 27, 28
 heraldica, 1, 6, 21–22, 25
 inexpectata, 6, 8, 9, 10, 12, 14,
 16, 17, 20–21, 25, 27, 60
 longirostris, 1, 6, 24, 25, 27
 macroptera, 58
 neglecta, 6, 21, 22, 24, 26
 nigripennis, 6, 8, 9, 10, 12, 14,
 15, 16, 17, 18, 25, 26, 27, 28
 phaeopygia, 6, 8, 9, 10, 11, 12,
 13, 14–15, 25, 26, 27, 28, 60,
 72
 pycrofti, 1, 6, 9, 22–23, 25, 26, 27
 rostrata, 1, 6, 22, 25, 26
 solandri, 24
 ultima, 6, 24
Ptilogonys cinereus, 80
Ptychoramphus aleuticus, 76
Puffinus auricularis, 187
 bulleri, 6, 24, 26, 27, 49, 50, 186
 creatopus, 49
 gravis, 72
 griseus, 6, 8, 9, 10, 12, 14, 16, 17,
 20, 25, 26, 27, 49, 186, 187
 nativitatis, 6, 21
 newelli, 6, 8, 9, 10, 11, 12, 13, 14,
 15, 25, 26, 27, 28
 opisthomelas, 186, 187
 pacificus, 6, 8, 9, 10–11, 12, 13,
 14, 25, 26, 27, 28, 49, 186
 puffinus, 60, 72
 Pyle, Peter, Molts by age in the Bristle-
 thighed Curlew and other shorebirds,
 181–183; see also Spear, L. B.
Pyrrhuloxia, 70–71, 108
Pyrrhura, 127

 Quail, Gambel's, 212
 Quail-Dove, Tuxtla, 178

Quiscalus mexicanus, 211, 212
 quiscula, 71–72, 80, 94, 109, 174

 Rail, Black, 179
 Virginia, 124
Rallus limicola, 124
Ramphocelus costaricensis, 177
 passerinii, 177
 Raven, Common, 62, 207, 208
 Redpoll, Common, 80, 118
 Redshank, Spotted, 73
 Redstart, Slate-throated, 94, 107, 116
Regulus satrapa, 201, 202
Rhodostethia rosea, 58
Ridgwayia pinicola, 94, 100, 101,
 113–114
Rissa brevirostris, 57, 64, 65
 Robbins, Mark B., see McKenzie, P. M.
 Robin, Rufous-backed, 69, 79, 99, 113
 Rosenberg, Gary H., and Janet L.
 Witzeman, Arizona Bird Committee
 report, 1974–1996: Part 2
 (passerines), 94–120
 Rosy-Finch, Black, 110
 Gray-crowned, 110
 Rowlett, Richard A., see Force, M. P.
 Ruiz-Campos, Gorgonio, and Armando
 J. Contreras-Balderas, Second
 mainland specimen of the Red-
 breasted Nuthatch from Baja
 California, Mexico, 53–54
 Ryan, Thomas P., and Daniel A. Kluza,
 Additional records of the Least
 Tern from the west coast of
 Mexico, 175–176
Rynchops niger, 121, 189, 190–191

Salpinctes obsoletus, 212
Saltator caeruleus, 117
Saltator, Grayish, 117
Sandpiper, Curlew, 63, 74
 Least, 181
 Rock, 193–199
 Sharp-tailed, 138, 155
 White-rumped, 63, 74
 San Miguel, Mike, see Weintraub, J. D.;
 see McCaskie, G.
 Sapsucker, Williamson's, 211, 212
Sayornis phoebe, 95
Scolopax minor, 58, 156–166
 Scoter, Black, 179
 White-winged, 170
 Scrub-Jay, Island, 178

INDEX

- Sealy, Spencer G., Further data on food items of Northern Saw-whet Owls (*Aegolius acadicus brooksi*) on the Queen Charlotte Islands, British Columbia, 200–205
- Seiurus aurocapillus*, 105–106
motacilla, 106, 116
noveboracensis, 211, 212
- Selasphorus platycercus*, 91
rufus, 86–93
sasin, 86–93
- Shearwater, Black-vented, 186, 187
 Buller's, 6, 24, 26, 27, 49, 50, 186
 Christmas, 6, 21
 Greater, 72
 Manx, 60, 72
 Newell's, 6, 8, 9, 10, 11, 12, 13, 14, 15, 25, 26, 27, 28
 Pink-footed, 49
 Sooty, 6, 8, 9, 10, 12, 14, 16, 17, 20, 25, 26, 27, 49, 186, 187
 Streaked, 49–52, 60
 Townsend's, 187
 Wedge-tailed, 6, 8, 9, 10–11, 12, 13, 14, 25, 26, 27, 28, 49, 186
- Shrike, Northern, 96, 111, 128
 Red-tailed, 128
 Southern Gray, 128
- Silky-Flycatcher, Gray, 80
- Sitta canadensis*, 53–54
- Skimmer, Black, 121, 189, 190–191
- Skua, Great, 24
 South Polar, 1, 6, 24, 25, 26
- Smith, Michael R., First Sooty Tern nest in the contiguous western United States, 121–122
- Solitaire, Brown-backed, 125
 Slate-colored, 113
- Somateria fischeri*, 167–173
mollissima, 169, 170, 171
spectabilis, 73
- Sora, 124, 211
- Sparrow, American Tree, 108
 Clay-colored, 108, 117
 Field, 94, 108, 116, 117
 House, 212
 LeConte's, 94, 108
 Nelson's Sharp-tailed, 117, 178
 Saltmarsh Sharp-tailed, 178
 Savannah, 125
 Sumichrast's, 178
 White-crowned, 178
- Spear, Larry B., David G. Ainley, and Peter Pyle, Seabirds in southeastern Hawaiian waters, 1–32
- Speotyto cunicularia*, 212
- Sphyrapicus thyroideus*, 211, 212
- Spiza americana*, 109, 117
- Spizella arborea*, 108
pallida, 108, 117
pusilla, 94, 108, 116, 117
- Starling, European, 212
- Stellula calliope*, 91
- Stercorarius longicaudus*, 23, 219–220
parasiticus, 1, 6, 9, 23, 25, 26, 190, 219, 220
pomarinus, 6, 9, 23, 26, 27, 219, 220
- Sterna anaethetus*, 58
antillarum, 121, 175–176, 189
bengalensis, 75
eurygnatha, 179
caspia, 121
elegans, 58, 75, 121
forsteri, 121, 179
fuscata, 6, 8, 9, 10, 11, 12, 13, 14, 25, 26, 27, 28, 65, 121–122
maxima, 121
nilotica, 121
paradisaea, 6, 24–25, 27
sandvicensis, 58, 65, 74–75
- Stint, Little, 74
 Red-necked, 63, 73–74, 138, 155, 179
- Storm-Petrel, Band-rumped, 6, 21
 Black, 187, 188
 Harcourt's, 6, 21
 Leach's, 6, 8, 9, 10, 12, 14, 16, 17, 18, 21, 25, 27, 28, 187, 189
 Least, 188, 191
- Streamertail, Eastern, 178
 Western, 178
- Sturnus vulgaris*, 212
- Sula dactylatra*, 72
leucogaster, 61
nebouxii, 61, 72, 189
sula, 6, 21, 61, 72–73
- Swallow, Barn, 124
 Cave, 58, 68, 94, 97
 Cliff, 97
 Violet-green, 123
- Swan, Trumpeter, 73, 81, 179
 Tundra, 62, 73
 Whooper, 57, 62
- Synthliboramphus antiquus*, 200, 201, 202–203, 204

INDEX

- Tachycineta thalassina*, 123
 Tanager, Cherrie's, 177
 Flame-colored, 94, 107–108, 117
 Passerini's, 177
 Scarlet, 70, 107, 117
 Scarlet-rumped, 177
 Tattler, Gray-tailed, 133, 138, 155
 Wandering, 181
 Tern, Arctic, 6, 24–25, 27
 Black, 175
 Bridled, 58
 Caspian, 121
 Cayenne, 179
 Elegant, 58, 75, 121
 Forster's, 121, 179
 Gull-billed, 121
 Least, 121, 175–176, 189
 Lesser Crested, 75
 Royal, 121
 Sandwich, 58, 65, 74–75
 Sooty, 6, 8, 9, 10, 11, 12, 13, 14,
 25, 26, 27, 28, 65, 121–22
 White, 6, 8, 9, 10, 11, 12, 13, 14,
 15, 25, 26, 27, 28
 White-winged, 57, 65, 71
 Thrush, Aztec, 94, 100, 101, 113–
 114
 Gray-cheeked, 113
 Hermit, 124, 201, 202
 Varied, 99, 211
 Wood, 68–69, 99
 Titmouse, Bridled, 97–98
 Towhee, Eastern, 178
 Rufous-sided, 178
 Spotted, 178
Tringa erythropus, 73
Trochilus polytmus, 178
 scitulus, 178
Troglodytes aedon, 124
 Tropicbird, Red-billed, 189
 Red-tailed, 6, 21, 60–61
 White-tailed, 6, 9, 21, 189
 Tucker, Mark A., and Abby N. Powell,
 Snowy Plover diets in 1995 at a
 coastal southern California
 breeding site, 44–48
*Turdus rufopalliatu*s, 69, 79, 99, 113
 Turkey, Wild, 180
 Tweit, B., Book review: Breeding Birds
 of Washington State, 123–124; see
 also Mlodinow, S. G.
 Tyrannulet, Northern Beardless, 95
Tyrannus couchii, 57
 crassirostris, 67, 111
 forficatus, 67, 79, 96
 melancholicus, 96
 tyrannus, 96
Tyto alba, 211, 212

Uria aalge, 76
 lomvia, 66, 75–76

 Veery, 79, 98–99
Vermivora chrysoptera, 69, 102
 luciae, 102
 peregrina, 102, 114
 pinus, 101
 ruficapilla, 102, 114
Vireo bellii, 111
 flavifrons, 67–68, 96, 112
 flavoviridis, 68, 97, 112
 griseus, 96
 hypochryseus, 112
 olivaceus, 97
 philadelphicus, 68, 97, 112
 solitarius, 94, 96
Vireo, Bell's, 111
 Blue-headed, 94, 96
 Golden, 112
 Philadelphia, 68, 97, 112
 Red-eyed, 97
 White-eyed, 96
 Yellow-green, 68, 97, 112
 Yellow-throated, 67–68, 96, 112
 Vulture, Black, 57, 62, 179
 Turkey, 62

 Wagtail, Black-backed, 69, 101
 Gray, 179
 White, 101
 Yellow, 69, 79
 Warbler, Arctic, 58, 68, 78
 Bay-breasted, 104, 115
 Blackburnian, 103–104
 Blackpoll, 104–105, 115
 Black-throated Blue, 103
 Black-throated Green, 103, 114
 Blue-winged, 101
 Canada, 94, 107
 Cape May, 103, 112
 Cerulean, 80, 94, 105
 Chestnut-sided, 102–103, 125,
 211, 212
 Connecticut, 70, 94, 106, 114, 116
 Crescent-chested, 94, 102
 Fan-tailed, 107
 Golden-browed, 116
 Golden-winged, 69, 102

INDEX

- Grace's, 70, 79
 Hermit, 103
 Hooded, 106
 Kentucky, 106
 Lucy's, 102
 MacGillivray's, 116
 Magnolia, 103, 114
 Mourning, 70, 94, 106, 116
 Nashville, 102, 114
 Palm, 104, 115, 125, 178
 Pine, 79, 94, 104, 114
 Prairie, 94, 104
 Prothonotary, 105, 115, 125
 Red-faced, 70
 Rufous-capped, 94, 107, 116
 Swainson's, 94, 105, 113, 115
 Tennessee, 102, 114
 Worm-eating, 70, 80, 105, 115
 Yellow-throated, 104
 Waterthrush, Louisiana, 106, 116
 Northern, 211, 212
 Waxwing, Bohemian, 101, 114
 Cedar, 80
 Wege, Michael L., see McCaffery, B. J.
 Weintraub, Joel D., and Mike San
 Miguel, First record of the Ivory
 Gull in California, 39-43
 Wheatear, Northern, 68, 94, 98, 100
 Whimbrel, 133, 134, 136, 137, 138,
 146-151, 155, 182, 183
 Whip-poor-will, 130
 Whitmore, Michael M., see Whitmore,
 R. C.
 Whitmore, R. Craig, see Whitmore, R.
 C.
 Whitmore, Robert C., R. Craig
 Whitmore, and Michael M.
 Whitmore, A previously unreported
 nesting colony of the Yellow-
 crowned Night Heron near Mulege,
 Baja California Sur, 52-53
Wilsonia canadensis, 94, 107
 citrina, 106
 Witzeman, Janet L., see Rosenberg,
 G. H.
 Woodcock, American, 58, 156-166
 Woodpecker, Black-backed, 178
 Wood-Pewee, Eastern, 58, 66-67, 75,
 95
 Western, 67
 Wren, Canyon, 125
 House, 124
 Rock, 212
 Sedge, 79, 103
Xema sabini, 125, 190
Xenotriccus pileatus, 110
Zonotrichia leucophrys, 178



Turkey Vulture

Sketch by © Marni Fylling