

WESTERN BIRDS, INDEX, VOLUME 39, 2008

Compiled by Philip Unitt

- Accipiter cooperii*, 202
 gentilis, 194
Acrocephalus schoenobaenus, 196
Aimophila cassinii, 142
 ruficeps, 43
Albatross, Black-footed, 54
 Laysan, 54–55
 Short-tailed, 124–125
 Shy, 191
Alberts, Allison C., *see* Sartain, A. R.
Amazilia violiceps, 136
Amphispiza belli, 43, 229
Anderson, Erik M., Cornelius Schlawe,
 and Stephen Lorenz, First record of
 the Lanceolated Warbler breeding
 in North America, 2–7
Anser fabalis, 190
 serrirostris, 190
Anthus spragueii, 140, 147
Aphriza virgata, 22, 23–26, 27, 27
Archilochus colubris, 136, 137
Ardea alba, 193–194
 cinerea, 193
Armer, Michael G., *see* Hull, A. C.
Asio otus, 198
Athene cunicularia, 43
Avocet, American, 153, 156–162
- Ballance, Lisa T., *see* Pagen, R.
Bartramia longicauda, 131
Bean-Goose, Taiga, 190
 Tundra, 190
Billings, Mark J., *see* Cliffl, M. J.
Blackbird, Rusty, 143, 144, 147
Black-Hawk, Common, 129, 145
Booby, Blue-footed, 127, 145
 Brown, 127–128, 145, 148, 149
 Masked, 127
 Red-footed, 128
Brachyramphus perdix, 135, 148
Brady, Ryan S., *see* Carlisle, J. D.
Branta canadensis, 190–191
 hutchinsii, 190–191
Bubo scandiacus, 135, 136
Bunting, Snow, 142–143, 147
 Yellow-browed, 196
Buteo jamaicensis, 223
 lagopus, 194
 nitidus, 202–208
 platypterus, 203
Buteogallus anthracinus, 129, 145
- Calidris alba*, 159
 alpina, 155, 156, 157, 159, 160,
 194
 ferruginea, 133
 fuscicollis, 132–133
 mauri, 155–160, 162
 melanotos, 158
 minuta, 132
 minutilla, 155–160, 162
 ruficollis, 132
Callipepla californica, 83, 88, 90, 91
Calonectris leucomelas, 125, 127
Campylorhynchus brunneicapillus,
 39–43, 83, 88, 90, 91
Caracara cheriway, 122, 130, 145,
 148, 149
Caracara, Crested, 122, 130, 145,
 148, 149
Carduelis flammea, 147
Carpodacus erythrinus, 122
Cartron, Jean-Luc E., David L. Hawk-
 sworth, and Deborah M. Finch,
 First records of the Brown Creeper
 breeding along the middle Rio
 Grande in central New Mexico,
 176–178
Casazza, Michael L., Cory T. Overton,
 John Y. Takekawa, Tobias Rohmer,
 and Kenneth Navarre, Breeding
 behavior and dispersal of radio-
 marked California Clapper Rails,
 101–106
Catharacta maccormicki, 54–55
 skua, 54
Certhia americana, 176–178
Chamaea fasciata, 83, 88, 90, 91
Charadrius alexandrinus, 155, 156,
 159
 melodus, 131
 semipalmatus, 159
 vociferus, 156, 159
 wilsonia, 131
Chen canagica, 124
Chickadee, Black-capped, 177
 Boreal, 110
 Mountain, 177
Cistothorus platensis, 146–147
Clark, Kevin B., and Mark Doderer,
 Current status of the Cactus Wren
 in northwestern Baja California,
 39–43

INDEX

- Coley, Elaine, *see* Pieplow, N. D.
 Collared-Dove, Eurasian, 197–198
 Collins, Charles T., and Michael D. Taylor, Nest spacing in Elegant Terns: Hexagonal packing revisited, 62–68
Columbina talpacoti, 122, 135
 Connors, Sarah, Shorebird use of muted tidal wetlands in a California estuary, 153–165
Contopus pertinax, 136–137
 sordidulus, 146
 virens, 137, 146
Corvus brachyrhynchos, 66
 corax, 223
 Creeper, Brown, 176–178
 Crow, American, 66
 Curlew, Eskimo, 110
 Long-billed, 159
Cygnus buccinator, 124, 143, 148, 149
 columbianus, 124, 143
Cyananthus latirostris, 135–136
- Davis, Kate, *see* Sumner, J.
 DeCicco, Lucas H., and Nicholas Hajdukovich, First record of the Cassin's Vireo nesting in Alaska, 36–38
Dendrocygna autumnalis, 147
Dendroica dominica, 140–141
 graciae, 141–142
 pinus, 142
 striata, 110
 DeSante, David F., *see* Siegel, R. B.
 Dickcissel, 196
 Dodero, Mark, *see* Clark, K. B.
 Dove, Eurasian Collared, 197–198
 Ruddy Ground, 122, 135
 Dowitcher sp., 156–160
 Duck, Black-bellied Whistling, 147
 Dunlin, 155, 156, 157, 159, 160, 194
- Egret, Great, 193–194
 Intermediate, 194
 Little, 234
Egretta caerulea, 234
 garzetta, 234
 intermedia, 194
 tricolor, 128, 234
 Eider, Common, 98
 Steller's, 143
Elanoides forficatus, 122
Emberiza chrysophrys, 196
Empidonax alnorum, 137, 141
 difficilis, 177
 flaviventris, 137, 146
 minimus, 213
 traillii, 8–21, 141
 virescens, 213
 Erickson, Richard A., *see* Iliiff, M. J.
Eudocimus albus, 128
Euphagus carolinus, 143, 144, 147
- Falco amurensis*, 223
 cuvieri, 223
 naumanni, 184
 peregrinus, 220–224
 sparverius, 184, 185, 223
 tinnunculus, 184–187
 vespertinus, 223
 Falcon, Amur, 223
 Peregrine, 220–224
 Red-footed, 223
Ficedula albicilla, 121, 122, 139
 parva, 139
 Finch, Deborah M., *see* Cartron, J.-L. E.
 Fish, Allen M. *see* Hull, A. C.
 Fix, David, Book review: Rare Birds of California, 44–47
 Floyd, Ted, Book review: Birds of Western Colorado Plateau and Mesa Country, 181–183
 Flycatcher, Acadian, 213
 Alder, 137, 141
 Fork-tailed, 137
 Great Crested, 137
 Least, 213
 Red-breasted, 139
 Scissor-tailed, 195
 Taiga, 121, 122, 139
 Willow, 8–21, 141
 Yellow-bellied, 137, 140, 146
Fregata ariel, 122
Fregetta grallaria, 225–227
 tropica, 226
 Frigatebird, Lesser, 122
- Gannet, Northern, 54
 Garrett, Kimball L., *see* Heindel, M. T.
Gavia adamsii, 124, 125, 143
 arctica, 124
Geococcyx californianus, 83, 88, 90, 91
 Gibson, Daniel D., Steven C. Heinel, and Theodore G. Tobish, Jr., Report of the Alaska checklist committee, 2003–2007, 189–201

INDEX

- Gill, Robert E. Jr., Caspian Terns nesting in Alaska: Prophecy, serendipity, and implications for regional climate-related change, 97–100
- Gnatcatcher, California, 43, 83, 88, 90, 91
- Godwit, Bar-tailed, 131–132
 Black-tailed, 146
 Hudsonian, 146
 Marbled, 159
- Golden-Plover, American, 22, 27, 28, 130–131, 148, 149
 Pacific, 130, 131
- Goose, Cackling, 190–191
 Canada, 190–191
 Emperor, 125
 Taiga Bean, 190
 Tundra Bean, 190
- Goshawk, Northern, 194
- Grackle, Common, 143, 147
- Grosbeak, Yellow, 122
- Ground-Dove, Ruddy, 122, 135
- Gull, Black-billed, 33
 Black-headed, 33
 Black-tailed, 194
 Bonaparte's, 33
 California, 33, 54
 Glaucous, 97
 Glaucous-winged, 33–35, 95, 97
 Gray-hooded, 33
 Great Black-backed, 33, 122
 Heermann's, 66
 Herring, 33
 Iceland, 134, 146, 149
 Kelp, 33, 66
 Laughing, 33, 66
 Lesser Black-backed, 134, 146, 195
 Little, 134, 149
 Mew, 33
 Red-billed, 33
 Ring-billed, 33
 Ross's, 121, 122, 135
 Silver, 33, 66
 Slaty-backed, 122, 134–135
 Thayer's, 134, 146
 Western, 33, 54
- Haematopus bachmani*, 131
palliatius, 131, 146
- Hajdukovich, Nicholas, see DeCicco, L. H.
- Hawk, Broad-winged, 203
 Common Black, 129, 145
 Cooper's, 202
- Gray, 202–208
 Harris's, 130
 Red-tailed, 223
 Rough-legged, 194
- Hawk-Owl, Brown, 195
- Hawksworth, David L., see Cartron, J.-L. E.
- Heindel, Matthew T., and Kimball L. Garrett, The 32nd report of the California Bird Records Committee: 2006 records, 121–152
- Heinl, Steven C., see Gibson, D. D.
- Helmitheros vermivorus*, 142
- Heron, Black-crowned Night, 66, 234–242
 Gray, 193
 Little Blue, 234
 Rufous Night, 234
 Tricolored, 128, 234
 Yellow-crowned Night, 128, 234–242
- Himantopus mexicanus*, 153, 156–162
- Hirundo rustica*, 210
- Hobby, African, 223
- Hodder, Jan, Book review: Storm-Petrels of the Eastern Pacific Ocean: Species Assembly and Diversity along Marine Habitat Gradients, 179–180
- Howe, William H., see Williams, S. O.
- Howell, S. N. G., Book review: Bird Voices of Northern California: An Audio Guide to Bird Identification, 50–51; and Debra L. Shearwater, Attempted kleptoparasitism by a South Polar Skua on a Laysan Albatross, 54–55
- Hoyer, Richard C., Book review: Birds of the Aleutian Islands, Alaska, 107–108
- Hull, Angus C., Michael G. Armer, Bethany J. Sturgeon, and Allen M. Fish, First documentation of a Eurasian Kestrel in California, 184–187
- Hummingbird, Broad-billed, 135–136
 Ruby-throated, 136, 137
 Violet-crowned, 136
- Hydroprogne caspia*, 63, 94–96, 97–100
- Hylocichla mustelina*, 139
- Ibis, Glossy, 128, 145
 White, 128, 145

INDEX

- Icterus bullockii*, 196–197
pustulatus, 143
- Ictinia mississippiensis*, 129
- liff, Marshall J., Richard A. Erickson, and Mark J. Billings, Reassessment of Tropical Parula subspecies in Baja California Sur, 69–81
- Jobanek, George A., Book review: John Kirk Townsend: Collector of Audubon's Western Birds and Mammals, 180–181
- Junco, Dark-eyed, 177
- Junco hyemalis aikeni*, 177
- Kestrel, American, 184, 185, 223
 Eurasian, 184–187
 Lesser, 184
- Killdeer, 156, 159
- Kingbird, Thick-billed, 137
- Kite, Mississippi, 129
 Swallow-tailed, 122
- Krueper, David J., Outgoing president's message, 233; see also Williams, S. O.
- Lang, Aaron, see Lohse, T. G.
- Lanius excubitor*, 195–196
- Lapwing, Northern, 194
- Larus argentatus*, 33
atricilla, 33, 66
bulleri, 33
californicus, 33, 54
canus, 33
cirrocephalus, 33
crassirostris, 194
delawarensis, 33
dominicanus, 33, 66
fuscus, 33, 134, 146, 195
glaucescens, 33–35, 95
glaucoides, 134, 146
heermanni, 66
marinus, 33, 122
minutus, 134
novaehollandiae, 33, 66
occidentalis, 33, 54
philadelphia, 33
ridibundus, 33
schistasagus, 122, 134–135
scopulinus, 33
tayeri, 134, 146
- Leaf-Warbler, Pallas's, 196
- Leukering, Tony, see Pieplow, N. D.
- Limnodromus* sp., 156–160
- Limosa fedoa*, 159
haemastica, 146
lapponica, 131–132
limosa, 146
- Lindstrand, Len III, Purple Martin distribution and nesting habitat at Shasta Lake, California, 166–170
- Locustella lanceolata*, 2–7
- Lohse, Teal K., see Lohse, T. G.
- Lohse, Trae W., see Lohse, T. G.
- Lohse, Tyee G., Teal K. Lohse, Trae W. Lohse, and Aaron Lang, First documented breeding colony of Caspian Terns on the Copper River delta, Alaska, 94–96
- Loon, Arctic, 124
 Yellow-billed, 124, 125, 143
- Lorenz, Stephen, see Andersen, E. M.
- Martin, Kathy, see Nouvet, S.
- Martin, Purple, 166–170
- Melanerpes formicivorus*, 167
- Melanitta fusca*, 191
- Mesophoxys intermedia*, 194
- Molloy, Marie, see Platter-Rieger, M. F.
- Morus bassanus*, 54
- Motacilla alba*, 147
tschutschensis, 148
- Murre, Thick-billed, 135
- Murrelet, Long-billed, 135, 148
- Myiarchus crinitus*, 137
- Navarre, Kenneth, see Casazza, M. L.
- Nesofregatta fuliginosa*, 226
- Night-Heron, Black-crowned, 66,
 234–242
 Rufous, 234
 Yellow-crowned, 128, 234–242
- Ninox scutulata*, 195
- Nouvet, Sabine, Scott Wilson, and Kathy Martin, Breeding records of the Surfbird, Wandering Tattler, American Golden-Plover, and Upland Sandpiper in the southwest Yukon Territory, 22–30
- Numenius americanus*, 159
borealis, 110
- Nyctanassa violacea*, 128, 234–242
- Nycticorax caledonicus*, 234
nycticorax, 66, 234–242
- Oceanodroma tristrami*, 122
- O'Donnell, Ryan P., Terrestrial foot-

INDEX

- paddling by a Glaucous-winged Gull, 33–35
Oporornis agilis, 142, 147, 149
 philadelphia, 142
 tolmiei, 142
 Oriole, Bullock's, 196–197
 Streak-backed, 143
 Overton, Cory T., see Casazza, M. L.
 Owl, Brown Hawk, 195
 Burrowing, 43
 Great Gray, 110–116
 Long-eared, 198
 Snowy, 135, 136
 Oystercatcher, American, 131, 146
 Black, 131

 Pagen, Rich, Peter Pyle, and Lisa T.
 Ballance, A *Fregetta* storm-petrel
 off western Mexico, 225–227
Parabuteo unicinctus, 130, 148
 Parula, Northern, 70
 Tropical, 69–81
Parula americana, 70
 pitiayumi, 69–81
Passerculus sandwichensis, 197
 Patten, Michael A., Book review:
 Festschrift for Ned K. Johnson:
 Geographic variation and evolution
 in birds, 228–230
Pelecanus occidentalis, 192–193
 Pelican, Brown, 192–193
 Petrel, Black-bellied Storm, 226
 Galapagos, 125, 126, 143, 148
 Hawaiian, 125, 126, 143, 148
 Mottled, 125
 Stejneger's, 143, 145
 Tristram's Storm, 122
 White-bellied Storm, 225–227
 White-throated Storm, 226
 Pewee, Greater, 136–137
 Eastern Wood, 137, 146
 Western Wood, 146
 Phalarope, Red-necked, 155, 156, 159
Phalaropus lobatus, 155, 156, 159
Pheucticus chrysopleus, 122
Phoebastria albatrus, 124–125
 immutabilis, 54–55
 nigripes, 55
 Phoebe, Black, 209–219
 Eastern, 209–219
 Say's, 210, 212, 217
Phylloscopus proregulus, 196
Picoides dorsalis, 171–175
 pubescens, 171
 tridactylus, 171
 villosus, 171
 Pieplow, Nathan, Book review: Bird-
 ing Colorado: Over 180 Premier
 Birding Sites at 93 Locations,
 108–109; and Tony Leukering and
 Elaine Coley, An apparent hybrid
 Black × Eastern Phoebe from
 Colorado, 209–219
Pipilo maculatus, 83, 88, 90, 91
 Pipit, Sprague's, 140, 147
Piranga oliucea, 142, 149
Platalea ajaja, 129
 Platter-Rieger, Mary F., Tiffany M.
 Shepherd, and Marie Molloy,
 Hybridization of a Yellow-crowned
 and Black-crowned Night-Heron in
 southern California, 234–242
Plectrophenax nivalis, 142–143, 147
Plegadis chihii, 145
 falcinellus, 128, 145, 148
 Plover, American Golden, 22, 27, 28,
 130–131, 148, 149
 Black-bellied, 131, 159
 Pacific, 130, 131
 Piping, 131
 Snowy, 155, 156, 159
 Wilson's, 131
Pluvialis dominica, 22, 27, 28,
 130–131, 149
 fulva, 130, 131
 squatarola, 131, 159
Poecile atricapillus, 177
 gambeli, 177
 hudsonicus, 110
Polioptila californica, 43, 83, 88,
 90, 91
Polysticta stelleri, 143
Pooecetes gramineus, 196
Progne subis, 166–170
Pterodroma inexpectata, 125
 longirostris, 143, 145
 phaeopygia, 125, 126, 143, 148
 sandwichensis, 125, 126, 143, 148
Puffinus assimilis, 121, 122, 145
 auricularis, 122
 bulleri, 191
 creatopus, 54
 gravis, 126
 newelli, 122
 pacificus, 122, 126
 puffinus, 126–127, 145, 149,
 191–192, 193
 tenuirostris, 191

INDEX

- Pyle, Peter, see Pagen, R.; Book review: Barefoot on Lava: The Journals and Correspondence of Naturalist R. C. L. Perkins in Hawai'i, 1892–1901, 230–232
- Quady, David E., Great Gray Owls nesting in Fresno County, California, 110–116
- Quail, California, 83, 88, 90, 91
- Quiscalus quiscula*, 143, 147
- Rail, Clapper, 101–106
- Rallus longirostris*, 101–106
- Raven, Common, 223
- Recurvirostra americana*, 153, 156–162
- Redpoll, Common, 147
- Redshank, Common, 161
- Reed, J. Michael, Book review: Atlas of the Breeding Birds of Nevada, 52–53
- Rhodostethia rosea*, 122, 135
- Roadrunner, Greater, 83, 88, 90, 91
- Robin, Rufous-backed, 79, 139, 144
- Rohmer, Tobias, see Casazza, M. L.
- Rosefinch, Common, 122
- Rynchops niger*, 31–32, 63
- Sanderling, 159
- Sandpiper, Curlew, 133
- Least, 155–160, 162
- Pectoral, 158
- Upland, 131
- Western, 155–160, 162
- White-rumped, 132–133
- Wood, 122
- Sapsucker, Red-breasted, 171
- Red-naped, 171
- Yellow-bellied, 173, 174
- Sartain, Autumn R., and Allison C. Alberts, Habitat fragmentation and scrub-specialist birds: San Diego fragments revisited, 82–93
- Sayornis nigricans*, 209–219
- phoebe*, 209–219
- saya*, 210, 212, 217
- Schlawe, Cornelius, see Andersen, E. M.
- Scolopax minor*, 122, 133
- Scoter, White-winged, 191
- Shearwater, Debra L., see Howell, S. N. G.
- Shearwater, Buller's, 191
- Greater, 126
- Little, 121, 122, 145
- Manx, 126–127, 145, 149, 191–192, 193
- Newell's, 122
- Pink-footed, 54
- Short-tailed, 191
- Streaked, 125, 127
- Townsend's, 122
- Wedge-tailed, 122, 126
- Shepherd, Tiffany M., see Platter-Rieger, M. F.
- Shrike, Northern, 195–196
- Siegel, Rodney B., Robert L. Wilkerson, and David F. DeSante, Extirpation of the Willow Flycatcher from Yosemite National Park, 8–21
- Skimmer, Black, 31–32, 63
- Skua, Great, 54
- South Polar, 54–55
- Somateria mollissima*, 98
- Sparrow, Cassin's, 142
- Rufous-crowned, 43
- Sage, 43, 229
- Savannah, 197
- Vesper, 196
- White-crowned, 110
- Sphyrapicus nuchalis*, 171
- ruber*, 171
- varius*, 173, 174
- Spiza americana*, 196
- Spoonbill, Roseate, 129
- Stercorarius maccormicki*, 54–55
- skua*, 54
- Sterna forsteri*, 63
- paradisaea*, 94
- Sternula antillarum*, 66
- Stilt, Black-necked, 153, 156–162
- Stint, Little, 132
- Red-necked, 132
- Storm-Petrel, Black-bellied, 226
- Tristram's, 122
- White-bellied, 225–227
- White-throated, 227
- Streptopelia decaocto*, 197–198
- Strix nebulosa*, 110–116
- Sturgeon, Bethany J., see Hull, A. C.
- Sula dactylatra*, 127
- leucogaster*, 127–128, 145, 148, 149
- nebouxii*, 127, 145
- sula*, 128
- Summer, Jay, and Kate Davis, Observations of adult Peregrine Falcons capturing stoneflies, 220–224

INDEX

- Surfbird, 22, 23–26, 27, 27
 Swallow, Barn, 210
 Swan, Trumpeter, 124, 148, 149
 Tundra, 124
- Takekawa, John Y., see Casazza, M. L.
 Tanager, Scarlet, 142, 149
 Tattler, Wandering, 22, 26–28, 29
 Taylor, Michael D., see Collins, C. T.
- Tern, Arctic, 94
 Caspian, 63, 94–96, 97–100
 Cayenne, 66
 Elegant, 62–68
 Forster's, 63
 Great Crested, 62, 63, 65, 66
 Least, 66
 Lesser Crested, 65, 66
 Royal, 62, 63, 64, 65, 66
 Sandwich, 65, 66
- Thalassarche cauta*, 191
Thalasseus bengalensis, 65, 66
 bergii, 62, 65, 66
 elegans, 62–68
 eurygnatha, 66
 maximus, 62, 63, 63, 64, 65, 66
 sandvicensis, 65, 66
- Thrasher, California, 83, 88, 90, 91
 Curve-billed, 139
- Thrush, Grayson's, 79
 Wood, 139
- Thryomanes bewickii*, 83, 88, 90, 91
- Tobish, Theodore G., Jr., see Gibson, D. D.
- Towhee, Spotted, 83, 88, 90, 91
- Toxostoma redivivum*, 83, 88, 90, 91
- Tringa glareola*, 122
 incana, 22, 26–28, 29
 melanoleuca, 159
 semipalmata, 159
 totanus, 161
- Turdus rufopalliatu*s, 79, 139, 144
- Tyrannus crassirostris*, 137
 forficatus, 195
 savana, 137
- Uria lomvia*, 135
- Vanellus vanellus*, 194
- Velarde, Enriqueta, Book Review: Gulls of the Americas, 47–50
- Vermivora chrysoptera*, 140, 147
 pinus, 140, 148
 ruficapilla, 196
- Vireo, Blue-headed, 138, 146, 149
 Cassin's, 36–38, 146
 Plumbeous, 37, 177
 Yellow-green, 139
 Yellow-throated, 138
Vireo cassinii, 36–38, 146
 flavifrons, 138
 flavoviridis, 139
 plumbeus, 37, 177
 solitarius, 37, 138, 146, 149
- Wagtail, Eastern Yellow, 148
 White, 139, 147
- Warbler, Blackpoll, 110
 Blue-winged, 140, 148
 Connecticut, 142, 147, 148
 Golden-winged, 140, 147
 Grace's, 141–142
 Lanceolated, 2–7
 MacGillivray's, 142
 Mourning, 142
 Nashville, 196
 Pallas's Leaf, 196
 Pine, 142
 Sedge, 196
 Worm-eating, 142
 Yellow-throated, 140–141
- Whistling-Duck, Black-bellied, 147
- Wilkerson, Robert L., see Siegel, R. B.
- Willet, 159
- Williams, Sartor O. III, and William H. Howe, Black Skimmer occurrences in New Mexico, including a high elevation record, 31–32; and David J. Krueper, The changing status of the Gray Hawk in New Mexico and adjacent areas, 202–208
- Wilson, Scott, see Nouvet, S.
- Withgott, Jay, WFO's 33rd Annual Conference: Retrospective, 243–244
- Woodcock, American, 122, 133
- Woodpecker, Acorn, 167
 American Three-toed, 171–175
 Downy, 171
 European Three-toed, 171
 Hairy, 171
- Wood-Pewee, Eastern, 137, 146
 Western, 146
- Wren, Bewick's, 83, 88, 90, 91
 Cactus, 39–43, 83, 88, 90, 91
 Sedge, 146–147
- Wrentit, 83, 88, 90, 91
- Yellowlegs, Greater, 159
- Zonotrichia leucophrys*, 110