

WESTERN BIRDS, INDEX, VOLUME 42, 2011

Compiled by Daniel D. Gibson

- Acanthis flammea*, 147
Accipiter cooperii, 41
Actitis macularius, 9
Aeronautes saxatilis, 9
Aethia psittacula, 143
Agapornis roseicollis, 229
Agelaius phoeniceus, 12, 125
 tricolor, 44
Aimophila ruficeps, 43
Albatross, Short-tailed, 136–137, 148, 150
Amazilia beryllina, 207–208, 226
Ammodramus bairdii, 147
 leconteii, 147
Amphispiza belli, 36, 44
 bilineata, 34, 36, 44
Anas crecca, 201–202
 platyrhynchos, 41, 124
Ani, Groove-billed, 207
Anser indicus, 136
Anthropoides virgo, 160
Anthus rubescens, 11, 43
Aphelocoma californica, 10, 42
Aquila chrysaetos, 41, 68
Archilochus colubris, 208
Ardeola bacchus, 115
Arenaria interpres, 205
 melanocephala, 205, 212
Auklet, Parakeet, 143
Auriparus flaviceps, 34, 35, 42
Aythya marila, 175

Baeolophus inornatus, 10, 42
Bartramia longicauda, 140, 205
Basileuterus rufifrons, 222, 229
Becard, Gray-collared, 209, 218
 Rose-throated, 209
beldingi, *Passerculus sandwichensis*, 114
Bittern, American, 174
Blackbird, Brewer's, 12, 22, 34, 44, 123–125, 128
 Red-winged, 12, 22, 124–125
 Rusty, 147, 222–223
 Tricolored, 44
Blinick, Naomi S., *see* Fleishman, A. B.
Bluebird, Mountain, 11, 18
 Western, 43
Bluethroat, 177–179
Bobolink, 222
Booby, Blue-footed, 138, 203
 Masked/Nazca, 138
 Red-footed, 138
Botaurus lentiginosus, 174
Brachyrhamphus perdix, 142
Bradley, James E., Stahl, Justyn T., and Fidorra, Jason C., Recent additions to the avifauna of San Clemente Island, including the first record of the Bluethroat in California, 174–182
Brant, 201
Branta bernicla, 201
 hutchinsii, 201, 224
Bros-Seemann, Shannon, *see* Timmer, M.
Bubo virginianus, 41
Bucephala albeola, 175–176
Bufflehead, 175–176
Bunting, Indigo, 257–262
 Lazuli, 8, 12, 21, 44
 Snow, 146
 Yellow-breasted, 147, 160
Bushtit, 42
Buteo albicaudatus, 226
 brachyurus, 183–187, 204–205, 226
 buteo, 74
 jamaicensis, 41, 62–84
 lagopus, 41, 62–84
 lineatus, 41, 68, 204, 224
 nitidus, 183–187
 platypterus, 204, 226, 229
 regalis, 41, 62–84
Buzzard, Common, 74, 77

Calcarius lapponicus, 216–217
Calidris canutus, 206
 fuscicollis, 141, 206, 212, 223, 226
 minuta, 141
 pusilla, 176
 ruficollis, 140
Callipepla californica, 9, 27, 41
 gambelii, 27, 36, 41
Calothorax lucifer, 143
Calypte anna, 9, 41, 247–250
 costae, 34, 41
Campylorhynchus brunneicapillus, 27, 35, 42
Caprimulgus ridgwayi, 207
Caracara cheriway, 139
Caracara, Crested, 139, 149

INDEX

- Cardellina rubrifrons*, 147
Carduelis pinus, 12
 psaltria, 12
Carpodacus cassinii, 12, 44, 180, 181
 mexicanus, 34, 44
 purpureus, 12, 223, 229
Cathartes aura, 41
Catharus fuscescens, 227–228
 guttatus, 11, 43
 ustulatus, 85–95
Catherpes mexicanus, 43
caurina, *Strix occidentalis*, 103, 255–256
Certhia americana, 10, 124, 177
Chaetura vauxi, 41
Chamaea fasciata, 11, 34, 43
 Chat, Yellow-breasted, 85–95
Chen canagica, 136
 Chickadee, Black-capped, 211
 Mountain, 10, 17, 123–129
Chondestes grammacus, 44
Chordeiles acutipennis, 41
Chroicocephalus ridibundus, 141
Circus cyaneus, 41, 49, 62–84
Cistothorus platensis, 145
Coccothraustes vespertinus, 12
Colaptes auratus, 9, 42, 124
Columba livia, 34, 41
Contopus cooperi, 9, 42
 sordidulus, 9, 42
 Contreras, Alan, Hybrid Townsend's × Yellow-rumped Warblers from Oregon and Arizona, 56–57; Regional reports from the Northwest now available on the Web, 122; Book review: *On Her Own Terms: Annie Montague Alexander and the Rise of Science in the American West*, 190–192.
 Cooper, Daniel S., Two recent records of the Clapper Rail from the Ballona Wetlands, Los Angeles County, California, 111–114
Coragyps atratus, 139
 Cormier, Renée L., *see* Jennings, S.
 Cormorant, Neotropic, 138
Corvus brachyrhynchos, 34, 42, 177
 corax, 10, 42, 124
 Cowbird, Brown-headed, 12, 22, 44, 91, 96–102, 123–129
 Crane, Demoiselle, 160
crecca, *Anas crecca*, 201–202
 Creeper, Brown, 10, 17, 124–125, 177
 Crossbill, Red, 12, 22
 White-winged, 223, 225
Crotophaga sulcirostris, 207
 Crow, American, 34, 42, 177
Cyanocitta cristata, 227
 stelleri, 10, 123–124
Cygnus buccinator, 135 136, 201
Cynanthus latirostris, 143
Cypseloides niger, 226

Dendragapus fuliginosus, 9, 128
Dendrocygna bicolor, 201, 224
Dendroica castanea, 219
 coronata, 11, 43, 56, 124
 coronata × *townsendi*, 56–57
 discolor, 219
 dominica, 146, 219
 fusca, 219
 graciae, 146
 magnolia, 221
 nigrescens, 11
 occidentalis, 11, 124
 palmarum, 219
 petechia, 11, 43, 85–95, 96–102, 124
 pinus, 147, 219
 striata, 219
 townsendi, 56
 virens, 218
Dolichonyx oryzivorus, 222
 Dove, Mourning, 41
Dryocopus pileatus, 9
 Duck, Fulvous Whistling-, 201, 224
 Dusek, Robert J., *see* Iko, W. M.

 Eagle, Bald, 62–84
 Golden, 41, 68
 Egret, Reddish, 203
Egretta rufescens, 203
 tricolor, 138
 Eider, King, 136
Elanus leucurus, 41, 62–84
Emberiza aureola, 147
Empidonax difficilis, 10,
 flaviventris, 143, 209
 hammondii, 10, 124
 minus, 209, 227
 oberholseri, 10, 124
 traillii, 85–95
 virescens, 143
 wrightii, 42
Eremophila alpestris, 42
Euphagus carolinus, 147, 222–223
 cyanocephalus, 12, 34, 44, 123

INDEX

- Euptilotis neoxenus*, 208
Euthlypis lachrymosa, 221
- Falco columbarius*, 41, 49, 68
mexicanus, 41, 62–84
peregrinus, 68
sparverius, 41, 62–84, 251–254
tinnunculus, 77
- Falcon, Peregrine, 68
 Prairie, 41, 62–84
- Fidorra, Jason C., *see* Bradley, J. E.
- Finch, Cassin's, 12, 22, 44, 180, 181
 Gray-crowned Rosy-, 12, 22, 128
 House, 34, 44
 Purple, 12, 13, 22, 24, 223, 229
- Fleishman, Abram B., and Blinick, Naomi S., Northerly extension of the breeding range of the Roseate Spoonbill in Sonora, Mexico, 243–246
- Flicker, Northern, 9, 15, 42, 124–125
- Flycatcher, Acadian, 143, 157
 Ash-throated, 8, 10, 16, 42
 Dusky, 10, 13, 16, 124–125
 Dusky-capped, 143
 Gray, 42
 Great Crested, 143–144, 157
 Hammond's, 10, 13, 16, 24, 124–125
 Least, 209, 227
 Nutting's, 209
 Olive-sided, 9, 15, 42
 Pacific-slope, 10, 16
 Tufted, 208–209, 214, 227
 Willow, 85–95
 Yellow-bellied, 143, 209
- Fregata* (sp.), 203
- Frigatebird (sp.), 203
- Gallinago delicata*, 117
gallinago, 117
hardwickii, 117
megala, 117
solitaria, 115
stenura, 115
- Gallinule, Purple, 205
- Gardali, Thomas, *see* Jennings, S.
- Gavia adamsii*, 136, 202
arctica, 136
stellata, 202
- Geococcyx californianus*, 41
- Geothlypis trichas*, 43, 85–95
- Gnatcatcher, Black-capped, 193–195, 215–216, 227
- Black-tailed, 27, 34, 37, 38, 39, 43
 Blue-gray, 37, 43, 193–195
 California, 27, 37, 43, 193–195
- Godwit, Bar-tailed, 140
 Hudsonian, 140, 150, 152
- Golden-Plover, American, 139–140, 205, 226
 Pacific, 205, 211
- Goldfinch, American, 44
 Lawrence's, 44
 Lesser, 8, 12, 23, 44
- Goose, Bar-headed, 136
 Cackling, 201, 224
 Emperor, 136
- Grackle, Common, 147, 223
 Great-tailed, 34, 44
- Graus, Matthew S., *see* Johnson, A. B.
- Grebe, Least, 202
 Red-necked, 202, 224
- Grosbeak, Black-headed, 12, 21, 44, 85–95, 124–125
 Blue, 44
 Evening, 8, 12, 23
 Pine, 12, 22, 124–125
 Yellow, 222
- Grouse, Sooty, 9, 14, 128
- Gull, Black-headed, 141
 Glaucous, 176–177
 Iceland, 141
 Laughing, 206
 Lesser Black-backed, 141–142, 206, 213
 Little, 141
 Slaty-backed, 142, 151, 153, 155
 Thayer's, 206
- Haematopus palliatus*, 140
- Haliaeetus leucocephalus*, 62–84
- Hargrove, Lori, Book review: *Effects of Climate Change on Birds*, 54–55
- Harrier, Northern, 41, 49–50, 62–84
- Harter, Lauren, Book review: *Kaufman Field Guide to Advanced Birding: Understanding What You See and Hear*, 188–190
- Hawk, Broad-winged, 204, 226, 229
 Cooper's, 41
 Ferruginous, 41, 62–84
 Gray, 183–187
 Harris's, 34, 35, 36, 41, 139
 Red-shouldered, 41, 68, 204, 224
 Red-tailed, 41, 62–84
 Rough-legged, 41, 62–84

INDEX

- Short-tailed, 183–187, 204–205, 226
 White-tailed, 226
 Hayes, Floyd E., *see* Weidemann, D. E.
Heliomaster constantii, 208, 226
Helmitheros vermivorum, 219–220
 Heron, Chinese Pond-, 115–119
 Tricolored, 138
 Yellow-crowned Night-, 138–139, 203
 Herzog, Mark P., *see* Pandolfino, E. R.
Hirundo rustica, 42
 Hooper, Stacie L., *see* Pandolfino, E. R.
 Hummingbird, Anna's, 8, 9, 14, 41, 247–250
 Berylline, 207–208, 226
 Broad-billed, 143
 Costa's, 34, 41
 Lucifer, 143, 156–157
 Ruby-throated, 208
 Rufous, 8, 9, 14
Hydrocoloeus minutus, 141
Hylocichla mustelina, 145, 216
- Ibis, Glossy, 139, 149, 203, 224
Icteria virens, 85–95
Icterus bullockii, 44, 128
 cucullatus, 44
 galbula, 223
 parisorum, 34, 36, 44
 pustulatus, 223, 228
 spurius, 223, 229
Ictinia mississippiensis, 139
 Iko, William M., and Dusek, Robert J.,
 Severe bill deformity of an American
 Kestrel wintering in California,
 251–254
- Jacana, Northern, 205
Jacana spinosa, 205
 Jaeger, Long-tailed, 207
 Parasitic, 207, 226
 Pomarine, 207
japonica, *Gallinago solitaria*, 115
 Jay, Blue, 227
 Steller's, 10, 16, 123–128
 Western Scrub-, 8, 10, 17, 42
 Jennings, Scott, Cormier, Renée L.,
 Gardali, Thomas, Press, David,
 and Merkle, William W., Status and
 distribution of the Barred Owl in
 Marin County, California, 103–110
 Johnson, Andrew B., McNew, Sabrina
 M., Graus, Matthew S., and Witt,
 Christopher C., Mitochondrial DNA
 and meteorological data suggest a
 Caribbean origin for New Mexico's
 first Sooty Tern, 233–242
 Jones, Andrea, *see* White, M. D.
 Junco, Dark-eyed, 12, 21, 44,
 123–128
Junco hyemalis, 12, 21, 44, 123–128
- Kestrel, American, 41, 62–84, 251–254
 Eurasian, 77
 Kingbird, Cassin's, 42
 Couch's, 209, 215, 227
 Thick-billed, 144
 Western, 42
 Kingfisher, Belted, 41
 Kinglet, Golden-crowned, 10, 18
 Ruby-crowned, 10, 18, 43
 Kite, Mississippi, 139
 White-tailed, 41, 62–84
 Kittiwake, Black-legged, 206
 Knot, Red, 206
- Lambrecht, Susan, *see* Timmer, M.
Lanius cristatus, 144, 154, 157
 ludovicianus, 42
 Lark, Horned, 42
Larus fuscus, 141–142, 206, 213
 glaucoides, 141
 hyperboreus, 176–177
 schistisagus, 142
 thayeri, 206
Leucophaeus atricilla, 206
Leucosticte tephrocotis, 12, 128
levipes, *Rallus longirostris*, 111–112
Limosa haemastica, 140
 lapponica, 140
 Longspur, Lapland, 216–217
 Loon, Arctic, 136
 Red-throated, 202
 Yellow-billed, 136, 148, 149, 202
 Lovebird, Peach-faced, 229
Loxia curvirostra, 12
 leucoptera, 223, 225
Luscinia svecica, 177–179
- Mallard, 41, 124–125
 Martin, Brown-chested, 210–211
 Purple, 164–173
 McCaskie, Guy, *see* Pyle, P.
 McConnell, Scott, Merlin chases pas-
 serines flushed by Northern Harrier,
 49–50

INDEX

- McDonald, Mike, Book review: *Population demography of Northern Spotted Owls*, 255–256
- McNew, Sabrina M., *see* Johnson, A. B.
- Meadowlark, Western, 44
- Megaceryle alcyon*, 41
- megarhyncha*, *Passerella iliaca*, 228–229
- Melanerpes aurifrons*, 226
- formicivorus*, 9
- lewis*, 42
- Melanitta americana*, 202
- nigra*, 175
- Melanotis caerulescens*, 216, 225
- Melospiza georgiana*, 180–181
- lincolni*, 11, 44
- melodia*, 11, 44, 101
- Melospiza crissalis*, 11, 43
- Merkle, William W., *see* Jennings, S.
- Merlin, 41, 49–50, 68
- Mimus polyglottos*, 34, 43
- Mitrephanes phaeocercus*, 208–209, 214, 227
- Mlodinow, Steven G., First records of the Short-tailed Hawk and Gray Hawk for the Baja California peninsula, 183–187; Has the Black-capped Gnatcatcher occurred in Baja California Sur?, 193–195
- Mockingbird, Blue, 216, 225
- Northern, 34, 43
- Mohr, Elizabeth A., Male-plumaged Anna's Hummingbird feeds chicks, 247–250
- Molothrus ater*, 12, 44, 91, 96, 123
- Motacilla alba*, 145
- tschutschensis*, 145
- Murre, Common, 45–48
- Thick-billed, 142–143, 156
- Murrelet, Long-billed, 143
- Myadestes occidentalis*, 216, 224
- townsendi*, 11
- Mycteria americana*, 203
- Myiarchus cinerascens*, 10, 42
- crinitus*, 143–144
- nuttingi*, 209
- tuberculifer*, 143
- Myioborus miniatus*, 221
- Nighthawk, Lesser, 41
- Night-Heron, Yellow-crowned, 138–139, 203
- Nightjar, Buff-collared, 207
- Nucifraga columbiana*, 10
- Nutcracker, Clark's, 10, 15
- Nuthatch, Red-breasted, 10, 17, 124–125
- White-breasted, 10, 17
- Nyctanassa violacea*, 138–139, 203
- obsoletus*, *Rallus longirostris*, 111–112
- occidentalis*, *Strix occidentalis*, 103
- Oceanodroma tristrami*, 138
- Onychoprion anaethetus*, 142
- fuscatus*, 142, 233–242
- Oporornis agilis*, 147, 228
- formosus*, 220
- philadelphia*, 147, 220–221
- tolmiei*, 11, 43
- Oreortyx pictus*, 9, 41
- Oreoscoptes montanus*, 43
- Oreothlypis celata*, 11, 43
- peregrina*, 217
- ruficapilla*, 11
- superciliosa*, 217
- Oriole, Baltimore, 223
- Bullock's, 44, 128
- Hooded, 44
- Orchard, 223, 229
- Scott's, 34, 36, 44
- Streak-backed, 223, 228
- Osprey, 68
- Owl, Barn, 41
- Barred, 103–110
- Great Horned, 41
- Spotted, 103–110, 255–256
- Oystercatcher, American, 140
- Pachyramphus aglaiae*, 209
- major*, 209, 218
- Pandion haliaetus*, 68
- Pandolfino, Edward R., Herzog, Mark P., Hooper, Stacie L., and Smith, Zachary, Winter habitat associations of diurnal raptors in California's Central Valley, 62–84; *see* White, M. D.
- Parabuteo unicinctus*, 34, 35, 41, 139
- Parula pitiayumi*, 217
- Parula, Tropical, 217
- Passer domesticus*, 34, 44
- Passerculus sandwichensis*, 44, 114
- Passerella iliaca*, 11, 44, 124, 222, 228
- Passerina amoena*, 12, 44
- caerulea*, 44
- cyanea*, 257–262

INDEX

- Patagioenas fasciata*, 9, 33, 41
 Petrel, Galapagos/Hawaiian, 137
 Hawaiian, 137, 148
 Stejneger's, 137
 Tristram's Storm-, 138, 148
 White-chinned, 137, 148
Petrochelidon fulva, 145, 211
 pyrrhonota, 42
 Pewee, Western Wood-, 9, 16, 42
 Phainopepla, 34, 43
Phainopepla nitens, 34, 43
Phalacrocorax brasilianus, 138
Phalaenoptilus nuttallii, 41
Pheucticus chrysopleus, 222
 melanocephalus, 12, 44, 85–95, 124
Philomachus pugnax, 206
Phoebastria albatrus, 136–137
 Phoebe, Black, 42
 Eastern, 177
 Say's, 42
Picoides albolarvatus, 9, 124
 dorsalis, 227
 nuttallii, 27, 42
 scalaris, 27, 34, 36, 42
 villosus, 9, 124
 Pigeon, Band-tailed, 8, 9, 14, 33, 41
 Rock, 34, 41
Pinicola enucleator, 12, 124
Pipilo chlorurus, 11
 maculatus, 11, 34, 43, 124
 Pipit, American, 11, 19, 43
Piranga bidentata, 222, 228
 ludoviciana, 11, 44, 124
 olivacea, 147, 222
Platalea ajaja, 203–204, 243–246
Plectrophenax nivalis, 146
Plegadis falcinellus, 139, 203, 224
 Plover, American Golden-, 139–140, 205, 226
 Pacific Golden-, 205, 211
Pluvialis dominica, 139–140, 205, 226
 fulva, 205, 211
 Plum, David Vander, Book review:
 Molt in North American Birds,
 51–53; *Feather-Watching: An
 Interactive CD Guide for Studying
 Birds in the Field*, 53
Podiceps grisegena, 202, 224
Poecile atricapillus, 211
 gambeli, 10, 123–124
Polioptila caerulea, 37, 43, 193–195
 californica, 27, 37, 43, 193–195
 melanura, 27, 34, 37, 43
 nigriceps, 193–195, 215–216, 227
 Pond-Heron, Chinese, 115–119
Pooecetes gramineus, 44
 Poorwill, Common, 41
Porphyrio martinica, 205
 Press, David, *see* Jennings, S.
Procellaria aequinoctialis, 137
Progne subis, 164–173
 tapera, 210–211
Psaltriparus minimus, 42
Pterodroma longirostris, 137
 phaeopygia/sandwichensis, 137
 sandwichensis, 137
Puffinus opisthomelas, 202
 pacificus, 137–138
 pusillus, *Vireo bellii*, 101
 Pyle, Peter, Book review: *Paseri-
 formes del Occidente de México:
 Morfometría, Datación y Sexado*,
 120–121; Tietz, Jim, and McCa-
 skie, Guy, The 35th report of the
 California Bird Records Commit-
 tee: 2009 records, 134–163; *see*
 Wolfe, J.
 Quail, California, 8, 9, 14, 24, 27, 36,
 41, 52
 Gambel's, 27, 34, 36, 37, 41
 Mountain, 9, 14, 41, 27–46
 Quetzal, Eared, 208
Quiscalus mexicanus, 34, 44
 quiscula, 147, 223
 Radamaker, Kurt, *see* Rosenberg, G.
 H.
 Rail, Clapper, 111–114
Rallus longirostris, 111
 Raven, Common, 10, 17, 42,
 124–128
 Redpoll, Common, 147, 160
 Redstart, Slate-throated, 221
Regulus calendula, 10, 43
 satrapa, 10
Ridgwayia pinicola, 216, 228
Rissa tridactyla, 206
 Roadrunner, Greater, 41
 Robin, American, 11, 19, 34, 43,
 123–128
 Rufous-backed, 145
 Rosenberg, Gary H., Radamaker, Kurt,
 and Stevenson, Mark M., Arizona
 Bird Committee Report, 2005–
 2009 records, 198–232

INDEX

- Rosy-Finch, Gray-crowned, 12, 22, 128
- Ruff, 206
- Rynchops niger*, 207
- Salpinctes obsoletus*, 10, 42
- Sandpiper, Buff-breasted, 206
- Semipalmated, 176
- Spotted, 9, 14
- Upland, 140, 205
- White-rumped, 141, 206, 212, 223, 226
- Sapsucker, Red-breasted, 9, 15, 208, 227
- Williamson's, 9, 15
- Saracco, James F., *see* Siegel, R. B.
- Sayornis nigricans*, 42
- phoebe*, 177
- saya*, 42
- Scaup, Greater, 175
- Schmidt, Annie E., and Warzybok, Pete, First record of the bridled morph of the Common Murre in the Pacific, 45–48
- Scoter, Black, 175, 202
- Scrub-Jay, Western, 8, 10, 17, 42
- Seedeater, White-collared, 228
- Selasphorus rufus*, 9
- Shearwater, Black-vented, 202
- Wedge-tailed, 137–138, 148
- Shrike, Brown, 144, 154, 157
- Loggerhead, 42
- Sialia currucoides*, 11
- mexicana*, 43
- Siegel, Rodney B., Wilkerson, Robert L., Saracco, James F., and Steel, Zachary L., Elevation ranges of birds on the Sierra Nevada's west slope, 2–26
- Siskin, Pine, 12, 23
- Sitta canadensis*, 10, 124
- carolinensis*, 10
- Skimmer, Black, 207
- Smith, Zachary, *see* Pandolfino, E. R.
- Snipe, Common, 116–118
- Latham's, 117
- Pin-tailed, 115–119
- Solitary, 115–119
- Swinhoe's, 117
- Wilson's, 117–118
- Solitaire, Brown-backed, 216, 224
- Townsend's, 11, 18
- solitaria*, *Gallinago solitaria*, 115
- Somateria spectabilis*, 136
- Sonneborn, David W., *see* Withrow, J. J.
- Sorenson, Kelly, *see* Stake, M. M.
- Sparrow, Baird's, 147, 160
- Black-chinned, 43, 179–180
- Black-throated, 34, 36, 37, 38, 39, 44
- Brewer's, 34, 35, 36, 37, 38, 43
- Chipping, 11, 21, 43
- Field, 147, 222
- Fox, 11, 21, 44, 124–125, 222, 228
- Golden-crowned, 44
- Harris's, 44
- House, 34, 44
- Lark, 44
- Le Conte's, 147
- Lincoln's, 11, 21, 44
- Rufous-crowned, 43
- Sage, 36, 44
- Savannah, 44, 114
- Song, 11, 21, 44, 101
- Swamp, 180–181
- Vesper, 44
- White-crowned, 12, 21, 44
- Sphyrapicus ruber*, 9, 208, 227
- thyroideus*, 9
- Spinus laurencei*, 44
- psaltria*, 44
- tristis*, 44
- Spizella atrogularis*, 43, 179–180
- breweri*, 34, 35, 43
- passerina*, 11, 43
- pusilla*, 147, 222
- Spoonbill, Roseate, 203–204, 243–246
- Sporophila torqueola*, 228
- Stahl, Justyn T., *see* Bradley, J. E.
- Stake, Mike M., and Sorenson, Kelly, Trends in riparian songbirds banded at Big Sur, central California coast, 85–95
- Starling, European, 43
- Starthroat, Plain-capped, 208, 226
- Steel, Zachary L., *see* Siegel, R. B.
- Stelgidopteryx serripennis*, 42
- Stercorarius longicaudus*, 207
- parasiticus*, 207, 226
- pomarinus*, 207
- Sterna paradisaea*, 206
- Stevenson, Mark M., *see* Rosenberg, G. H.
- Stint, Little, 141
- Red-necked, 140, 150–151, 152

INDEX

- Stork, Wood, 203
 Storm-Petrel, Tristram's, 138, 148
Strix occidentalis, 103, 255–256
 varia, 103–110
Sturnella neglecta, 44
Sturnus vulgaris, 43
 Suddjian, David L., *see* Timmer, M.
Sula dactylatra/granti, 138
 nebouxii, 138, 203
 sula, 138
 Swallow, Barn, 42
 Cave, 145, 158, 211
 Cliff, 42
 Northern Rough-winged, 42
 Tree, 42
 Violet-green, 42
 Swan, Trumpeter, 135, 136, 201
 Swift, Black, 226
 Vaux's, 41
 White-throated, 9, 14

Tachybaptus dominicus, 202
Tachycineta bicolor, 42
 thalassina, 42
 Tanager, Flame-colored, 222, 228
 Scarlet, 147, 222
 Western, 11, 20, 44, 124–125
 Tattler, Gray-tailed, 140, 149, 150
 Teal, Green-winged, 201–202
 Tern, Arctic, 206
 Bridled, 142, 153
 Elegant, 207
 Royal, 207, 213
 Sandwich, 142, 154, 156
 Sooty, 142, 233–242
Thalasseus elegans, 207
 maximus, 207, 213
 sandvicensis, 142
 Thrasher, California, 34, 43
 Curve-billed, 145, 158
 Long-billed, 228
 Sage, 43
 Thrush, Aztec, 216, 228
 Hermit, 11, 19, 43
 Swainson's, 85–95
 Wood, 145, 158, 216
Thryomanes bewickii, 10
Thryothorus ludovicianus, 214
 sinaloa, 211–212, 220
 Tietz, Jim, *see* Pyle, P.
 Timmer, Matthew, Suddjian, David L.,
 Lambrecht, Susan, and Bros-See-
 mann, Shannon, Nesting success
 of the Yellow Warbler in a disturbed
 riparian forest in coastal California,
 96–102
 Titmouse, Oak, 8, 10, 17, 42
 Towhee, California, 8, 11, 20, 43
 Green-tailed, 11, 20
 Spotted, 11, 20, 34, 124–125
Toxostoma curvirostre, 145
 longirostre, 228
 redivivum, 34, 43
Tringa brevipes, 140
Troglodytes aedon, 10, 43
 hiemalis, 18, 145, 155, 158,
 214–215, 221, 227
 pacificus, 10, 155
Tryngites subruficollis, 206
Turdus migratorius, 11, 34, 43, 123
 *rufopalliatu*s, 145
 Turnstone, Black, 205, 212
 Ruddy, 205
Tyrannus couchii, 209, 212, 215,
 227
 crassirostris, 144
 verticalis, 42
 vociferans, 42
Tyto alba, 41

Uria aalge, 45–48
 lomvia, 142–143

 Veery, 227–228
 Verdin, 34, 35, 37, 38, 39, 42
Vermivora chrysoptera, 217
 cyanoptera, 146, 217, 228
 cyanoptera × *chrysoptera*, 146
Vireo bellii, 101
 cassinii, 10, 124
 flavifrons, 210
 flavoviridis, 144, 210
 gilvus, 10, 42, 85–95
 griseus, 144, 209–210
 olivaceus, 210, 227
 philadelphicus, 227
 solitarius, 144
 Vireo, Bell's, 101
 Blue-headed, 144
 Cassin's, 10, 16, 124–125
 Philadelphia, 227
 Red-eyed, 210, 227
 Warbling, 10, 16, 42, 85–95
 White-eyed, 144, 157, 209–210
 Yellow-green, 144, 157–158, 210
 Yellow-throated, 210
 Vulture, Black, 139

INDEX

- Turkey, 41
- Wagtail, Eastern Yellow, 145
White, 145
- Warbler, Bay-breasted, 219
Blackburnian, 219
Blackpoll, 219
Black-throated Gray, 11, 20
Black-throated Green, 218
Blue-winged, 146, 217, 228
Blue-winged × Golden-winged, 146,
156, 158–159
Canada, 221
Connecticut, 147, 228
Crescent-chested, 217
Fan-tailed, 221
Golden-winged, 217
Grace's, 146
Hermit, 11, 13, 20, 24, 124–125
Hooded, 179
Kentucky, 220
MacGillivray's, 11, 20, 43
Magnolia, 221
Mourning, 147, 220–221
Nashville, 8, 11, 19
Orange-crowned, 8, 11, 19, 43
Palm, 219
Pine, 147, 159, 219
Prairie, 219
Red-faced, 147
Rufous-capped, 222, 229
Tennessee, 217
Townsend's, 56
Townsend's × Yellow-rumped,
56–57
Wilson's, 11, 20, 43, 85–95,
124–125
Worm-eating, 219–220
Yellow, 11, 19, 43, 85–95, 96–102,
124–125
Yellow-rumped, 11, 19, 43, 56,
124–125
Yellow-throated, 146, 219
- Warzybok, Pete, *see* Schmidt, A. E.
- Weaver, Kenneth L., An outpost for
desert birds on the coastal slope of
southern California, 27–44
- Weidemann, Douglas E., and Hayes,
Floyd E., Attraction of birds to
human food in Yosemite National
Park, California, 123–130
- Whistling-Duck, Fulvous, 201, 224
- White, Michael D., Pandolfino, Edward
R., and Jones, Andrea, Purple
Martin survey results at Tejon
Ranch in the Tehachapi Mountains
of California, 164–173
- Wilkerson, Robert L., *see* Siegel, R. B.
- Wilsonia canadensis*, 221
citrina, 179
pusilla, 11, 43, 85–95, 124
- Withrow, Jack J., and Sonneborn,
David W., Important recent bird
records from Attu Island, Alaska,
115–119
- Witt, Christopher C., *see* Johnson,
A. B.
- Wolfe, Jared, and Pyle, Peter, First
evidence for eccentric prealternate
molt in the Indigo Bunting: Pos-
sible implications for adaptive molt
strategies, 257–262
- Woodpecker, Acorn, 8, 9, 15
American Three-toed, 227
Golden-fronted, 226
Hairy, 9, 15, 124–125
Ladder-backed, 27, 34, 36, 37, 38,
39, 42
Lewis's, 42
Nuttall's, 27, 36, 37, 42
Pileated, 9, 15
White-headed, 9, 15, 124–125
- Wood-Pewee, Western, 9, 16, 42
- Wren, Bewick's, 8, 10, 18, 43
Cactus, 27, 34, 35, 37, 38, 39, 42
Canyon, 43
Carolina, 214
House, 8, 10, 18, 41
Pacific, 10, 155
Rock, 10, 18, 42
Sedge, 145
Sinaloa, 211–212, 220
Winter, 18, 145, 155, 158,
214–215, 221, 227
- Wrentit, 8, 11, 19, 34, 43, 52
- Yellowthroat, Common, 43, 85–95
yumanensis, *Rallus longirostris*,
111–112
- Zenaida macroura*, 41
Zonotrichia atricapilla, 44
leucophrys, 12, 44
querula, 44