

WESTERN BIRDS, INDEX, VOLUME 43, 2012

Compiled by Daniel D. Gibson

- Accipiter striatus*, 125
Aechmophorus clarkii, 125
 occidentalis, 125
Aeronautes saxatilis, 129
Aethia psittacula, 173
Agelaius phoeniceus, 143
Ahlers, Darrell D., *see* Sechrist, J. D.
Albatross, Short-tailed, 166
albifrons, *Anser albifrons*, 201–219
albigularis, *Pheugopedius fasciatus*
 tritis, 256
americanus, *Coccyzus americanus*, 8
Ammodramus leconteii, 184
 savannarum, 141
Amphispiza belli, 50–51, 141
 bilineata, 141
Anon, Susan H., *see* Hamilton, R. A.
Anser albifrons, 201–219
 fabalis/serrirostris, 164
Anthony, Robert G., *see* Wright, S. K.
anthonyi, *Campylorhynchus brunnei-*
 capillus, 151–163
Anthus cervinus, 135
 rubescens, 135
 spragueii, 135
Archilochus alexandri, 129
 colubris, 178
Ardea herodias, 125
Arenaria melanocephala, 127
Asio flammeus, 128, 236–247
 otus, 128
Athene cunicularia, 128
Auklet, Parakeet, 173
Avocet, American, 126
- Banks, Richard C., Geographic varia-
 tion in wintering Greater White-
 fronted Geese, 201–219
Bean-Goose, Taiga/Tundra, 164
bewickii, *Thryomanes bewickii*, 256
Blackbird, Brewer's, 143
 Red-winged, 143
 Rusty, 184
 Yellow-headed, 143
Blumin, Len, *see* Davis, J. N.
Bobolink, 143
Bombycilla cedrorum, 136
Booby, Blue-footed, 168
 Brown, 168
 Masked, 168
 Masked/Nazca, 168
 Red-footed, 168
Brachyramphus perdix, 173
Brady, Matt, *see* Sterling, J. C.
Browning, M. Ralph, Book review: The
 Feathery Tribe: Robert Ridgway
 and the Modern Study of Birds,
 271–273
brunneicapillus, *Campylorhynchus*
 brunneicapillus, 256
Bunting, Indigo, 143
 Lark, 141
 Lazuli, 143
 Painted, 143
Burger, Jutta C., *see* Hamilton, R. A.
- Calamospiza melanocorys*, 141
Calcarius lapponicus, 136
 ornatus, 136
 pictus, 182
Calidris alba, 127
 ferruginea, 171
 mauri, 127
 melanotos, 127
 minuta, 171
 minutilla, 127
 ruficollis, 113–116, 171
 subminuta, 171
californicus, *Pelecanus occidentalis*,
 31–46
Calonectris leucomelas, 167
Calypte anna, 129
 costae, 47–49
Campylorhynchus brunneicapillus,
 21–30, 151–163, 256
Caprimulgus vociferus, 176
Caracara cheriway, 170
Caracara, Crested, 170
Cardellina canadensis, 140, 183
 pusilla, 140
Cardinalis sinuata, 184
Carduelis lawrencei, 144
 pinus, 144
 psaltria, 144
 tristis, 144
Carlisle, Jay D., Irruptive migration of
 Chestnut-backed Chickadees to
 southwestern Idaho, 12–20
Carpodacus mexicanus, 144, 266–270
 purpureus, 144

INDEX

- castanonotus*, *Pheugopedius rufalbus*, 256
 Castelein, Kathleen A., see Farrar, J. D.
Catharus fuscescens, 181
 guttatus, 90–101, 133
 minimus, 182
 ustulatus, 133
Catherpes mexicanus, 256
Cepphus columba, 127
Certhia americana, 132
Chaetura pelagica, 229–235
 vauxi, 129, 229–235
chakei, *Cinnycerthia unirufa*, 256
Charadrius hiaticula, 164, 274–275
 nivosus, 189–191
 semipalmatus, 126
 vociferus, 126
 wilsonia, 170
 Chat, Yellow-breasted, 140
 Chickadee, Chestnut-backed, 12–20
 Mountain, 102–104
chloropus, *Gallinula chloropus*, 259–265
Chondestes grammacus, 141
Chordeiles acutipennis, 128
 minor, 128
Cinnycerthia unirufa, 256
Circus cyaneus, 125
Cistothorus palustris, 256
 platensis, 256
clementis, *Carpodacus mexicanus*, 266–270
Coccyzus americanus, 1–11
Colaptes auratus, 129
 Collared-Dove, Eurasian, 127
 Collins, Paul W., see Lethaby, N.
Columba livia, 127
columbarius, *Falco columbarius*, 105–108
 Condor, California, 54–89
conspersus, *Catherpes mexicanus*, 256
Contopus cooperi, 129
 pertinax, 178
 sordidulus, 129
 Cooper, Daniel S., Hamilton, Robert A., and Lucas, Shannon D., A population census of the Cactus Wren in coastal Los Angeles County, 151–163
Coragyps atratus, 169
 Cormorant, Brandt's, 125
 Double-crested, 125
 Neotropic, 168
 Pelagic, 125
Corvus brachyrhynchos, 106
 corax, 132
costaricensis, *Pheugopedius nigricapillus*, 256
 Cowbird, Brown-headed, 143
 Crane, Common, 164
 Creeper, Brown, 132
 Crossbill, Red, 144
 Crow, American, 106
 Cuckoo, Yellow-billed, 1–11
Cygnus buccinator, 165
Cynanthus latirostris, 178
Cyphorhinus phaeocephalus, 256

 Davis, Jeff N., and Blumin, Len,
 Multiple color abnormalities in a wintering Mew Gull, 193–195
deglandi, *Melanitta fusca*, 220–228
 de la Cueva, Horatio, see Latta, S. C.
Dendroica, see *Setophaga*
 Dickcissel, 143
 Dickerman, Robert W., see Witt, C. C.; see Johnson, A. B.
Dolichonyx oryzivorus, 143
domesticus, *Passer domesticus*, 248–254
 Doster, Robert H., see Sechrist, J. D.
 Dove, Eurasian Collared-, 127
 Mourning, 128
 White-winged, 128
 Dowitcher, Long-billed, 127
 Short-billed, 127
 Dunn, Jon L., Gibson, Daniel D., Iloff, Marshall J., Rosenberg, Gary H., and Zimmer, Kevin J., Alaska records of the Asian White-winged Scoter, 220–228

 Easterla, Todd B., and Jorgensen, Lisa,
 First documentation of a juvenile Red-necked Stint for the lower 48 states, 113–116; see Sterling, J. C.
 Egret, Great, 125
 Snowy, 125
Egretta alba, 125
 thula, 125
 tricolor, 168
elgasi, *Anser albifrons*, 201–219
Empidonax difficilis, 130
 flaviventris, 180
 hammondii, 130
 minimus, 130

INDEX

- oberholseri*, 130
 sp., 130
traillii, 129
wrightii, 130
Eremophila alpestris, 132
Eugenes fulgens, 178
Euphagus carolinus, 184
cynocephalus, 143
- Falco columbarius*, 105–108, 126
peregrinus, 126
rusticolus, 170
sparverius, 125
 Falcon, Peregrine, 126
 Farrar, J. Daniel, Kotaich, Adam
 A., Lauten, David J., Castelein,
 Kathleen A., and Gaines, Eleanor
 P., Snowy Plover buried alive by
 wind-blown sand, 189–191
Ferminia cerverai, 256
 Finch, Black Rosy-, 184
 House, 144,
 Purple, 144
flammeus, *Asio flammeus*, 236–247
flavirostris, *Anser albifrons*, 201–219
 Flicker, Northern, 129
 Flycatcher, Ash-throated, 130
 Dusky, 130
 Dusky-capped, 180
 Gray, 130
 Great Crested, 180
 Hammond's, 130
 Least, 130
 Pacific-slope, 130
 Willow, 129
 Yellow-bellied, 180
Fregata magnificens, 167
 Frigatebird, Magnificent, 167
 Fritz, Wes, *see* Lethaby, N.
 Fulmar, Northern, 125
Fulmarus glacialis, 125
fusca, *Melanitta fusca*, 220–228
- Gaede, Peter, *see* Lethaby, N.
 Gaines, Eleanor P., *see* Farrar, J. D.
Gallinago gallinago, 164
Gallinula chloropus, 259–265
 Gallinule, Purple, 170
gambelli, *Anser albifrons*, 201–219
 Garrett, Kimball L., Book review:
 Petrels, Albatrosses, and Storm-Pe-
 trels of North America: A Photo-
 graphic Guide, 109–111
Gavia adamsii, 166
- artica*, 166
immer, 125
Geothlypis philadelphia, 182
tolmiei, 137
trichas, 137
 Gibson, Daniel D., On two fronts: Oc-
 currence of the House Sparrow in
 Alaska, 248–254; *see* Dunn, J. L.
 Gnatcatcher, Blue-gray, 133
 Godwit, Bar-tailed, 171
 Hudsonian, 171
 Marbled, 126
 Golden-Plover, American, 170
 Goldfinch, American, 144
 Lawrence's, 144
 Lesser, 144
 Goose, Greater White-fronted,
 201–219
 Taiga/Tundra Bean-, 164
 Grackle, Common, 184
 Grebe, Clark's, 125
 Eared, 125
 Western, 125
 Grosbeak, Black-headed, 142
 Blue, 143
Grus grus, 164
 Guillemot, Pigeon, 127
 Gull, Black-tailed, 172
 California, 127
 Heermann's, 127
 Ivory, 172
 Lesser Black-backed, 172
 Little, 172
 Mew, 193–195
 Western, 127
Gymnogyps californianus, 43–89
 Gyrfalcon, 170
- Haak, Bruce A., and Sawby, Scott, Re-
 cent nesting and subspecies identity
 of the Merlin in Idaho, 105–108
Haematopus bachmani, 126
palliatius, 126
Haemorrhous, 270
 Hamilton, Robert A., Burger, Jutta C.,
 and Anon, Susan H., Use of nest
 boxes by Cactus Wrens in Orange
 County, California, 21–30; *see*
 Cooper, D. S.
 Hannuksela, Adam, Skiba, Teresa,
 Zyla, Benjamin, and Proudman,
 Amanda, Extension of the breeding
 range of Costa's Hummingbird in
 southern Sonora, 47–49

INDEX

- Harper, Alan B., *see* Latta, S. C.
 Harrier, Northern, 125
 Hawk, Harris's, 169
 Sharp-shinned, 125
Helmitheros vermivorum, 182
Henicorhina leucosticta, 256
 Heron, Great Blue, 125
 Tricolored, 168
 Yellow-crowned Night-, 168
Himantopus himantopus, 126
 Hummingbird, Allen's, 129
 Anna's, 129
 Black-chinned, 129
 Broad-billed, 178
 Costa's, 47-49
 Magnificent, 178
 Ruby-throated, 178
Hydrocoloeus minutus, 172
Hylocichla mustelina, 182
- Ibis, Glossy, 169
Icteria virens, 140
Icterus bullockii, 143
 cucullatus, 143
 galbula, 143
 spurius, 143
 Iff, Marshall J., *see* Dunn, J. L.
- Jaeger, Pomarine, 127
 Jervis, T. R., Type locality and early specimens of the Mountain Chickadee, 102-104
 Johnson, Andrew B., Robert W. Dickerman: A brief introduction, 198-200; A Vaux's Swift specimen from New Mexico with a review of *Chaetura* records from the region, 229-235
 Johnson, Oscar, Sullivan, Brian L., and McCaskie, Guy, The 36th annual report of the California Bird Records Committee: 2010 records, 164-188
 Jorgensen, Lisa, *see* Easterla, T. B.
 Junco, Dark-eyed, 142
Junco hyemalis, 142
- Kestrel, American, 125
 Killdeer, 126
 Kingbird, Cassin's, 131
 Eastern, 131
 Thick-billed, 180
 Tropical, 131
 Western, 131
- Kingfisher, Belted, 129
 Kinglet, Golden-crowned, 133
 Ruby-crowned, 133
 Kotaich, Adam A., *see* Farrar, J. D.
- Lanius cristatus*, 180
 ludovicianus, 131
 Lark, Horned, 132
Larus californicus, 127
 canus, 193-195
 crassirostris, 172
 fuscus, 172
 heermanni, 127
 occidentalis, 127
 Latta, Steven C., de la Cueva, Horatio, and Harper, Alan B., Abundance and site fidelity of migratory birds wintering in riparian habitat of Baja California, 90-101
 Lauten, David J., *see* Farrar, J. D.
 Lethaby, Nick, Fritz, Wes, Collins, Paul W., and Gaede, Peter, Fall bird migration on Santa Barbara Island, California, 118-150
Leucosticte atrata, 184
Limnodromus griseus, 127
 scolopaceus, 127
Limosa fedoa, 126
 haemastica, 171
 lapponica, 171
 Longspur, Chestnut-collared, 136
 Lapland, 136
 Smith's, 182
 Loon, Arctic, 166
 Common, 125
 Yellow-billed, 166
Loxia curvirostra, 144
 Lucas, Shannon D., *see* Cooper, D. S.
ludovicianus, *Thryothorus ludovicianus*, 256
luscinia, *Microcerculus marginatus*, 256
- Magpie, Black-billed, 107
 Martin, Purple, 132
 McCaskie, Guy, *see* Johnson, O.
 Meadowlark, Western, 143
Megaceryle alcyon, 129
Melanerpes formicivorus, 129
Melanitta fusca, 220-228
 perspicillata, 125
Melospiza lincolni, 93, 142
 melodia, 142
 Merlin, 105-108, 126

INDEX

- Micrathene whitneyi*, 174
Microcerculus marginatus, 256
Mimus polyglottos, 133
Mniotilta varia, 136
 Mockingbird, Northern, 133
modestus, *Pheugopedius modestus*,
 256
Molothrus ater, 143
 Moorhen, Common, 259–265
 Murre, Thick-billed, 173
 Murrelet, Long-billed, 173
Myiarchus cinerascens, 130
 crinitus, 180
 tuberculifer, 180

 Nighthawk, Common, 128
 Lesser, 128
 Night-Heron, Yellow-crowned, 168
Numenius phaeopus, 126
 Nuthatch, Red-breasted, 132
Nyctanassa violacea, 168

occidentalis, *Coccyzus americanus*,
 1–11
Oceanodroma tethys, 167
Odontorchilus branickii, 256
Onychoprion fuscatus, 173
Oporornis agilis, 182
Oreoscoptes montanus, 134
Oreothlypis celata, 93, 137
 peregrina, 136
 ruficapilla, 137
 virginiae, 137
 Oriole, Baltimore, 143
 Bullock's, 143
 Hooded, 143
 Orchard, 143
 Osprey, 125
 Ovenbird, 136
 Owl, Barn, 128
 Burrowing, 128
 Elf, 174
 Long-eared, 128
 Short-eared, 128, 236–247
 Oystercatcher, American, 126
 Black, 126

Pagophila eburnea, 172
Pandion haliaetus, 125
Parabuteo uncinctus, 169
 Parula, Northern, 138
Parus montanus, see *Poecile gambeli*
Passer domesticus, 248–254
Passerculus sandwichensis, 141

Passerella iliaca, 96, 141
Passerina amoena, 143
 caerulea, 143
 ciris, 143
 cyanea, 143
 Paxton, Eben H., see Sechrist, J. D.
Pelecanus occidentalis, 31–46, 125
 Pelican, Brown, 31–46, 125
 Petrel, Galapagos/Hawaiian, 167
 Great-winged, 166
 Hawaiian, 166
 Stejneger's, 167
 Wedge-rumped Storm-, 167
Petrochelidon fulva, 181
Peucaea cassinii, 183
 Pewee, Greater, 178
 Western Wood-, 129
Phalacrocorax auritus, 125
 brasilianus, 168
 pelagicus, 125
 penicillatus, 125
Phalaenoptilus nuttallii, 129
 Phalarope, Red-necked, 127
Phalaropus lobatus, 127
Pheucticus melanocephalus, 142
Pheugopedius atrogularis, 256
 coraya, 256
 fasciatoventris, 256
 modestus, 256
 nigricapillus, 256
 rufalbus, 256
 thoracicus, 256
Phoebastria albatrus, 166
 Phoebe, Black, 130
 Say's, 130
Pica hudsonia, 107
 Pigeon, Rock, 127
Pipilo chlorurus, 140
 maculatus, 140
 Pipit, American, 135
 Red-throated, 135
 Sprague's, 135
Piranga ludoviciana, 142
 olivacea, 142
 rubra, 142
Plegadis falcinellus, 169
 Plover, American Golden-, 170
 Black-bellied, 126
 Common Ringed, 164, 274–275
 Semipalmated, 126
 Snowy, 189–191
 Wilson's, 170
Pluvialis dominica, 170
 squatarola, 126

INDEX

- Podiceps nigricollis*, 125
Poecile gambeli, 102–104
 montanus, see *P. gambeli*
 rufescens, 12–20
Polioptila caerulea, 133
Poocetes gramineus, 141
 Poorwill, Common, 129
Porphyrio martinica, 170
Progne subis, 132
prostheleuca, *Henicorhina leucosticta*, 256
 Proudman, Amanda, see Hannuksela, A.
Pterodroma longirostris, 167
 macroptera, 166
 phaeopygia/sandwichensis, 167
 sandwichensis, 166
Puffinus gravis, 167
 griseus, 125
 Pyrrhuloxia, 184

Quiscalus quiscula, 184

 Raven, Common, 132
Recurvirostra americana, 126
 Redstart, American, 137
Regulus calendula, 133
 satrapa, 133
richardsonii, *Falco columbarius*, 105–108
ridgwayi, *Pheugopedius coraya*, 256
 Roby, Daniel D., see Wright, S. K.
 Rosenberg, Gary H., see Dunn, J. L.
 Rosy-Finch, Black, 184
 Ryan, Vicky M., see Sechrist, J. D.

Salpinctes obsoletus, 132, 256
 Sanderling, 127
sandiegensis, *Campylorhynchus brunneicapillus*, 151–163
 Sandpiper, Curlew, 171
 Least, 127
 Pectoral, 127
 Solitary, 126
 Western, 127
 Wood, 171
 Sawby, Scott., see Haak, B. A.
Sayornis nigricans, 130
 saya, 130
 Schwitters, Michael T., see Withrow, J. J.
 Scoter, Surf, 125
 White-winged, 220–228
 Sechrist, Juddson D., Paxton, Eben H., Ahlers, Darrell D., Doster, Robert H., and Ryan, Vicky M., One year of migration data for a Western Yellow-billed Cuckoo, 1–11
Seiurus aurocapilla, 136
Selasphorus sasin, 129
Setophaga americana, 138
 caerulescens, 138
 castanea, 138
 cerulea, 183
 coronata, 90–101, 139
 discolor, 139
 dominica, 139, 183
 fusca, 138
 graciae, 183
 magnolia, 138
 nigrescens, 139
 occidentalis, 140
 palmarum, 139
 pennsylvanica, 138
 petechia, 138
 pinus, 183
 ruticilla, 137
 striata, 138
 tigrina, 137
 townsendi, 139
 Sharp, Brian E., The California Condor in northwestern North America, 54–89
 Shearwater, Great, 167
 Sooty, 125
 Streaked, 167
 Shrike, Brown, 180
 Loggerhead, 131
 Siskin, Pine, 144
Sitta canadensis, 132
 Skiba, Teresa, see Hannuksela, A.
 Snipe, Common, 164
 Sparrow, Black-chinned, 140
 Black-throated, 141
 Brewer's, 140
 Cassin's, 183
 Chipping, 140
 Clay-colored, 140
 Field, 183
 Fox, 96, 141
 Golden-crowned, 96, 142
 Grasshopper, 141
 House, 248–254
 Lark, 141
 Le Conte's, 184
 Lincoln's, 93, 142
 Sage, 50–51, 141
 Savannah, 141
 Song, 142

INDEX

- Vesper, 141
 White-crowned, 93, 142
 White-throated, 142
Spiza americana, 143
Spizella atrogularis, 140
 breweri, 140
 pallida, 140
 passerina, 140
 pusilla, 183
 Starling, European, 135
steinegeri, *Melanitta fusca*, 220–228
Stelgidopteryx serripennis, 132
stellaris, *Cistothorus platensis*, 256
Stercorarius pomarinus, 127
 Sterling, John C., and Brady, Matt,
 Extralimital Sage Sparrows on
 the Central Valley floor north of
 the Tulare Basin with notes on
 subspecies status and identification,
 50–51; and Easterla, Todd B., First
 documented record of a Common
 Ringed Plover (*Charadrius hia-*
 ticula) for California, 274–275
Sterna hirundo/paradisaea, 127
 Stilt, Black-necked, 126
 Stint, Little, 171
 Long-toed, 171
 Red-necked, 113–116, 171
 Storm-Petrel, Wedge-rumped, 167
Streptopelia decaocto, 127
Sturnella neglecta, 143
Sturnus vulgaris, 135
suckleyi, *Falco columbarius*, 105–108
Sula dactylatra, 168
 dactylatra/granti, 168
 leucogaster, 168
 nebouxii, 168
 sula, 168
 Sullivan, Brian L., *see* Johnson, O.
 Swallow, Barn, 132
 Cave, 181
 Northern Rough-winged, 132
 Violet-green, 132
 Swan, Trumpeter, 165
 Swift, Vaux's, 129, 229–235
 White-throated, 129

Tachycineta thalassina, 132
tamaulipensis, *Chaetura vauxi*,
 229–235
 Tanager, Scarlet, 142
 Summer, 142
 Western, 142
 Tattler, Wandering, 126

 Tern, Common/Arctic, 127
 Royal, 127
 Sooty, 173
Thalasseus maximus, 127
 Thrasher, Curve-billed, 182
 Sage, 134
 Thrush, Gray-cheeked, 182
 Hermit, 90–101, 133
 Swainson's, 133
 Wood, 182
Thryomanes bewickii, 132, 256
Thryorchilus browni, 256
Thryothorus ludovicianus, 256
 Towhee, Green-tailed, 140
 Spotted, 140
Toxostoma curvirostre, 182
Tringa glareola, 171
 incana, 126
 melanoleuca, 126
 solitaria, 126
Troglodytes aedon, 132
 hiemalis, 181, 256
 pacificus, 132
 Troglodytidae, 255–258
 Turnstone, Black, 127
Tyrannus crassirostris, 180
 melancholicus, 131
 tyrannus, 131
 verticalis, 131
 vociferans, 131
Tyto alba, 128

 Unitt, Philip, Classification of the
 House Finch of the Channel
 Islands, southern California,
 266–270
Uria lomvia, 173
Uropsila leucogastra, 256

vauxi, *Chaetura vauxi*, 229–235
 Veery, 181
Vermivora chrysoptera, 136, 182
 cyanoptera, 182
 Vireo, Blue-headed, 132, 181
 Cassin's, 132
 Gray, 131
 Red-eyed, 132
 Warbling, 132
 White-eyed, 180
 Yellow-green, 181
Vireo cassinii, 132
 flavoviridis, 181
 gilvus, 132
 griseus, 180

INDEX

- olivaceus*, 132
solitarius, 132, 181
vicinior, 131
 Vulture, Black, 169
 Warbler, Bay-breasted, 138
 Black-and-white, 136
 Blackburnian, 138
 Blackpoll, 138
 Black-throated Blue, 138
 Black-throated Gray, 139
 Blue-winged, 182
 Canada, 140, 183
 Cape May, 137
 Cerulean, 183
 Chestnut-sided, 138
 Connecticut, 182
 Golden-winged, 136, 182
 Grace's, 183
 Hermit, 140
 MacGillivray's, 137
 Magnolia, 138
 Mourning, 182
 Nashville, 137
 Orange-crowned, 93, 137
 Palm, 139
 Pine, 183
 Prairie, 139
 Tennessee, 136
 Townsend's, 139
 Virginia's, 137
 Wilson's, 140
 Worm-eating, 182
 Yellow, 138
 Yellow-rumped, 90–101, 139
 Yellow-throated, 139, 183
 Waxwing, Cedar, 136
 Whimbrel, 126
 Whip-poor-will, Eastern, 176
 Winker, Kevin, The wretched riddle of reduced rectrices in wrens, 255–258
 Winter, Jon, In Memoriam: Clifford R. Lyons, 1942–2012, 192
 Withrow, Jack J., and Schwitters, Michael T., First North American record of Common Moorhen (*Galinula chloropus*) confirmed by molecular analysis, 259–265
 Witt, Christopher C., and Dickerman, Robert W., Differential migration by sex in North American Short-eared Owls (*Asio flammeus*), 236–247
 Woodpecker, Acorn, 129
 Wood-Pewee, Western, 129
 Wren, Bay, 256
 Bewick's, 132, 256
 Black-bellied, 256
 Black-throated, 256
 Cactus, 21–30, 151–163, 256
 Canyon, 256
 Carolina, 256
 Coraya, 256
 Gray-mantled, 256
 House, 132
 Marsh, 256
 Pacific, 132
 Plain, 256
 Rock, 132, 256
 Rufous, 256
 Rufous-and-white, 256
 Scaly-breasted, 256
 Sedge, 256
 Song, 256
 Stripe-breasted, 256
 Timberline, 256
 White-bellied, 256
 White-breasted Wood, 256
 Winter, 181, 256
 Zapata, 256
 Wright, Sadie K., Roby, Daniel D., and Anthony, Robert G., Factors affecting the behavior of Brown Pelicans at a post-breeding roost, 31–46
Xanthocephalus xanthocephalus, 143
 Yellowlegs, Greater, 126
 Yellowthroat, Common, 137
Zenaida asiatica, 128
 macroura, 128
 Zimmer, Kevin J., *see* Dunn, J. L.
Zonotrichia albicollis, 142
 atricapilla, 96, 142
 leucophrys, 94, 142
 Zyla, Benjamin, *see* Hannuksela, A.