

WESTERN BIRDS, INDEX, VOLUME 44, 2013

Compiled by Daniel D. Gibson

- Acanthis flammea*, 232
Accipiter striatus, 2–16
Acrocephalus dumetorum, 191
Aeronautes saxatalis, 2–16
Agelaius phoeniceus, 2–16
 tricolor, 98–113
Aimophila ruficeps, 2–16
Albatross, Black-footed, 322–333
 Laysan, 322–333
 Short-tailed, 175–176, 211
americana, *Bucephala clangula*, 191
Ammodramus leconteii, 231
 savannarum, 30–31
Amphispiza belli, *see Artemisospiza belli*
Anas crecca, 19
 falcata, 210
 penelope, 19
Anderson, Leslie Scopes, *see* Burton, K. M.
Anser albifrons, 184
 fabalis/serrirostris, 207–210
Aphelocoma californica, 2–16
Aphriza virgata, 65–68
Apus pacificus, 239
Aquila chrysaetos, 2–16
Archilochus alexandri, 2–16
 colubris, 226
Ardea herodias, 239
Ardeola bacchus, 184
Artemisospiza belli, 2–16
Asio flammeus, 237
Auklet, Rhinoceros, 178

Baeolophus inornatus, 2–16
Bartramia longicauda, 21, 222
Baumann, Matthew J., Book review:
 Raptors of New Mexico, 158–159
Baumann, Matthew J., McNew, Sabrina M., and Witt, Christopher C., Morphological and molecular evidence confirm the first definitive Eastern White-breasted Nuthatch (*Sitta c. carolinensis*) for New Mexico, 90–97
Bean-Goose, Taiga/Tundra, 207–210
Benally, Ty J., *see* Howard, P. J.
Bernstein, David P., *see* Brook, C. E.
Bittern, Eurasian, 191
Blackbird, Red-winged, 2–16
 Rusty, 231
 Tricolored, 98–113
Black-Hawk, Common, 20
Bland, James D., Estimating the number of territorial males in low-density populations of the Sooty Grouse, 279–293; Apparent extirpation of the Sooty Grouse from the sky islands of south-central California, 294–308
Bluebird, Western, 2–16
Bluetail, Red-flanked, 228–229
Bombycilla cedrorum, 2–16
Bond, Monica L., Lee, Derek E., Siegel, Rodney B., and Tingley, Morgan W., Diet and home-range size of California Spotted Owls in a burned forest, 114–126
Booby, Brown, 214
 Masked, 214
 Masked/Nazca, 214
Botaurus stellaris, 191
Bouzat, Juan L., *see* Ellison, K.
Brachyrhamphus perdix, 226
Brook, Cara E., Bernstein, David P., and Hadly, Elizabeth A., Human food subsidies and Common Raven occurrence in Yosemite National Park, California, 127–134
brunneonucha, *Leucosticte arctoa*, 190
Bubo scandiacus, 226
 virginianus, 2–16, 309–311
Bucephala clangula, 191
Bunting, Lark, 30
 Lazuli, 2–16
 Little, 243–245
 Painted, 231
 Snow, 229
Burnett, L. Joseph, *see* Tyner, M.
Burton, Kenneth M., and Anderson, Leslie Scopes, First record of the Red-bellied Woodpecker in Nevada, 148–150
Bushtit, 2–16
Buteo albonotatus, 20–21
 jamaicensis, 2–16
Buteogallus anthracinus, 20

Calamospiza melanocorys, 30
Calcarius ornatus, 29
Calidris ferruginea, 223

INDEX

- fuscicollis*, 223
himantopus, 21
minuta, 222
ruficollis, 273–278
Callipepla californica, 2–16
Calypte anna, 2–16
costae, 2–16
Campylorhynchus brunneicapillus, 2–16
 Caracara, Crested, 45–55, 226
Caracara cheriway, 45–55, 226
Cardellina pusilla, 2–16
Cardinalis sinuatus, 231
 Carling, Matthew D., see Maley, J. M.
carolinensis, *Sitta carolinensis*, 90–97
Carpodacus mexicanus, see *Haemorhous mexicanus purpureus*, see *Haemorhous purpureus*
 Cartron, Jean-Luc E., Finch, Deborah M., Hawksworth, David L., and Stoleson, Scott H., Nesting ecology and nest success of the Blue Grosbeak along two rivers in New Mexico, 33–44
castaneiceps, *Setophaga petechia*, 262–272
Cathartes aura, 2–16
Catharus guttatus, 2–16
ustulatus, 2–16
caurina, *Melospiza melodia*, 162–170
Cerorhinca monocerata, 178
Chaetura vauxi, 2–16
Chamaea fasciata, 2–16
Charadrius alexandrinus, 191
hiaticula, 222
mongolus, 219
nivosus, 191
wilsonia, 219
 Chickadee, Mountain, 2–16
 Chiffchaff, Common, 188
chloropus, *Gallinula chloropus*, 185
Chondestes grammacus, 2–16, 135–140
Circus cyaneus, 2–16, 78–79, 185
Cistothorus palustris, 188
platensis, 28
clangula, *Bucephala clangula*, 191
Clangula hyemalis, 19
cleonensis, *Melospiza melodia*, 162–170
Colaptes auratus, 2–16
 Collared-Dove, Eurasian, 187
columbarius, *Falco columbarius*, 309–311
 Condor, California, 151–154
Contopus sordidulus, 2–16
virens, 226
 Contreras, Alan, and Tumer, Craig, A winter record of a Little Bunting from interior Oregon, 243–245
Coragyps atratus, 218, 316–318
 Cormorant, Neotropical, 215
Corvus brachyrhynchos, 2–16
corax, 2–16, 127–134
 Cowbird, Brown-headed, 2–16
 Crane, Common, 218
crecca, *Anas crecca*, 19
 Crow, American, 2–16
 Curlew, Long-billed, 196–205
cyaneus, *Circus cyaneus*, 185
Cyanocitta cristata, 228
Cygnus buccinator, 210
Cyananthus latirostris, 226
 Davis, Jeff N., see LeValley, R.
 Day, Robert H., Gall, Adrian E., Morgan, Tawna C., Rose, John R., Plissner, Jonathan H., Sanzenbacher, Peter M., Fenneman, Jamie D., Kuletz, Katherine J., and Watts, Bridget H., Seabirds new to the eastern Chukchi and Beaufort seas, Alaska: Response to a changing climate?, 174–182
decaocto, *Streptopelia decaocto*, 187
 DeCicco, Lucas H., Warnock, Nils, and Johnson, James A., History of the Red-necked Stint breeding in North America, 273–278
 DeCicco, Lucas H., see Gibson, D. D.
Dendragapus fuliginosus, 279–308
obscurus, 76–77
 Dickerman, Robert W., The distribution of *Bubo virginianus pinorum* north and west to Washington, 309–311; Records of the Black Merlin in New Mexico, with comments on its identification, 312–315
 Dove, Eurasian Collared-, 187
 Mourning, 2–16
 Spotted, 2–16
dresseri, *Somateria mollissima*, 211
 Duck, Falcated, 210
 Long-tailed, 19
 Eagle, Golden, 2–16
Egretta caerulea, 20
tricolor, 20, 184, 215

INDEX

- Eider, Common, 211
 King, 211
- Elanus leucurus*, 2–16, 20
- Ellison, Kevin, Ross, Jeremy D., and Bouzat, Juan L., Genetic evidence for mixed maternity at a Lark Sparrow nest, 135–140
- Emberiza pusilla*, 243–245
- Empidonax difficilis*, 2–16
minimus, 28
wrightii, 2–16
- Erratum, 334–335
- Euphagus carolinus*, 231
- Falco columbarius*, 312–315
mexicanus, 2–16
rusticolus, 226
sparverius, 2–16
- Falcon, Prairie, 2–16
- Fenneman, Jamie D., *see* Day, R. H.
- Finch, Asian Rosy-, 190
 Black Rosy-, 232
 House, 2–16
 Purple, 2–16
- Finch, Deborah M., *see* Cartron, J.-L. E.
- Flicker, Northern, 2–16
- Flycatcher, Ash-throated, 2–16, 187
 Dusky-capped, 227
 Gray, 2–16
 Great Crested, 227
 Least, 28
 Pacific-slope, 2–16
 Scissor-tailed, 28
 Sulphur-bellied, 28
- Fregata magnificens*, 214
- Frigatebird, Magnificent, 214
- Gall, Adrian E., *see* Day, R. H.
- Gallinago gallinago*, 223
solitaria, 186
- Gallinula chloropus*, 185
- Gallo-Reynoso, Juan Pablo, *see* Montiel-Herrera, M.
- Gannet, Northern, 176, 191
- Gavia adamsii*, 211
stellata, 20
- Geococcyx californianus*, 2–16
- Geothlypis formosus*, 29
philadelphia, 230
tolmiei, 2–16
- Gibson, Daniel D., DeCicco, Lucas H., Gill, Robert E. Jr., Heini, Steven C., Lang, Aaron J., Tobish, Theodore G. Jr., and Withrow, Jack J.,
 Third report of the Alaska Checklist Committee, 2008–2012, 183–195
- Gill, Robert E. Jr., *see* Gibson, D. D.
- Gliniski, Richard L., In Memoriam: Gale Monson, 80–81
- Gnatcatcher, Blue-gray, 2–16
 California, 2–16
- Godwit, Bar-tailed, 222
- Goldeneye, Common, 191
- Golden-Plover, American, 219
- Goldfinch, American, 2–16
 Lawrence's, 2–16, 31
 Lesser, 2–16
- Gómez de Silva, Héctor, Book review: *Moments of Discovery: Natural History Narratives from Mexico and Central America*, 246–247
- Goose, Greater White-fronted, 184
 Taiga/Tundra Bean-, 207–210
- gouldii*, *Melospiza melodia*, 162–170
- Grackle, Common, 31, 231
- Grosbeak, Black-headed, 2–16
 Blue, 33–44
- Grouse, Dusky, 76–77
 Sooty, 279–308
- Grus grus*, 219
- Gull, Black-tailed, 223
 Glaucous, 23
 Heermann's, 21
 Iceland, 21, 223–224
 Laughing, 186–187
 Lesser Black-backed, 22, 225
 Little, 223
 Slaty-backed, 225
 Thayer's, 21
- Gymnogyps californianus*, 151–154
- Gyrfalcon, 226
- Hadly, Elizabeth A., *see* Brook, C. E.
- Haematopus ostralegus*, 185
- Haemorhous mexicanus*, 2–16
purpureus, 2–16
- Harrier, Northern, 2–16, 78–79, 185
- Harter, Lauren, Book review: *The Young Birder's Guide to Birds of North America*, 82–83
- Hartzell, Paula L., *see* Howard, P. J.
- Harvey, Sarah C., *see* Howard, P. J.
- Hawk, Common Black-, 20
 Cooper's, 2–16
 Harris's, 20, 218
 Red-tailed, 2–16
 Sharp-shinned, 2–16
 Zone-tailed, 20
- Hawksworth, David L., *see* Cartron, J.-L. E.

INDEX

- J.-L. E.
- Heinl, Steven C., *see* Gibson, D. D.
- Helmitheros vermivorum*, 29, 229
- Heron, Black-crowned Night-, 184
- Chinese Pond-, 184
- Great Blue, 239
- Little Blue, 20
- Tricolored, 20, 184, 215
- Yellow-crowned Night-, 216
- Hickey, Catherine M., *see* Shuford, W. D.
- himantopus*, *Himantopus himantopus*, 186
- Himantopus himantopus*, 186
- Howard, Phillip J., Harvey, Sarah C., and Ritt, Steven M., Rare and unusual species observed on Tern Island, French Frigate Shoals, northwestern Hawaiian Islands, 237–242
- Howard, Phillip J., Harvey, Sarah C., Hartzell, Paula L., Leary, Pete, and Benally, Ty J., Common nesting habitats and weights at fledging of Wedge-tailed Shearwaters on Tern Island, Hawaii, 69–75
- howardi*, *Dendragapus fuliginosus*, 294–308
- Hummingbird, Allen's, 2–16
- Anna's, 2–16
- Black-chinned, 2–16
- Broad-billed, 226
- Costa's, 2–16
- Ruby-throated, 226
- Rufous, 2–16
- Hydrocoloeus minutus*, 223
- Hyalocichla mustelina*, 229
- Ibis, Glossy, 20, 218
- Icterus bullockii*, 2–16
- cucullatus*, 2–16
- galbula*, 31
- iliacus*, *Turdus iliacus*, 190
- inornata*, *Tringa semipalmata*, 186
- Jaeger, Parasitic, 25
- japonica*, *Gallinago solitaria*, 186
- Jay, Blue, 228
- Western Scrub-, 2–16
- Johnson, James A., *see* DeCicco, L. H.
- Johnson, Oscar, Pyle, Peter, and Tietz, Jim, The subspecies of the Song Sparrow on Southeast Farallon Island and in central California, 162–170
- Junco, Dark-eyed, 2–16
- Junco hyemalis*, 2–16
- kenaiensis*, *Melospiza melodia*, 162–170
- Kestrel, American, 2–16
- Kienholz, Aleen M., *see* Kienholz, R. J.
- Kienholz, Ronald J., and Kienholz, Aleen M., An apparent long-distance flight by a Dusky Grouse in Montana, 76–77
- Kingbird, Cassin's, 2–16
- Thick-billed, 227
- Western, 2–16
- Kinglet, Ruby-crowned, 2–16
- Kite, White-tailed, 2–16, 20
- Kittiwake, Black-legged, 23
- Krueper, Dave, Book review: *The Travails of Two Woodpeckers: Ivory-Bills & Imperials*, 247–249
- Kuletz, Katherine J., *see* Day, R. H.
- Lang, Aaron J., *see* Gibson, D. D.
- Langham, Gary M., *see* Shuford, W. D.
- Lanius ludovicianus*, 2–16
- Larus crassirostris*, 223
- fuscus*, 22, 225
- glaucoides*, 21, 223–224
- heermanni*, 21
- hyperboreus*, 23
- schistisagus*, 225
- thayeri*, 21
- Laterallus jamaicensis*, 21
- Leary, Pete, *see* Howard, P. J.
- Lee, Derek E., *see* Bond, M. L.
- Leucophaeus atricilla*, 186–187
- Leucosticte arctoa*, 190
- atrata*, 232
- LeValley, Ron, and Davis, Jeff N., Carotenism in the Hairy Woodpecker, 85–87
- Limosa lapponica*, 222
- Lincer, Jeff L., Book reviews: *Hawks in Flight* and *The Crossley Guide: Raptors*, 319–321
- Longspur, Chestnut-collared, 29
- Loon, Red-throated, 20
- Yellow-billed, 211
- Luscinia sibilans*, 189–190
- Maggie, Yellow-billed, 143–147
- Maley, James M., Saucier, Jacob R., and Carling, Matthew D., Refutation of Wyoming nesting record of the Pacific Wren, 141–142

INDEX

- Martin, Purple, 28
- McNew, Sabrina M., *see* Baumann, M. J.
- Meadowlark, Western, 2–16
- Meese, Robert J., Chronic low reproductive success of the colonial Tricolored Blackbird from 2006 to 2011, 98–113
- Melanerpes carolinus*, 148–150, 226
- erythrocephalus*, 25
- formicivorus*, 2–16, 25, 28
- Melanitta americana*, 19
- Melcer, Ron, Jr., *see* Nightingale, A.
- melodia*, *Melospiza melodia*, 162–170
- Melospiza georgiana*, 31
- lincolni*, 2–16
- melodia*, 2–16, 162–170
- Melospiza crissalis*, 2–16
- Mergellus albellus*, 211
- Merlin, 312–315
- merrilli*, *Melospiza melodia*, 162–170
- Meyers, Martin, 2011 Nevada Bird Records Committee Report, 17–32
- Micrathene whitneyi*, 226
- Miller, Robert A., Paprocki, Neil, and Urban, Elizabeth H., Melanistic adult male Northern Harrier wintering in Idaho, 78–79
- Mimus polyglottos*, 2–16
- Mockingbird, Northern, 2–16
- Molothrus ater*, 2–16
- Montiel-Herrera, Marcelino, and Gallo-Reynoso, Juan Pablo, Behaviors of nestling and juvenile Black Vultures in northwestern Mexico, 316–318
- Moorhen, Common, 185
- Morgan, Tawna C., *see* Day, R. H.
- Moriarty, David J., A twenty-year investigation of the effects of fire on a coastal sage scrub bird community, 2–16
- morphna*, *Melospiza melodia*, 162–170
- Morus bassanus*, 176, 191
- Murre, Common, 250–259, 334–335
- Thick-billed, 226
- Murrelet, Ancient, 176–178
- Long-billed, 226
- Myiarchus cinerascens*, 2–16, 187
- crinitus*, 227
- tuberculifer*, 227
- Myiodynastes luteiventris*, 28
- Nelson, Kristie N., and Pyle, Peter, Distribution and movement patterns of individual Crested Caracaras in California, 45–55
- Nelson, Kristie N., Rottenborn, Stephen C., and Terrill, Scott B., The 37th annual report of the California Bird Records Committee: 2011 records, 206–236
- Night-Heron, Black-crowned, 184
- Yellow-crowned, 216
- Nightingale, Ann, and Melcer, Ron, Jr., Conspecific nest aggression of the Pacific Wren on Vancouver Island, British Columbia, 56–64
- Numenius americanus*, 196–205
- Nuthatch, White-breasted, 90–97
- Nyctanassa violacea*, 216
- nycticorax*, *Nycticorax nycticorax*, 184
- Nycticorax nycticorax*, 184
- occidentalis*, *Strix occidentalis*, 114–126
- Oceanodroma monorhis*, 191
- Oenanthe oenanthe*, 229
- Onychoprion fuscatus*, 225
- Oporornis agilis*, 230
- Oreothlypis celata*, 2–16
- ruficapilla*, 190
- Oriole, Baltimore, 31
- Bullock's, 2–16
- Hooded, 2–16
- osculans*, *Haematopus ostralegus*, 185
- Owl, Elf, 226
- Great Gray, 25
- Great Horned, 2–16, 309–311
- Short-eared, 237
- Snowy, 226
- Spotted, 114–126
- Oystercatcher, Eurasian, 185
- Page, Gary W., *see* Shuford, W. D.
- Pandolfino, Edward R., WFO President's Message: State of the Organization, 84; Lack of recovery of the Yellow-billed Magpie from the West Nile Virus in California's Central Valley, 143–147; WFO President's Message: The Future of Field Ornithology, 161
- Paprocki, Neil, *see* Miller, R. A.
- Parabuteo unicinctus*, 20, 218
- Passer domesticus*, 2–16
- Passerculus sandwichensis*, 2–16
- Passerella iliaca*, 2–16
- Passerina amoena*, 2–16
- caerulea*, 33–44

INDEX

- ciris*, 231
Patagioenas fasciata, 2–16
 Petrel, Galapagos/Hawaiian, 214
 Great-winged, 213
 Hawaiian, 213
 Providence, 184
 Solander's, *see* Providence
 Swinhoe's Storm-, 191
 White-chinned, 214
Petrochelidon pyrrhonota, 2–16
 Pewee, Eastern Wood-, 226
 Western Wood-, 2–16
Phaethon lepturus, 238
 Phainopepla, 2–16
Phainopepla nitens, 2–16
Phalacrocorax brasilianus, 215
Phalaenoptilus nuttallii, 2–16
 Phalarope, Red, 21
Phalaropus fulicarius, 21
Pheucticus melanocephalus, 2–16
Phoebastria albatrus, 175–176, 211
 immutabilis, 322–333
 nigripes, 322–333
 Phoebe, Black, 2–16
 Say's, 2–16
Phylloscopus collybita, 188
Pica nuttallii, 143–147
Picoides nuttallii, 2–16
 villosus, 85–87
 Pigeon, Band-tailed, 2–16
pinorum, *Bubo virginianus*, 309–311
Pipilo maculatus, 2–16
Piranga ludoviciana, 2–16
 olivacea, 31
Plectrophenax nivalis, 229
Plegadis falcinellus, 20, 218
 Plissner, Jonathan H., *see* Day, R. H.
 Plover, American Golden-, 219
 Common Ringed, 222
 Kentish, 191
 Lesser Sand-, 219
 Snowy, 191
 Wilson's, 219
Pluvialis dominica, 219
Poecile gambeli, 2–16
Polioptila caerulea, 2–16
 californica, 2–16
 Pond-Heron, Chinese, 184
 Poorwill, Common, 2–16
Procellaria aequinoctialis, 214
Progne subis, 28
Psaltriparus minimus, 2–16
Pterodroma macroptera, 213
 phaeopygia/sandwichensis, 214
 sandwichensis, 213
 solandri, 184
Puffinus gravis, 214
 pacificus, 69–75
pugetensis, *Zonotrichia leucophrys*, 190
 Pyle, Peter, Dark-faced Common
 Murre of central California in fall
 and winter, 250–259; *see* Johnson,
 O.; *see* Nelson, K. N.
 Pyrrhuloxia, 231

 Quail, California, 2–16
Quiscalus quiscula, 31, 231

 Rail, Black, 21
 Raven, Common, 2–16, 127–134
 Redpoll, Common, 232
 Redwing, 190
 Reed Warbler, Blyth's, 191
Regulus calendula, 2–16
ridgwayi, *Oreothlypis ruficapilla*, 190
Rissa tridactyla, 23
 Ritt, Steven M., *see* Howard, P. J.
 Roadrunner, Greater, 2–16
 Robin, American, 2–16
 Rufous-backed, 229
 Rufous-tailed, 189–190
 Rose, John R., *see* Day, R. H.
 Ross, Jeremy D., *see* Ellison, K.
 Rosy-Finch, Asian, 190
 Black, 232
 Rottenborn, Stephen C., *see* Nelson,
 K. N.
ruficollis, *Egretta tricolor*, 184
rufina, *Melospiza melodia*, 162–170
 Rutt, Cameron, Hybridization in Black-
 footed and Laysan albatrosses,
 322–333

Salpinctes obsoletus, 2–16
 Sandpiper, Curlew, 223
 Stilt, 21
 Upland, 21, 222
 White-rumped, 223
 Sand-Plover, Lesser, 218
 Sanzenbacher, Peter M., *see* Day, R. H.
 Sapsucker, Yellow-bellied, 28
 Saucier, Jacob, R., *see* Maley, J. M.
Sayornis nigricans, 2–16
 saya, 2–16
 Schweizer, Cheryl L., and Whitmore,
 Robert C., Movements of the Man-
 grove Warbler in Baja California
 Sur, 262–272
 Scoter, Black, 19
 Scrub-Jay, Western, 2–16

INDEX

- Selasphorus rufus*, 2-16
 sasin, 2-16
Setophaga caerulescens, 29-30
 coronata, 2-16
 discolor, 30
 dominica, 30, 230
 graciae, 231
 magnolia, 29
 palmarum, 30
 pennsylvanica, 29
 petechia, 2-16, 262-272
 pinus, 230
 tigrina, 230
 townsendi, 2-16
 virens, 30
 Shearwater, Great, 214
 Wedge-tailed, 69-75
 Shrike, Loggerhead, 2-16
 Shuford, W. David, Page, Gary W.,
 Langham, Gary M., and Hickey,
 Catherine M., The importance of
 agriculture to Long-billed Curlews
 in California's Central Valley in fall,
 196-205
Sialia mexicana, 2-16
 Siegel, Rodney B., *see* Bond, M. L.
sierrae, *Dendragapus fuliginosus*,
 279-293
Sitta carolinensis, 90-97
 Smew, 211
 Snipe, Common, 223
 Solitary, 186
solitarius, *Vireo solitarius*, 187
Somateria mollissima, 211
 spectabilis, 211
 Sparrow, Chipping, 2-16
 Clay-colored, 30
 Fox, 2-16
 Golden-crowned, 2-16
 Grasshopper, 30
 House, 2-16
 Lark, 2-16, 135-140
 Le Conte's, 231
 Lincoln's, 2-16
 Rufous-crowned, 2-16
 Sage, 2-16
 Savannah, 2-16
 Song, 2-16, 162-170
 Swamp, 31
 White-crowned, 2-16, 190
Sphyrapicus varius, 28
Spinus laurencei, 2-16, 31
 psaltria, 2-16
 tristis, 2-16
Spizella pallida, 30
 passerina, 2-16
 sponsa, *Anser albifrons*, 184
 Stake, Mike M., *see* Tyner, M.
 Starling, European, 2-16
Stelgidopteryx serripennis, 2-16
Stercorarius parasiticus, 25
Sterna paradisaea, 23, 25
Sternula antillarum, 23, 237
 Stilt, Black-winged, 186
 Stint, Little, 222
 Red-necked, 273-278
 Stoleson, Scott H., *see* Cartron, J.-L. E.
 Storm-Petrel, Swinhoe's, 191
Streptopelia chinensis, 2-16
 decaocto, 187
Strix nebulosa, 25
 occidentalis, 114-126
Sturnella neglecta, 2-16
Sturnus vulgaris, 2-16
suckleyi, *Falco columbarius*, 309-311
Sula dactylatra, 214
 dactylatra/granti, 214
 leucogaster, 214
 Surfbird, 65-68
 Swallow, Cliff, 2-16
 Northern Rough-winged, 2-16
 Violet-green, 2-16
 Swan, Trumpeter, 210
 Swift, Fork-tailed, 239
 Vaux's, 2-16
 White-throated, 2-16
Synthliboramphus antiquus, 176-178

Tachycineta thalassina, 2-16
 Tanager, Scarlet, 31
 Western, 2-16
Tarsiger cyanurus, 228-229
 Teal, Green-winged, 19
 Tern, Arctic, 23, 25
 Least, 23, 227
 Sooty, 225
 Terrill, Scott B., *see* Nelson, K. N.
 Thrasher, Brown, 29
 California, 2-16
 Curve-billed, 229
 Thrush, Hermit, 2-16
 Swainson's, 2-16
 Wood, 229
Thryomanes bewickii, 2-16
 Tietz, Jim, *see* Johnson, O.
 Tingley, Morgan W., *see* Bond, M. L.
 Titmouse, Oak, 2-16
 Tobish, Theodore G. Jr., *see* Gibson,
 D. D.
 Towhee, California, 2-16

INDEX

- Spotted, 2–16
Toxostoma curvirostre, 229
 redivivum, 2–16
 rufum, 29
Tringa semipalmata, 186
tristis, *Phylloscopus collybita*, 188
Troglodytes aedon, 2–16
 hiemalis, 28, 228
 pacificus, 56–64, 141–142
Tropicbird, White-tailed, 238
Tumer, Craig, *see* Contreras, A.
Turdus iliacus, 190
 migratorius, 2–16
 rufopalliatus, 229
Tyner, Mike, Burnett, L. Joseph, and Stake, Mike M., California Condor foraging on a live California Sea Lion pup, 151–154
Tyrannus crassirostris, 227
 forficatus, 28
 verticalis, 2–16
 vociferans, 2–16
- Urban, Elizabeth H., *see* Miller, R. A.
Uria aalge, 250–259, 334–335
 lomvia, 226
- VanderWerf, Eric, A., First record of a Surfbird in the Hawaiian Islands, 65–68
Vermivora chrysoptera, 229
Vireo, Blue-headed, 187, 227–228
 Cassin's, 2–16
 Philadelphia, 28
 Plumbeous, 2–16
 Warbling, 2–16
 Yellow-green, 228
Vireo cassinii, 2–16
 flavoviridis, 228
 gilvus, 2–16
 philadelphicus, 28
 plumbeus, 2–16
 solitarius, 187, 227–228
Vulture, Black, 218, 316–318
 Turkey, 2–16
- Warbler, Black-throated Blue, 29
 Black-throated Green, 30
 Blyth's Reed, 191
 Cape May, 230
 Chestnut-sided, 29
 Connecticut, 230
 Golden-winged, 229
 Grace's, 231
 Kentucky, 29
- MacGillivray's, 2–16
Magnolia, 29
Mangrove, 262–272
Mourning, 230
Nashville, 190
Orange-crowned, 2–16
Palm, 30
Pine, 230
Prairie, 30
Townsend's, 2–16
Wilson's, 2–16
Worm-eating, 29, 229
Yellow, 2–16, 262–272
Yellow-rumped, 2–16
Yellow-throated, 30, 230
Warnock, Nils, *see* DeCicco, L. H.
Watts, Bridget H., *see* Day, R. H.
Waxwing, Cedar, 2–16
Wheatear, Northern, 229
White-eye, Japanese, 240
Whitmore, Robert C., *see* Schweizer, C. L.
Wigeon, Eurasian, 19
Willet, 186
Winter, Jon, In Memoriam: Richard W. Stallcup, 155–157
Withrow, Jack J., *see* Gibson, D. D.
Witt, Christopher C., *see* Baumann, M. J.
Wolf, Cole J., Book review: *Twelve Hundred Miles by Horse and Burro: J. Stokely Ligon and New Mexico's First Breeding Bird Survey*, 159–160
Woodpecker, Acorn, 2–16, 25, 28
 Hairy, 85–87
 Nuttall's, 2–16
 Red-bellied, 148–150, 226
 Red-headed, 25
Wood-Pewee, Eastern, 226
 Western, 2–16
Wren, Bewick's, 2–16
 Cactus, 2–16
 House, 2–16
 Marsh, 188
 Pacific, 56–64, 141–142
 Rock, 2–16
 Sedge, 28
 Winter, 28, 228
Wrentit, 2–16
- Zenaida macroura*, 2–16
Zonotrichia atricapilla, 2–16
 leucophrys, 2–16, 190
Zosterops japonicus, 240