

WESTERN BIRDS, INDEX, VOLUME 45, 2014

Compiled by Daniel D. Gibson

- Able, Kenneth P., Barron, Alan, Dunn, Jon L., Omland, Kevin E., and Sansone, Larry, First occurrence of an Atlantic Common Eider (*Somateria mollissima dresseri*) in the Pacific Ocean, 90–99
- Acanthis flammea*, 16, 129–130, 270
hornemanni, 130
- Aegolius funereus*, 166–175
- Aeronautes saxatalis*, 18–42
- Aethia psittacula*, 255
- Agelaius tricolor*, 129
- Albatross, Short-tailed, 249
- Alectoris chukar*, 224–227
- Ammodramus savannarum*, 128
- Amphispiza bilineata*, 18–42
- Anas falcata*, 248
- Anthus rubescens*, 84–85
- Antrostomus vociferus*, 120–121
- Aphelocoma californica*, 18–42, 280
- Ardea alba*, 71–80
- Arenaria interpres*, 7
- Artemisospiza belli*, 18–42
- Athene cucularia*, 313–323
- Auklet, Parakeet, 255
- Baeolophus inornatus*, 18–42
- Barnett, Joseph R., see Zaun, B. J.
- Baron, Alan, see Able, K. P.
- Bartramia longicauda*, 116
- Batkin, Jonathan P., see Stahlecker, D. W.
- Beaudette, David, see Hunn, E. S.
- Benner, Lance, see Szeliga, W.
- Billings, Mark J., see Johnson, O.
- Blackbird, Rusty, 129, 270
Tricolored, 129
- Black Hawk, Common, 253
- Bluebird, Mountain, 204–212
Western, 18–42, 276–283, 304–312
- Bond, Robert, see O'Donnell, R. P.
- Booby, Blue-footed, 5, 250–251
Masked, 250
Masked/Nazca, 250
Red-footed, 251
- Bourbour, Ryan, see Phillips, R. A.
- Bousman, William G., see Phillips, R. A.
- Brachyramphus marmoratus*, 240–243
- perdix*, 255
- Brady, Matthew L., see Rutt, C. L.
- Brake, Anthony J., Wilson, Harvey A., Leong, Robin, and Fish, Allen M., Status of Ospreys nesting on San Francisco Bay, 190–198
- Brant, 4
- Branta bernicla*, 4
hutchinsii, 113
- Bubo scandiacus*, 120
- Bunting, Lazuli, 18–42
Little, 269
Painted, 15
Snow, 11, 266
Varied, 268–270
- Bushit, 18–42
- Buteo albonotatus*, 116
plagiatus, 253, 261
platypterus, 7
swainsoni, 176–182
- Buteogallus anthracinus*, 253
- Calcarius pictus*, 263, 265–266
- Caldwell, Cole J., Foraging interactions of the Great Egret in upland habitats, 71–80
- Calidris ferruginea*, 254
fuscicollis, 254
himantopus, 7
maritima, 116–117
minuta, 254
pugnax, 117
ruficollis, 254
californicus, *Haemorrhous purpureus*, 284–295
- Callipepla californica*, 18–42, 280
- Calocitta colliei*, 228–230
- Calonectris diomedea*, 250
leucomelas, 250
- Calypte anna*, 18–42
costae, 18–42
- Campylorhynchus brunneicapillus*, 43–56
- Caracara cheriway*, 258–259
- Caracara, Crested, 258–259
- Cardellina canadensis*, 14
pusilla, 204–212
rubrifrons, 267
- Cardinal, Northern, 15, 129
- Cardinalis cardinalis*, 15, 129
sinuatus, 129, 269

INDEX

- Carr, Steve, *see* O'Donnell, R. P.
- Catharus fuscescens*, 263
guttatus, 18–42, 204–212
minimus, 263
- Centrocercus urophasianus*, 224–227
- Certhia americana*, 18–42, 204–212
- Chaetura vauxi*, 121
- Chamaea fasciata*, 18–42, 204–212
- Charadrius montanus*, 116
wilsonia, 253
- Chen canagica*, 248
- Chickadee, Chestnut-backed, 204–212
 Mountain, 18–42
- Chondestes grammacus*, 18–42
- Chordeiles minor*, 204–212
- Chukar, 224–227
- Clangula hyemalis*, 4
- Clark, Kevin B., Procsal, Beth, and Doderer, Mark, Recent trends in Yellow-billed Cuckoo occurrences in southern California, with observations of a foraging cuckoo in San Diego
- County, 141–150
- Coates, Peter S., *see* Fearon, M. L.
- Coccothraustes vespertinus*, 18–42, 204–212
- Coccyzus americanus*, 120, 141–150
- Colaptes auratus*, 18–42, 280
chrysooides, 121–124
- Collins, Paul W., *see* Rutt, C. L.
- Columbina passerina*, 8, 120
- Contopus cooperi*, 18–42, 204–212
pertinax, 8
sordidulus, 18–42, 204–212
- Cooper, Daniel S., Hall, Linnea S., and Searcy, Adam J., A population census of the Cactus Wren in Ventura County, California, 43–56
- Coragyps atratus*, 252
- Cormorant, Neotropic, 114–115, 251, 324–325
 Pelagic, 183–189
- Corvus brachyrhynchos*, 280
corax, 18–42
- Coturnicops noveboracensis*, 253
- Cowbird, Bronzed, 15, 129
 Brown-headed, 280
- Crane, Common, 253
- Creep, Brown, 18–42, 204–212
- Crosbie, Scott P., Souza, Levi E., and Ernest, Holly B., Abundance and distribution of the Yellow-billed Magpie, 100–111
- Crossbill, Red, 18–42, 204–212, 213–223
- Crow, American, 280
- Cuckoo, Common, 257–258, 264
 Yellow-billed, 120, 141–150
- Cuculus canorus*, 257–258, 264
- Cyanocitta cristata*, 260, 262
stelleri, 18–42, 204–212, 280
- Cygnus atratus*, 113
cygnus, 248
- Cyananthus latirostris*, 121, 258
- Cypseloides niger*, 8
- Dendrocygna autumnalis*, 4, 248
- Dickcissel, 15, 129
- Doderer, Mark, *see* Clark, K. B.
- Dove, Common Ground-, 8, 120
 Mourning, 18–42
- dresseri*, *Somateria mollissima*, 90–99
- Duck, Black-bellied Whistling-, 4, 248
 Falcated, 248
 Harlequin, 114
 Long-tailed, 4
- Dunn, Jon L., *see* Able, K. P., *see* Rutt, C. L.
- Eberdong, Milang, *see* Olsen, A. R.
- Egret, Great, 71–80
 Reddish, 115
- Egretta caerulea*, 115
rufescens, 115
tricolor, 251
- Eider, Common, 90–99
 King, 248
- Elanus leucurus*, 5, 115
- Ellsworth, Kathi, *see* Szeliga, W.
- Emberiza pusilla*, 269
- Empidonax difficilis*, 124, 204–212
flaviventris, 124, 259
minimus, 8, 124
oberholseri, 18–42, 204–212
- Eremophila alpestris*, 18–42
- Ernest, Holly B., *see* Crosbie, S. P.
- Eudocimus albus*, 252
- Eugenes fulgens*, 121
- Euphagus carolinus*, 129, 270
- Falco peregrinus*, 151–153
rusticolus, 8, 259, 265
- Falcon, Peregrine, 151–153
- Fearon, Michelle L., and Coates, Peter S., Interspecific nest parasitism by Chukar on Greater Sage-Grouse,

INDEX

- 224–227
 Finch, Cassin's, 18–42
 Gray-crowned Rosy-, 18–42
 House, 18–42, 280
 Purple, 18–42, 129, 204–212,
 284–295
 Fish, Allen M., *see* Brake, A. J.
 Flicker, Gilded, 121–124
 Northern, 18–42, 280
 Floyd, Ted, Documentation by sound
 spectrogram of a cryptic taxon,
 Vireo g. gilvus, in Boulder County,
 Colorado, 57–70
 Flycatcher, Ash-throated, 18–42
 Dusky, 18–42, 204–212
 Dusky-capped, 259
 Great Crested, 259–260
 Least, 8, 124
 Olive-sided, 18–42, 204–212
 Pacific-slope, 124, 204–212
 Scissor-tailed, 124
 Yellow-bellied, 124, 259
 Fosdick, Craig, *see* O'Donnell, R. P.
 Foy, Bernard R., *see* Stahlecker, D. W.
Fregata magnificens, 250
 Fridell, Rick, *see* O'Donnell, R. P.
 Frigatebird, Magnificent, 250

Gallinago gallinago, 254–255
gambelii, *Zonotrichia leucophrys*,
 132–140
 Gannet, Northern, 251, 261
 Garrett, John, *see* Szeliga, W.
 Garrett, Kimball L., *see* Pike, J. E.
Gavia adamsii, 114, 249
 arctica, 249
 stellata, 4–5, 114
Geothlypis philadelphia, 266–267
 tolmiei, 18–42, 204–212
gilvus, *Vireo gilvus*, 57–70
 Godwit, Bar-tailed, 254
 Hudsonian, 116
 Golden-Plover, American, 7
 Pacific, 116
 Goldfinch, American, 18–42
 Lawrence's, 130
 Lesser, 18–42
 Goose, Cackling, 113
 Emperor, 248
 Grackle, Common, 15, 270
 Grebe, Red-necked, 114
 Greger, Paul D., *see* Hall, D. B.
 Grosbeak, Black-headed, 18–42
 Evening, 18–42, 204–212
 Ground-Dove, Common, 8, 120

 Grouse, Greater Sage-, 224–227
Grus grus, 253
 Gull, California, 199–203
 Glaucous, 7
 Heermann's, 7
 Iceland, 118, 255–256
 Little, 255
 Lesser Black-backed, 7, 118–120,
 256
 Slaty-backed, 256–257
 Western, 117–118
 Gyrfalcon, 8, 259, 265

 Haas, William E., California breeding
 of the Black-throated Magpie-Jay,
 including evidence of helping,
 228–230
Haemorrhous cassinii, 18–42
 mexicanus, 18–42, 280
 purpureus, 18–42, 129, 204–212,
 284–295
 Hall, Derek B., and Greger, Paul D.,
 Documenting western Burrow-
 ing Owl reproduction and activity
 patterns with motion-activated
 cameras, 313–323
 Hall, Linnea S., *see* Cooper, D. S.
 Hamilton, Robert A., Book review: *The*
Sibley Guide to Birds (2nd ed.),
 154–157
 Hanson, Chad T., Conservation
 concerns for Sierra Nevada birds
 associated with high-severity fire,
 204–212
 Harter, Lauren B., Book review: *Birds*
of the Grand Canyon Region:
An Annotated Checklist (3rd ed.),
 157–159; Book review: *The Cor-*
nell Guide to Bird Sounds: Master
Set for North America, 236–237
 Hawk, Broad-winged, 7
 Common Black, 253
 Gray, 253, 261
 Harris's, 6, 253
 Swainson's, 176–182
 Zone-tailed, 116
 Hayes, Floyd E., Inland records of the
 Black Skimmer in the western
 United States, 327–331
 Hedges, Steve, *see* O'Donnell, R. P.
Helmitheros vermivorum, 11, 266
 Heron, Little Blue, 115
 Rufous Night-, 231–235
 Tricolored, 251
 Yellow-crowned Night-, 251–252

INDEX

- Histrionicus histrionicus*, 114
- Howard, Katharine A., and Johnson, Matthew D., Effects of natural habitat on pest control in California vineyards, 276–283
- Howe, William H., and Williams, Sartor O. III, First nesting of the California Gull in New Mexico, 199–203
- Howell, Christine A., *see* Siegel, R. B.
- Hummingbird, Anna's, 18–42
- Broad-billed, 121, 258
- Calliope, 204–212
- Costa's, 18–42
- Magnificent, 121
- Rufous, 18–42
- Hunn, Eugene S., Book review: *California Condors in the Pacific Northwest*, 237–239; and Beaudette, David, Apparent sympatry of two subspecies of the White-crowned Sparrow, *Zonotrichia leucophrys pugetensis* and *gambelii*, in Washington State, 132–140
- Hydrocoloeus minutus*, 255
- Ibis, Glossy, 115
- White, 252
- Icterus galbula*, 129
- spurius*, 15–16
- Ictinia mississippiensis*, 6, 252–253
- Jaeger, Pomarine, 8, 120
- Jay, Black-throated Magpie-, 228–230
- Blue, 260, 262
- Steller's, 18–42, 204–212, 280
- Western Scrub-, 18–42, 280
- Johnson, Matthew D., *see* Howell, K. A.
- Johnson, Oscar, and Billings, Mark J., The Mangrove Yellow Warbler reaches California, 160–162
- Junco, Dark-eyed, 18–42, 204–212, 280
- Junco hyemalis*, 18–42, 204–212, 280
- Kingbird, Thick-billed, 260
- Tropical, 124
- Kinglet, Golden-crowned, 18–42, 204–212
- Ruby-crowned, 18–42
- Kite, Mississippi, 6, 252–253
- White-tailed, 5, 115
- Kittiwake, Black-legged, 7–8
- Kozma, Jeffrey M., Characteristics of sites of Western Bluebird nests in managed Ponderosa Pine forests of Washington, 304–312
- Lark, Horned, 18–42
- Larus californicus*, 199–203
- fuscus*, 7, 118–120, 256
- glaucoides*, 118, 255–256
- heermanni*, 7
- hyperboreus*, 7
- occidentalis*, 117–118
- schistisagus*, 256–257
- Leong, Robin, *see* Brake, A. J.
- Leucosticte tephrocotis*, 18–42
- Limosa haemastica*, 116
- lapponica*, 254
- Lonchura punctulata*, 268, 270–271
- Longspur, McCown's, 11, 125
- Smith's, 263, 265–266
- Loon, Arctic, 249
- Red-throated, 4–5, 114
- Yellow-billed, 114, 249
- Loxia curvirostra*, 18–42, 204–212, 213–223
- MacKerrow, Edward P., *see* Stahlecker, D. W.
- Magpie, Yellow-billed, 100–111
- Magpie-Jay, Black-throated, 228–230
- Mammoser, Michael, *see* Phillips, R. A.
- Martinico, Breanna, *see* Phillips, R. A.
- Martinsen, Ellen S., and Schall, Joseph J., Reuse of nest sites by Pelagic Cormorants in northern California, 183–189
- McAllister, Sean E., and Neilson, Janet, Occurrence of amelanistic Marbled Murrelets in southeast Alaska and northern British Columbia, 240–243
- McGrann, Michael C., and Thorne, James H., Elevational ranges of birds along California's Pacific Crest Trail, 18–42
- Meadowlark, Eastern, 129
- Western, 18–42
- Melanerpes carolinus*, 8
- formicivorus*, 18–42
- lewis*, 204–212
- Melanitta americana*, 114
- Melospiza georgiana*, 14
- melodia*, 280
- Melospiza crissalis*, 18–42, 280
- fusca*, 128
- Meyers, Martin, 2012 Nevada Bird

INDEX

- Records Committee Report, 2–17
- Micrathene whitneyi*, 258
- Molothrus aeneus*, 15, 129
ater, 280
- Mondaca-Fernández, Fernando, and
 Moreno-Contreras, Israel, Presence
 of the Neotropic Cormorant in
 Chihuahua, Mexico, 324–325
- Moreno-Contreras, Israel, *see* Monda-
 ca-Fernández, F.
- Morus bassanus*, 251, 261
- Motacilla alba*, 263
- Munia, Scaly-breasted, 268, 270–271
- Murrelet, Long-billed, 255
 Marbled, 240–243
- Myadestes townsendi*, 18–42
- Myiarchus cinerascens*, 18–42
crinitus, 259–260
tuberculifer, 259
- Myioborus pictus*, 14
- Neilson, Janet, *see* McAllister, S. E.
- Neuman, Colby, *see* O'Donnell, R. P.
- Nighthawk, Common, 204–212
- Night-Heron, Rufous, 231–235
 Yellow-crowned, 251–252
- Nucifraga columbiana*, 18–42
- Nutcracker, Clark's, 18–42
- Nuthatch, Pygmy, 18–42, 204–212
 Red-breasted, 18–42, 204–212
 White-breasted, 18–42
- Nyctanassa violacea*, 251–252
- Nycticorax caledonicus*, 231–235
- occidentalis*, *Coccyzus americanus*,
 141–150
- O'Donnell, Ryan P., Carr, Steve, Fos-
 dick, Craig, Bond, Robert, Fridell,
 Rick, Hedges, Steve, Neuman,
 Colby, Ryel, Ron, Sadler, Terry,
 Skalicky, Jack J., Stackhouse,
 Mark, and Webb, Merrill, Rare birds
 of Utah: The nineteenth report of
 the Utah Bird Records Committee
 (2010–2012), 112–131
- Oenanthe oenanthe*, 262–263
- Olsen, Alan R., and Eberdong, Milang,
 A rapid field assessment of the
 Rufous Night-Heron population of
 Palau, Micronesia, 231–235
- Omland, Kevin E., *see* Able, K. P.
- Oporornis agilis*, 11, 266
- Oreortyx pictus*, 18–42, 204–212
- Oreothlypis celata*, 18–42, 204–212
- peregrina*, 11, 125
- ruficapilla*, 18–42, 204–212
- Oriole, Baltimore, 129
 Orchard, 15–16
- Osprey, 190–198
- Ovenbird, 125
- Owl, Barred, 258
 Boreal, 166–175
 Burrowing, 313–323
 Elf, 258
 Snowy, 120
- Pandion haliaetus*, 190–198
- Parabuteo unicinctus*, 6, 253
- Parkesia motacilla*, 266
- Parula, Northern, 125–126
- Passerella iliaca*, 18–42, 204–212
- Passerina amoena*, 18–42
ciris, 15
versicolor, 268–270
- Patagioenas fasciata*, 18–42
- Pelecanus occidentalis*, 5
- pelewensis*, *Nycticorax caledonicus*,
 231–235
- Pelican, Brown, 5
- Petrel, Galapagos/Hawaiian, 250
 Great-winged, 249
 Hawaiian, 249–250
- Petrochelidon fulva*, 262
- Pewee, Greater, 8
 Western Wood-, 18–42, 204–212
- Phaethon rubricauda*, 250
- Phalacrocorax brasilianus*, 114–115,
 251, 324–325
pelagicus, 183–189
- Phalarope, Red, 7, 117
- Phalaropus fulicarius*, 7, 117
- Pheucticus melanocephalus*, 18–42
- Phillips, Ryan A., Bousman, William
 G., Rogers, Mike, Bourbour, Ryan,
 Martinico, Breanna, and Mammos-
 er, Michael, First successful nesting
 of Swainson's Hawk in Santa
 Clara County, California, since the
 1800s, 176–182
- Phoebastria albatrus*, 249
- Phoebe, Eastern, 124
- Phylloscopus borealis*, 262
- Pica nuttalli*, 100–111
- Picoides albobarvatus*, 18–42
arcticus, 204–212, 296–303
nuttalli, 18–42
villosus, 18–42, 204–212
- Piest, Linden A., *see* Zaun, B. J.

INDEX

- Pigeon, Band-tailed, 18–42
- Pike, James E., Garrett, Kimball L., and Searcy, Adam J., The 38th report of the California Bird Records Committee: 2012 records, 246–275
- Pipilo chlorurus*, 18–42, 204–212
- erythrophthalmus*, 267, 269
- maculatus*, 18–42, 280
- Pipit, American, 84–85
- Piranga flava*, 14–15, 128
- ludoviciana*, 18–42, 204–212
- olivacea*, 15, 128
- Platalea ajaja*, 115
- Plectrophenax nivalis*, 11, 266
- Plegadis falcinellus*, 115
- Plover, American Golden-, 7
- Mountain, 116
- Pacific Golden-, 116
- Wilson's, 253
- Pluvialis dominica*, 7
- fulva*, 116
- Podiceps grisegena*, 114
- Poecile gambeli*, 18–42
- rufescens*, 204–212
- Procsal, Beth, *see* Clark, K. B.
- Protonotaria citrea*, 11, 125
- Psaltriparus minimus*, 18–42
- Pterodroma macroptera*, 249
- phaeopygia/sandwichensis*, 250
- sandwichensis*, 249–250
- pugetensis*, *Zonotrichia leucophrys*, 132–140
- purpureus*, *Haemorhous purpureus*, 284–295
- Pyle, Peter, *see* Rutt, C. L.
- Pyrrhuloxia, 129, 269
- Quail, California, 18–42, 280
- Mountain, 18–42, 204–212
- Quiscalus quiscula*, 15, 270
- Rail, Yellow, 253
- Raven, Common, 18–42
- Redpoll, Common, 16, 129–130, 270
- Hoary, 130
- Redstart, Painted, 14
- Regulus calendula*, 18–42
- satrapa*, 18–42, 204–212
- Rhynchophanes mccownii*, 11, 125
- Rissa tridactyla*, 7–8
- Robin, American, 18–42, 280
- Rufous-backed, 263
- Rogers, Mike, *see* Phillips, R. A.
- Rosy-Finch, Gray-crowned, 18–42
- Ruff, 117
- Rutt, Cameron L., Pyle, Peter, Collins, Paul W., Brady, Matthew L., Tietz, James R., and Dunn, Jon L., The nominate subspecies of the Purple Finch in California and western North America, 284–295
- Ryel, Ron, *see* O'Donnell, R. P.
- Rynchops niger*, 327–331
- Sadler, Terry, *see* O'Donnell, R. P.
- Sage-Grouse, Greater, 224–227
- Salpinctes obsoletus*, 18–42
- Sandpiper, Curlew, 254
- Purple, 116–117
- Stilt, 7
- Upland, 116
- White-rumped, 254
- Wood, 254, 264
- Sansone, Larry, *see* Able, K. P.
- Sapsucker, Red-breasted, 121, 204–212
- Williamson's, 204–212
- Yellow-bellied, 8, 121
- Sayornis phoebe*, 124
- Schall, Joseph J., *see* Martinsen, E. S.
- Schneider, Ken R., Hypermelanism in an American Pipit, 84–85
- Scoter, Black, 114
- Scrub-Jay, Western, 18–42, 280
- Searcy, Adam J., *see* Cooper, D. S.; *see* Pike, J. E.
- Seiurus aurocapilla*, 125
- Selasphorus calliope*, 204–212
- rufus*, 18–42
- Setophaga americana*, 125–126
- caerulescens*, 128
- cerulea*, 11
- coronata*, 18–42
- discolor*, 14, 128
- dominica*, 14
- fusca*, 14
- graciae*, 267
- nigrescens*, 18–42, 204–212
- occidentalis*, 18–42, 204–212
- palmarum*, 14, 128
- pennsylvanica*, 14, 126
- petechia*, 160–162, 204–212
- pinus*, 267
- striata*, 128
- tigrina*, 11, 267
- townsendi*, 18–42
- virens*, 14

INDEX

- Shearwater, Cory's, 250
 Streaked, 250
- Sialia currucoides*, 204–212
mexicana, 18–42, 276–283,
 304–312
- Siegel, Rodney B., Wilkerson, Robert
 L., Tingley, Morgan W., and
 Howell, Christine A., Roost sites of
 the Black-backed Woodpecker in
 burned forest, 296–303
- Siskin, Pine, 18–42
- Sitta canadensis*, 18–42, 204–212
carolinensis, 18–42
pygmaea, 18–42, 204–212
- Skalicky, Jack J., *see* O'Donnell, R. P.
- Skimmer, Black, 327–331
- Snipe, Common, 254–255
- Solitaire, Townsend's, 18–42
- Somateria mollissima*, 90–99
spectabilis, 248
- Souza, Levi E., *see* Crosbie, S. P.
- Sparrow, Bell's, 18–42
 Black-chinned, 18–42
 Black-throated, 18–42
 Brewer's, 204–212
 Chipping, 18–42, 204–212, 280
 Clay-colored, 14
 Field, 269
 Fox, 18–42, 204–212
 Grasshopper, 128
 Lark, 18–42
 Song, 280
 Swamp, 14
 White-crowned, 18–42, 132–140,
 204–212
- Sphyrapicus ruber*, 121, 204–212
thyroideus, 204–212
varius, 8, 121
- Spinus lawrencei*, 130
pinus, 18–42
psaltria, 18–42
tristis, 18–42
- Spiza americana*, 15, 129
- Spizella atrogularis*, 18–42
breweri, 204–212
pallida, 14
passerina, 18–42, 204–212, 280
pusilla, 269
- Spoonbill, Roseate, 115
- Stackhouse, Mark, *see* O'Donnell, R. P.
- Stahlecker, Dale W., MacKerrow,
 Edward P., Walker, Hira A., Batkin,
 Jonathan P., and Foy, Bernard R.,
 Persistence of the Boreal Owl in
 New Mexico: 1987–2012, 166–175
- Starling, European, 280
- Stercorarius pomarinus*, 8, 120
- Sternula antillarum*, 8
- Stint, Little, 254
 Red-necked, 254
- Strix varia*, 258
- Sturnella magna*, 129
neglecta, 18–42
- Sturnus vulgaris*, 280
- Sula dactylatra*, 250
dactylatra/granti, 250
neboxii, 5, 250–251
sula, 251
- swainsonii*, *Vireo gilvus*, 57–70
- Swallow, Cave, 262
 Violet-green, 18–42
- Swan, Black, 113
- Whooper, 248
- Swift, Black, 8
 Vaux's, 121
 White-throated, 18–42
- Szeliga, Walter, Benner, Lance, Garrett,
 John, and Ellsworth, Kathi, Call
 types of the Red Crossbill in the
 San Gabriel, San Bernardino, and
 San Jacinto mountains, southern
 California, 213–223
- Tachycineta thalassina*, 18–42
- Tanager, Hepatic, 14–15, 128
 Scarlet, 15, 128
 Western, 18–42, 204–212
- Tern, Least, 8
 Sandwich, 257
- Thalasseus sandvicensis*, 257
- Thorne, James H., *see* McGrann, M.
 C.
- Thrasher, Brown, 10–11, 125
 California, 18–42
 Curve-billed, 125, 263
- Thrush, Gray-cheeked, 263
 Hermit, 18–42, 204–212
- Thryomanes bewickii*, 18–42
- Tietz, James R., Book review: *Birds of
 the Sierra Nevada: Their Natural
 History, Status, and Distribution*,
 81–83; *see* Rutt, C. L.
- Tingley, Morgan W., *see* Siegel, R. B.
- Titmouse, Oak, 18–42, 280
- Towhee, California, 18–42, 280
 Canyon, 128
 Eastern, 267, 269
 Green-tailed, 18–42, 204–212

INDEX

- Spotted, 18–42, 280
Toxostoma curvirostre, 125, 263
 redivivum, 18–42
 rufum, 10–11, 125
Tringa glareola, 254, 264
Troglodytes aedon, 18–42
 hiemalis, 10, 262
 pacificus, 204–212
 Tropicbird, Red-tailed, 250
Turdus migratorius, 18–42, 280
 *rufopalliatu*s, 263
 Turnstone, Ruddy, 7
Tyrannus crassirostris, 260
 forficatus, 124
 melancholicus, 124

 Veery, 263
Vermivora chrysoptera, 11, 266
 cyanoptera, 11, 266
 Vireo, Blue-headed, 260
 Cassin's, 18–42
 Hutton's, 204–212
 Philadelphia, 125
 Warbling, 18–42, 57–70, 204–212
 White-eyed, 8–10, 260
 Yellow-green, 260
 Yellow-throated, 10, 124, 260
Vireo cassinii, 18–42
 flavifrons, 10, 124, 260
 flavoviridis, 260
 gilvus, 18–42, 57–70, 204–212
 griseus, 8–10, 260
 huttoni, 204–212
 philadelphicus, 125
 solitarius, 260
 Vulture, Black, 252

 Wagtail, White, 263
 Walker, Hira A., *see* Stahlecker, D. W.
 Warbler, Arctic, 262
 Blackburnian, 14
 Blackpoll, 128
 Black-throated Blue, 128
 Black-throated Gray, 18–42,
 204–212
 Black-throated Green, 14
 Blue-winged, 11, 266
 Canada, 14
 Cape May, 11, 267
 Cerulean, 11
 Chestnut-sided, 14, 126
 Connecticut, 11, 266
 Golden-winged, 11, 266
 Grace's, 267
 Hermit, 18–42, 204–212
 MacGillivray's, 18–42, 204–212
 Mangrove Yellow, 160–162
 Mourning, 266–267
 Nashville, 18–42, 204–212
 Orange-crowned, 18–42, 204–212
 Palm, 14, 128
 Pine, 267
 Prairie, 14, 128
 Prothonotary, 11, 125
 Red-faced, 267
 Tennessee, 11, 125
 Townsend's, 18–42
 Wilson's, 204–212
 Worm-eating, 11, 266
 Yellow, 160–162, 204–212
 Yellow-rumped, 18–42
 Yellow-throated, 14
 Waterthrush, Louisiana, 266
 Webb, Merrill, *see* O'Donnell, R. P.
 Weise, Christa D., *see* Zaun, B. J.
 Wheatear, Northern, 262–263
 Whip-poor-will, Eastern, 120–121
 Whistling-Duck, Black-bellied, 4, 248
 Wilkerson, Robert L., *see* Siegel, R. B.
 Williams, Sartor O. III, *see* Howe, W. H.
 Wilson, Harvey A., *see* Brake, A. J.
 Woodpecker, Acorn, 18–42
 Black-backed, 204–212, 296–303
 Hairy, 18–42, 204–212
 Lewis's, 204–212
 Nuttall's, 18–42
 Red-bellied, 8
 White-headed, 18–42
 Wood-Pewee, Western, 18–42,
 204–212
 Wren, Bewick's, 18–42
 Cactus, 43–56
 House, 18–42
 Pacific, 204–212
 Rock, 18–42
 Winter, 10, 262
 Wrentit, 18–42, 204–212

 Zaun, Brenda J., Barnett, Joseph
 R., Weise, Christa D., and Piest,
 Linden A., Nesting of the Peregrine
 Falcon in the Desert Southwest,
 151–153
Zenaida macroura, 18–42
Zonotrichia leucophrys, 18–42,
 132–140, 204–212