

# WESTERN BIRDS, INDEX, VOLUME 46, 2015

Compiled by Daniel D. Gibson

- acadicus*, *Aegolius acadicus*, 129  
*Acanthis flammea*, 25, 44, 163, 291-298  
    *hornemanni*, 163, 225, 228, 318, 321  
*Accentor*, Siberian, 146  
*Accipiter cooperii*, 199  
    *gentilis*, 109  
    *striatus*, 109, 199  
*Acridotheres cristatellus*, 320  
*Acrocephalus schoenobaenus*, 141  
*Actitis hypoleucos*, 112  
    *macularius*, 112, 201  
*aculeata*, *Sitta carolinensis*, 278-290  
*adastus*, *Empidonax traillii*, 133  
*Aechmophorus occidentalis*, 104, 196  
*Aegolius acadicus*, 129  
    *funereus*, 128  
*Aeronautes saxatalis*, 202-203  
*Aethia cristatella*, 121  
    *psittacula*, 39, 120-121, 310-311  
    *pusilla*, 121  
    *pygmaea*, 121  
*Agelaius phoeniceus*, 159, 211  
*Aimophila ruficeps*, 209  
*Aix sponsa*, 99, 194  
*alascensis*, *Buteo jamaicensis*, 109-110  
    *Calcarius lapponicus*, 42, 149  
    *Certhia americana*, 138  
    *Lagopus lagopus*, 103  
    *Troglodytes pacificus*, 138  
*Alauda arvensis*, 135  
*alba*, *Lagopus lagopus*, 102  
*Albatross*, Black-footed, 104  
    Laysan, 104  
    Salvin's, 104  
    Short-tailed, 104, 302-303  
*albertaensis*, *Larus californicus*, 123  
*albidus*, *Accipiter gentilis*, 109  
*aleuticus*, *Ptychoramphus aleuticus*, 120  
*alexandrae*, *Lagopus lagopus*, 102-103  
*aliciae*, *Catharus minimus*, 143  
*Alle alle*, 119  
*alle*, *Alle alle*, 119  
*americana*, *Bucephala clangula*, 35, 101  
    *Fulica americana*, 110  
*americanus*, *Mergus merganser*, 102  
*Ammodramus savannarum*, 210  
*amoenus*, *Regulus satrapa*, 139  
*Amphispiza bilineata*, 210  
*Anas acuta*, 34, 99, 195  
    *americana*, 33, 99, 195  
    *clypeata*, 34, 99, 195  
    *crecca*, 34, 100, 195  
    *cyanoptera*, 99, 195  
    *diazi*, 195  
    *discors*, 33, 99, 195  
    *falcata*, 99  
    *formosa*, 100, 301  
    *fulvigula*, 218  
    *penelope*, 33, 99  
    *platyrhynchos*, 33, 99, 195  
    *querquedula*, 99, 218  
    *rubripes*, 11, 99, 321-322  
    *strepera*, 33, 99, 195  
    *zonorhyncha*, 99  
*anatum*, *Falco peregrinus*, 132  
*annectens*, *Passerella iliaca*, 154  
*Anser albifrons*, 32, 97  
    *erythropus*, 97  
    *fabalis*, 97  
    *serrirostris*, 97  
    *anthonyi*, *Butorides virescens*, 108  
*Anthus cervinus*, 148-149  
    *gustavi*, 147  
    *hodgsoni*, 147  
    *rubescens*, 42, 149, 208, 263  
    *spragueii*, 22  
    *trivialis*, 147  
*Antrostomus arizonae*, 217  
    *vociferus*, 129, 217  
*Apus apus*, 130  
    *pacificus*, 130  
*Aquila chrysaetos*, 76-80, 110, 201  
*Archilochus alexandri*, 203, 326-330  
    *colubris*, 130, 222  
*articola*, *Calidris alpina*, 116  
    *Eremophila alpestris*, 136  
    *arctolegus*, *Agelaius phoeniceus*, 159  
*Ardea alba*, 107, 198  
    *cinerea*, 107  
    *herodias*, 107, 198  
*Ardeola bacchus*, 108  
*Arenaria interpres*, 37, 114  
    *melanocephala*, 114  
    *arizonae*, *Spizella passerina*, 153  
    *arra*, *Uria lomvia*, 119  
    *artemisiae*, *Molothrus ater*, 159  
*Artemisiospiza nevadensis*, 210  
*Asio flammeus*, 40, 128, 202

INDEX

- otus*, 68–70, 128  
 Astudillo-Sánchez, Evelyn K., *see*  
     Greeney, H. F.  
*Athene cunicularia*, 202  
*atkhensis*, *Lagopus muta*, 103  
*atra*, *Fulca atra*, 110  
*atricapillus*, *Accipiter gentilis*, 109  
*auduboni*, *Setophaga coronata*, 152  
 Auklet, Cassin's, 120  
     Crested, 121  
     Least, 121  
     Parakeet, 39, 120–121, 310–311  
     Rhinoceros, 121  
     Whiskered, 121  
*Auriparus flaviceps*, 206  
*aurocapilla*, *Seiurus aurocapilla*, 150  
 Avocet, American, 111, 201  
*Aythya affinis*, 34, 100, 195  
     *americana*, 100, 195  
     *collaris*, 34, 100, 195  
     *ferina*, 100  
     *fuligula*, 100, 218–219, 301, 318  
     *marila*, 34, 100  
     *valisineria*, 100, 195  
  
*badia*, *Prunella montanella*, 146  
*baileyae*, *Poecile gambeli*, 137  
*banksi*, *Setophaga petechia*, 152  
*barrovianus*, *Larus hyperboreus*, 40,  
     125  
 Bartels, Matt, *see* Merrill, R. J.  
*Bartramia longicauda*, 113  
*baueri*, *Limosa lapponica*, 114  
 Bean-Goose, Taiga, 97  
     Tundra, 97  
*bendirei*, *Loxia curvirostra*, 163  
 Benedict, Lauryn, *see* Meyer, A.  
*beringiae*, *Limosa fedoa*, 114  
*bewickii*, *Cygnus columbianus*, 98, 280  
 Bittern, American, 107  
     Yellow, 107  
 Blackbird, Brewer's, 159, 211  
     Red-winged, 159, 211  
     Rusty, 159  
     Yellow-headed, 159, 211  
 Bluebird, Eastern, 207  
     Mountain, 143, 207, 273–275  
     Western, 207  
 Bluetail, Red-flanked, 142  
 Bluethroat, 142  
*blythi*, *Sylvia curruca*, 140  
 Bobolink, 158–159  
*bochaiensis*, *Luscinia cyane*, 142  
*Bombycilla cedrorum*, 149, 208  
     *garrulus*, 149  
*Bonasa umbellus*, 102, 219  
 Boobook, Northern, 129  
 Booby, Brown, 106, 308  
*borealis*, *Cypseloides niger*, 129  
     *Lanius excubitor*, 134  
     *Somateria mollissima*, 101  
*Botaurus lentiginosus*, 107  
 Botello, Alejandro, *see* Moreno-  
     Contreras, I.  
*Brachyramphus brevirostris*, 120  
     *marmoratus*, 120  
     *perdix*, 120, 319  
*brachyrhynchus*, *Larus canus*, 39,  
     123  
 Brake, Anthony J., and McHugh,  
     Yvonne E., Possible tool use by a  
     Williamson's Sapsucker, 89–91  
 Brambling, 159–160  
 Brant, 33, 97  
*Branta bernicla*, 33, 97  
     *canadensis*, 98, 194  
     *hutchinsii*, 33, 97–98, 194, 217  
 Braun, Clait E., and Williams, Sartor O.  
     III, History and status of the White-  
     tailed Ptarmigan in New Mexico,  
     233–243  
*brewsteri*, *Empidonax traillii*, 133  
     *Sula leucogaster*, 106  
 Brooks, Tayler, *see* Mlodinow, S. G.  
*brooksi*, *Coccothraustes vespertinus*,  
     164  
*brunneonucha*, *Leucosticte arctoa*,  
     160–161  
*Bubo scandiacus*, 128  
     *virginianus*, 127–128, 202,  
     271–272  
*Bubulcus ibis*, 107–108, 198  
*Bucephala albeola*, 35, 101, 195  
     *clangula*, 35, 101  
     *islandica*, 101  
 Bufflehead, 35, 101, 195  
 Bullfinch, Eurasian, 162  
 Bunting, Gray, 156  
     Indigo, 158, 317, 321  
     Lark, 210, 321  
     Lazuli, 158, 211  
     Little, 156  
     McKay's, 150, 320  
     Painted, 24, 211, 322  
     Pallas's, 156–157  
     Pine, 156  
     Reed, 157  
     Rustic, 156

## INDEX

- Snow, 150  
 Yellow-breasted, 156  
 Yellow-browed, 156  
 Yellow-throated, 156  
 Bushtit, 315  
*Buteo albonotatus*, 14, 199–200, 220, 319  
     *jamaicensis*, 109–110, 200  
     *lagopus*, 36, 110  
     *lineatus*, 309  
     *platypterus*, 14, 309, 319  
     *regalis*, 200–201  
     *swainsoni*, 109, 199  
*Buteogallus anthracinus*, 14, 199, 228–229  
*Butorides virescens*, 108, 198  
  
*caerulescens*, *Chen caerulescens*, 97  
     *Setophaga caerulescens*, 152  
*cafer*, *Colaptes auratus*, 131  
*Calamospiza melanocorys*, 210, 321  
*Calcarius lapponicus*, 42, 149  
     *ornatus*, 315  
     *pictus*, 150, 225  
*calendula*, *Regulus calendula*, 139  
*Calidris acuminata*, 115  
     *alba*, 37, 116  
     *alpina*, 37, 116  
     *bairdii*, 116  
     *canutus*, 115  
     *falcinellus*, 115  
     *ferruginea*, 115, 220  
     *fuscicollis*, 118  
     *himantopus*, 16, 115  
     *maritima*, 116  
     *mauri*, 38, 118, 201  
     *melanotos*, 118, 201  
     *minuta*, 116, 118  
     *minutilla*, 37, 118, 201  
     *ptilocnemis*, 37, 116  
     *pugnax*, 115, 310  
     *pusilla*, 118  
     *pygmaea*, 115–116  
     *ruficollis*, 116, 310  
     *subminuta*, 115  
     *subruficollis*, 118, 310  
     *temminckii*, 115  
     *tenuirostris*, 115  
     *virgata*, 115  
*californicus*, *Haemorrhous purpureus*, 162  
     *Larus californicus*, 123  
     *Pelecanus occidentalis*, 107  
     *Podiceps nigricollis*, 104  
  
*Callipepla gambelii*, 196  
     *squamata*, 196  
*Calonectris leucomelas*, 319  
*calurus*, *Buteo jamaicensis*, 109  
*Calypte anna*, 130  
     *costae*, 130, 222, 314  
*campicola*, *Geothlypis trichas*, 151  
*Campylorhynchus brunneicapillus*, 207  
*canadensis*, *Aquila chrysaetos*, 110  
     *Falci pennis canadensis*, 102  
     *Grus canadensis*, 36, 110  
*canorus*, *Cuculus canorus*, 127  
 Canvasback, 100, 195  
*caparoch*, *Surnia ulula*, 128  
 Cappello, Caroline D., *see* McNeil, S. E.  
*Caprimulgus indicus*, 129  
 Caracara, Crested, 18, 224, 320  
*Caracara cheriway*, 18, 224, 320  
*Cardellina canadensis*, 153  
     *pusilla*, 42, 153, 209  
     *rubrifrons*, 225  
 Cardinal, Northern, 210, 322  
*Cardinalis cardinalis*, 210, 322  
     *sinuatus*, 211, 225  
*carlottae*, *Pinicola enucleator*, 162  
*carolinensis*, *Anas crecca*, 34, 100  
     *Pandion haliaetus*, 108  
     *Sitta carolinensis*, 278–290  
*carolinus*, *Euphagus carolinus*, 159  
*Carpodacus erythrinus*, 162  
 Carter, Harry R., Parker, Michael W., Koepke, Josh S., and Whitworth, Darrell L., Breeding of the Ashy Storm-Petrel in central Mendocino County, California, 49–65  
*cassinii*, *Haemorrhous cassinii*, 162–163  
     *Pyrrhula pyrrhula*, 162  
     *Vireo cassinii*, 134  
 Catbird, Gray, 146  
*Cathartes aura*, 108, 198  
*Catharus fuscescens*, 143  
     *guttatus*, 42, 143, 207  
     *minimus*, 143  
     *ustulatus*, 143, 207  
*Catherpes mexicanus*, 206  
     *caudacutus*, *Hirundapus caudacutus*, 129  
     *caurina*, *Melospiza melodia*, 154  
     *caurinus*, *Limnodromus griseus*, 38, 118  
     *Turdus migratorius*, 146  
     *caurus*, *Tympanuchus phasianellus*, 103  
     *celata*, *Oreothlypis celata*, 150

## INDEX

- centralasiae*, *Bombycilla garrulus*, 149  
*Centrocerus minimus*, 217  
*Cepphus columba*, 39, 120  
   *grylle*, 120  
*Cerorhinca monocerata*, 121  
*Certhia americana*, 138, 206  
*Chaetura pelagica*, 129  
   *vauxi*, 129  
*Chamaea fasciata*, 320  
*Charadrius alexandrinus*, 112  
   *dubius*, 112  
   *hiaticula*, 112  
   *mongolus*, 111  
   *montanus*, 15, 322  
   *morinellus*, 112, 309  
   *semipalmatus*, 36, 112  
   *vociferus*, 112, 201  
 Chat, Yellow-breasted, 209  
*Chen caerulescens*, 97, 194, 301  
   *canagica*, 32, 97, 228, 301  
   *rossii*, 97, 194  
 Chickadee, Black-capped, 137  
   Boreal, 137–138  
   Chestnut-backed, 137  
   Gray-headed, 138  
   Mountain, 137  
 Chiffchaff, Common, 140  
*chilcatensis*, *Passerella iliaca*, 154  
*Chlidonias leucopterus*, 126  
   *niger*, 126  
*Chloris sinica*, 164  
*chloropus*, *Gallinula chloropus*, 110  
*Chondestes grammacus*, 153, 210  
*Chordeiles acutipennis*, 129, 202  
   *minor*, 129, 202  
*Chroicocephalus philadelphia*, 122  
   *ridibundus*, 122, 220, 311  
*cincinatus*, *Phalacrocorax auritus*, 36, 106  
*Cinclus mexicanus*, 139  
*cinnamomea*, *Tringa solitaria*, 113  
*Circus cyaneus*, 36, 109, 199  
*cismontanus*, *Junco hyemalis*, 156  
*Cistothorus palustris*, 139, 206–207  
*Clangula hyemalis*, 101  
*Coccothraustes coccothraustes*, 164  
   *vespertinus*, 164  
*Coccyzus americanus*, 127, 244–255  
*Colaptes auratus*, 131–132, 203  
*Colibri thalassinus*, 222  
 Collared-Dove, Eurasian, 126, 202, 222, 312, 322  
 Colón, Melanie R., Holden, Ronnisha S., Morrison, Michael L., McFarland, Tiffany M., and Mathewson, Heather A., Golden-cheeked Warbler: New maximum longevity record, 261–262  
*coloratus*, *Calcarius lapponicus*, 149  
*Columba livia*, 126, 202  
*columba*, *Cepphus columba*, 39, 120  
*columbarius*, *Falco columbarius*, 40, 132  
*columbianus*, *Cygnus columbianus*, 33, 98  
   *Poecile hudsonicus*, 138  
*Columbina inca*, 202, 222  
   *passerina*, 222, 322  
 Condor, California, 228, 319  
*confinis*, *Pooecetes gramineus*, 153  
*Contopus cooperi*, 132, 204  
   *pertinax*, 314  
   *sordidulus*, 132, 204  
*cooperi*, *Contopus cooperi*, 132  
 Coot, American, 110, 201  
   Eurasian, 110  
*Coragyps atratus*, 219  
 Cormorant, Brandt's, 106  
   Double-crested, 36, 106, 198  
   Neotropical, 12, 196–197  
   Pelagic, 36, 106–107  
   Red-faced, 36, 106  
*cornutus*, *Podiceps auritus*, 104  
*coromandus*, *Bubulcus ibis*, 108  
*Corvus brachyrhynchos*, 135, 205  
   *caurinus*, 135  
   *corax*, 41, 135  
   *cryptoleucus*, 205  
*couesi*, *Calidris ptilocnemis*, 37, 116  
 Cowbird, Bronzed, 212, 225  
   Brown-headed, 159, 212  
 Crane, Common, 14, 110–111  
   Sandhill, 36, 110  
*crecca*, *Anas crecca*, 34, 100  
 Creeper, Brown, 138, 206  
*cristatus*, *Lanius cristatus*, 134  
 Crossbill, Red, 163, 212  
   White-winged, 163  
 Crow, American, 135, 205  
   Northwestern, 135  
 Cuckoo, Common, 127  
   Oriental, 127  
   Yellow-billed, 127, 244–255  
*Cuculus canorus*, 127  
   *optatus*, 127  
 Curlew, Bristle-thighed, 114  
   Eskimo, 113  
   Far Eastern, 114

## INDEX

- Little, 113  
 Long-billed, 114, 201  
*curonicus*, *Charadrius dubius*, 112  
*curtatus*, *Pipilo maculatus*, 153  
*cyaneus*, *Circus cyaneus*, 109  
*Cyanocitta cristata*, 20  
   *stelleri*, 135, 205  
*Cygnus buccinator*, 11, 98  
   *columbianus*, 33, 98, 301  
   *cygnus*, 98–99  
*Cyananthus latirostris*, 222–223  
*Cypseloides niger*, 129  
*Cyrtonyx montezumae*, 339–342
- daurica*, *Muscicapa daurica*, 141  
*decaocto*, *Streptopelia decaocto*, 126  
 DeCicco, Lucas H., *see* Hajdukovich,  
   N. R.  
*deglandi*, *Melanitta fusca*, 35, 101  
*Delichon urbicum*, 137  
*Dendragapus fuliginosus*, 103  
   *obscurus* × *Tympanuchus*  
   *phasianellus*, 351–352  
*Dendrocopos major*, 131  
*Dendrocygna autumnalis*, 11, 228  
   *bicolor*, 11, 218  
 Dickcissel, 24, 158, 211, 318, 321  
 Dickerman, Robert W., *Haemorrhous*  
   *cassinii vinifer* is valid, 66–68; Is  
   the Long-eared Owl dimorphic?,  
   68–70  
*difficilis*, *Empidonax difficilis*, 133  
 Dipper, American, 139  
*discolor*, *Setophaga discolor*, 152  
*dixonii*, *Lagopus muta*, 103  
*Dolichonyx oryzivorus*, 158–159  
*domesticus*, *Passer domesticus*, 164  
 Dotterel, Eurasian, 112, 309  
 Dove, Common Ground-, 222, 322  
   Eurasian Collared-, 126, 202, 222,  
   312, 322  
   Inca, 202, 222  
   Mourning, 127, 202  
   Oriental Turtle-, 126  
   White-winged, 126, 202, 312, 319,  
   322  
 Dovekie, 119  
 Dowitcher, Long-billed, 118, 201  
   Short-billed, 38, 118  
 Duck, American Black, 11, 99,  
   321–322  
   Black-bellied Whistling-, 11, 228  
   Eastern Spot-billed, 99  
   Falcated, 99  
   Fulvous Whistling-, 11, 218  
   Harlequin, 11, 35, 101  
   Long-tailed, 101  
   Mexican, 195  
   Mottled, 218  
   Ring-necked, 34, 100, 195  
   Ruddy, 102, 195  
   Tufted, 100, 218–219, 301, 318  
   Wood, 99, 194  
*Dumetella carolinensis*, 146  
 Dunlin, 37, 116
- Eagle, Bald, 36, 108  
   Golden, 76–80, 110, 201  
   Steller's Sea-, 108–109  
   White-tailed, 108  
 Egret, Cattle, 107–108, 198  
   Chinese, 107  
   Great, 107, 198  
   Intermediate, 107  
   Little, 107  
   Snowy, 198  
*Egretta eulophotes*, 107  
   *garzetta*, 107  
   *thula*, 198  
   *tricolor*, 107  
*egretta*, *Ardea alba*, 107  
 Eider, Common, 101  
   King, 35, 101, 302  
   Spectacled, 100  
   Steller's, 100  
*Elanus leucurus*, 14, 199  
*elegans*, *Emberiza elegans*, 156  
*elgasi*, *Anser albifrons*, 97  
*Emberiza aureola*, 156  
   *chrysophrys*, 156  
   *elegans*, 156  
   *leucocephalos*, 156  
   *pallasi*, 156–157  
   *pusilla*, 156  
   *rustica*, 156  
   *schoeniclus*, 157  
   *variabilis*, 156  
*Empidonax alnorum*, 133, 314, 320  
   *difficilis*, 133  
   *flaviventris*, 132–133, 224, 314  
   *fulvifrons*, 224  
   *hammondii*, 133, 204  
   *minimus*, 18, 133, 204  
   *oberholseri*, 133, 204  
   *occidentalis*, 204  
   *traillii*, 133, 204  
   *virescens*, 224  
   *wrightii*, 204

INDEX

- Empidonomus varius*, 314  
*Eremophila alpestris*, 135–136  
*ericrypta*, *Melospiza georgiana*, 155  
*erythrogaster*, *Hirundo rustica*,  
 136–137  
*euborius*, *Catharus guttatus*, 143  
*Eudocimus albus*, 13  
*eunomus*, *Turdus naumanni*, 144–145  
*Euphagus carolinus*, 159  
*cyanocephalus*, 159, 211  
*evermanni*, *Lagopus muta*, 103  
*exilipes*, *Acanthis hornemanni*, 163
- Falcipecten canadensis*, 102  
*Falco columbarius*, 40, 132, 203  
*mexicanus*, 203–204  
*peregrinus*, 40, 132, 203  
*rusticolus*, 18, 40, 132  
*sparverius*, 132, 203  
*subbuteo*, 132  
*tinnunculus*, 132  
 Falcon, Peregrine, 40, 132, 203  
 Prairie, 203–204  
*fannini*, *Ardea herodias*, 107  
*fasciatus*, *Picoides dorsalis*, 131  
 Faulkner, Douglas W., Colorado Bird  
 Records Committee Report:  
 1986–2013, 216–232  
 Feenstra, Jon, Book review: *Facing  
 Extinction*, 86–87  
 Fenneman, Jamie, *see* Levesque, P. G.  
 Fettig, Stephen M., and Hathcock,  
 Charles D., Eccentric preformative  
 molt in the Spotted Towhee,  
 343–346
- Ficedula albicilla*, 142  
*narcissina*, 142  
 Fieldfare, 145  
 Finch, Asian Rosy-, 160–161  
 Black Rosy-, 218  
 Cassin's, 66–68, 162–163  
 Gray-crowned Rosy-, 43, 161, 218  
 House, 162, 212  
 Purple, 25, 162  
*flammea*, *Acanthis flammea*, 44, 163  
*flammeus*, *Asio flammeus*, 40, 128  
*flammula*, *Pinicola enucleator*,  
 161–162  
*flava*, *Eremophila alpestris*, 135–136  
 Flicker, Northern, 131–132, 203  
 Flycatcher, Acadian, 224  
 Alder, 133, 314, 320  
 Ash-throated, 133, 204  
 Asian Brown, 141  
 Brown-crested, 224  
 Buff-breasted, 224  
 Cordilleran, 204  
 Dark-sided, 141  
 Dusky, 133, 204  
 Dusky-capped, 20  
 Gray, 204  
 Gray-streaked, 141  
 Great Crested, 20, 133  
 Hammond's, 133, 204  
 Least, 18, 133, 204  
 Narcissus, 142  
 Olive-sided, 132, 204  
 Pacific-slope, 133  
 Scissor-tailed, 20, 134, 315, 320  
 Spotted, 141  
 Sulphur-bellied, 224  
 Taiga, 142  
 Variegated, 314  
 Vermilion, 204  
 Willow, 133, 204  
 Yellow-bellied, 132–133, 224, 314
- Fratercula cirrhata*, 39, 121–122  
*corniculata*, 39, 121, 311, 319  
*Fregata magnificens*, 106  
 sp., 308  
 Frigatebird, Magnificent, 106  
 frigatebird (sp.), 308  
*Fringilla montifringilla*, 159–160  
*frontalis*, *Haemorrhous mexicanus*, 162  
*Fulica americana*, 110, 201  
*atra*, 110  
 Fulmar, Northern, 35, 105  
*Fulmarus glacialis*, 35, 105  
*fulva*, *Branta canadensis*, 98  
*furcata*, *Oceanodroma furcata*, 106  
*fuscatus*, *Phylloscopus fuscatus*, 140
- Gadwall, 33, 99, 195  
*Gallinago delicata*, 38, 118, 201  
*gallinago*, 118  
*solitaria*, 118–119  
*stenura*, 118  
*gallinago*, *Gallinago gallinago*, 118  
*Gallinula chloropus*, 110  
*galeata*, 201  
 Gallinule, Common, 201  
*gambelii*, *Zonotrichia leucophrys*, 43,  
 155  
*gambelli*, *Anser albifrons*, 97  
 Garganey, 99, 218  
*garzetta*, *Egretta garzetta*, 107  
 Gatica-Colima, Ana, *see* Moreno-  
 Contreras, I.

## INDEX

- Gavia adamsii*, 104  
*arctica*, 103–104, 219, 318  
*immer*, 35, 104  
*pacifica*, 104  
*stellata*, 11, 103
- Geococcyx californianus*, 202
- Geothlypis philadelphia*, 151, 316  
*tolmiei*, 151, 208  
*trichas*, 151, 208
- Gibson, Daniel D., and Withrow, Jack J., Inventory of the species and subspecies of Alaska birds, second edition, 94–185
- glacialis*, *Picoides pubescens*, 131
- Glareola maldivarum*, 119
- Glaucidium gnoma*, 128
- glaucoides*, *Larus glaucoides*, 123
- Gnatcatcher, Black-tailed, 207  
 Blue-gray, 207, 315
- Godwit, Bar-tailed, 71–75, 114, 310, 319, 322  
 Black-tailed, 114  
 Hudsonian, 16, 114, 309–310, 319  
 Marbled, 114
- Goldeneye, Barrow's, 101  
 Common, 35, 101
- Golden-Plover, American, 15, 111  
 European, 111  
 Pacific, 36, 111
- Goldfinch, American, 163, 212  
 Lawrence's, 228  
 Lesser, 212
- Gómez de Silva, H., *see* Moreno-Contreras, I.
- Goose, Cackling, 33, 97–98, 194, 217  
 Canada, 98, 194  
 Emperor, 32, 97, 228, 301  
 Greater White-fronted, 32, 97  
 Lesser White-fronted, 97  
 Ross's, 97, 194  
 Snow, 97, 194, 301  
 Taiga Bean-, 97  
 Tundra Bean-, 97
- Goshawk, Northern, 109
- gracilis*, *Melospiza lincolni*, 155
- Grackle, Common, 24, 159, 318  
 Great-tailed, 211, 318
- gracillii*, *Larus fuscus*, 125
- Grasshopper-Warbler, Middendorff's, 141
- Grebe, Eared, 104, 196  
 Horned, 104  
 Pied-billed, 104, 196  
 Red-necked, 104  
 Western, 104, 196
- grebnitskii*, *Carpodacus erythrinus*, 162
- Greeney, Harold F., Hamilton, Chris E., Astudillo-Sánchez, Evelyn K., Wethington, Susan M., Hough, Eric R., Ripplinger, Christina M., and Schmidt, Krista K., Nest-site selection of the Black-chinned Hummingbird in southeast Arizona, 326–330
- Greenfinch, Oriental, 164
- Greenshank, Common, 113
- grinnelli*, *Glaucidium gnoma*, 128  
*Regulus calendula*, 139
- griseonucha*, *Leucosticte tephrocotis*, 43, 161
- Grosbeak, Black-headed, 158, 211  
 Blue, 158, 211  
 Evening, 164  
 Pine, 161–162  
 Rose-breasted, 158, 211, 317–318
- Ground-Dove, Common, 222, 322
- Grouse, Dusky × Sharp-tailed, 351–352  
 Gunnison Sage-, 217  
 Ruffed, 102, 219  
 Sharp-tailed, 103  
 Sharp-tailed × Dusky, 351–352  
 Sooty, 103  
 Spruce, 102
- Grus canadensis*, 36, 110  
*grus*, 14–15, 110–111
- Grzybowski, Joseph A., *see* Long, A. M.
- Guillemot, Black, 120  
 Pigeon, 39, 120
- Gull, Black-headed, 122, 220, 311  
 Black-tailed, 122–123, 311  
 Bonaparte's, 122  
 California, 123  
 Franklin's, 122  
 Glaucous, 16, 40, 125  
 Glaucous-winged, 39, 125  
 Great Black-backed, 125  
 Heermann's, 123  
 Herring, 39, 123  
 Iceland, 123, 125, 220, 311  
 Ivory, 122, 311  
 Kelp, 220–221  
 Laughing, 122, 311  
 Lesser Black-backed, 125, 311, 322  
 Little, 122  
 Mew, 16, 39, 123  
 Ring-billed, 123, 202  
 Ross's, 122

INDEX

- Sabine's, 122  
 Slaty-backed, 16, 125, 220, 311  
 Western, 123, 220  
*guttatus*, *Catharus guttatus*, 42, 143  
*gutturialis*, *Hirundo rustica*, 137  
*Gymnogyps californianus*, 228, 319  
 Gyrfalcon, 18, 40, 132
- Haematopus bachmani*, 36, 111  
*ostralegus*, 111  
*Haemorhous cassinii*, 66–68,  
 162–163  
*mexicanus*, 162, 212  
*purpureus*, 25, 162  
 Hajdukovich, Nicholas R., DeCicco,  
 Lucas H., and Tomkovich, Pavel S.,  
 Western North American records of  
 Eurasian Bar-tailed Godwits, 71–75  
*Haliaeetus albicilla*, 108  
*leucocephalus*, 36, 108  
*pelagicus*, 108–109  
 Hamilton, Chris E., *see* Greeney, H. F.  
*harlani*, *Buteo jamaicensis*, 109  
 Harrier, Northern, 36, 109, 199  
 Hathcock, Charles, D., *see* Fettig, S. M.  
 Hawfinch, 164  
 Hawk, Broad-winged, 14, 309, 319  
 Common Black, 14, 199, 228–229  
 Cooper's, 199  
 Ferruginous, 200–201  
 Harris's, 199, 220, 319  
 Red-shouldered, 309  
 Red-tailed, 109–110, 200  
 Rough-legged, 36, 110  
 Sharp-shinned, 109, 199  
 Swainson's, 109, 199  
 Zone-tailed, 14, 199–200, 220, 319  
*helleri*, *Troglodytes pacificus*, 138  
*Helmitheros vermivorum*, 320  
 Heron, Black-crowned Night-, 108, 198  
 Chinese Pond-, 108  
 Gray, 107  
 Great Blue, 107, 198  
 Green, 108, 198  
 Tricolored, 107  
 Yellow-crowned Night-, 13  
*hesperis*, *Corvus brachyrhynchos*, 135  
*heuglini*, *Larus fuscus*, 125  
*Himantopus himantopus*, 111  
*mexicanus*, 201  
*himantopus*, *Himantopus*  
*himantopus*, 111  
*Hirundapus caudacutus*, 129  
*Hirundo rustica*, 136–137, 206  
*Histrionicus histrionicus*, 11, 35, 101  
*hoactli*, *Nycticorax nycticorax*, 108  
 Hobby, Eurasian, 132  
*holboellii*, *Podiceps grisegena*, 104  
 Holden, Ronnisha S., *see* Colón, M. R.  
 Hoopoe, Eurasian, 130  
*hooveri*, *Setophaga coronata*, 42, 152  
*hornemanni*, *Acanthis hornemanni*,  
 163  
 Hough, Eric R., *see* Greeney, H. F.  
 House-Martin, Common, 137  
*hudsonicus*, *Numenius phaeopus*, 37,  
 114  
*Poecile hudsonicus*, 137–138  
*hudsonius*, *Circus cyaneus*, 36, 109  
 Hummingbird, Allen's, 17, 319  
 Anna's, 130  
 Black-chinned, 203, 326–330  
 Broad-billed, 222–223  
 Broad-tailed, 203  
 Costa's, 130, 222, 314  
 Ruby-throated, 130, 222  
 Rufous, 130, 203  
 White-eared, 223  
*Hydrocoloeus minutus*, 122  
*Hydroprogne caspia*, 125–126  
*hyemalis*, *Junco hyemalis*, 155  
*Hylocharis leucotis*, 223  
*Hyalocichla mustelina*, 143
- Ibis, Glossy, 219  
 White, 13  
 White-faced, 198, 308–309  
*ibis*, *Bubulcus ibis*, 107  
*Icteria virens*, 209  
*Icterus bullockii*, 159, 212  
*cucullatus*, 227  
*galbula*, 218, 321  
*parisorum*, 212  
*pustulatus*, 227  
*spurius*, 159, 318  
*Ictinia mississippiensis*, 199  
*iliaca/zaboria*, *Passerella iliaca*, 317  
*iliacus*, *Turdus iliacus*, 145  
*incanus*, *Catharus ustulatus*, 143  
*inornata*, *Tringa semipalmata*, 113  
*Uria aalge*, 38, 119  
*insignis*, *Melospiza melodia*, 154  
*insularis*, *Passerella iliaca*, 43, 154  
*interfusa*, *Passerina caerulea*, 158  
*intermedia*, *Mesophoyx intermedia*,  
 107  
*interpres*, *Arenaria interpres*, 37, 114  
*interstinctus*, *Falco tinnunculus*, 132



## INDEX

- isleibi*, *Falcipectus canadensis*, 102  
*Ixobrychus sinensis*, 107  
*Ixoreus naevius*, 42, 146
- Jaeger, Long-tailed, 16, 38, 119  
   Parasitic, 16, 38, 119  
   Pomarine, 119
- japonica*, *Gallinago solitaria*, 118–119  
   *Ninox japonica*, 129
- japonicus*, *Anthus rubescens*, 149  
   *Coccothraustes coccothraustes*, 164  
   *Otus sunia*, 127
- Jay, Blue, 20  
   Gray, 135  
   Steller's, 135, 205
- jotaka*, *Caprimulgus indicus*, 129
- jouyi*, *Ardea cinerea*, 107
- Junco, Dark-eyed, 155–156, 210  
*Junco hyemalis*, 155–156, 210  
*Jynx torquilla*, 130
- kaiurka*, *Cephus columba*, 120
- kamtschaticus*, *Corvus corax*, 41, 135  
   *Dendrocopos major*, 131
- kamtschatkensis*, *Buteo lagopus*, 110  
   *Pinicola enucleator*, 162
- kamtschatschensis*, *Larus canus*, 123
- kawarahiba*, *Chloris sinica*, 164
- kenaiensis*, *Melospiza melodia*, 154
- Kennedy, Jeremiah, *see* Levesque, P. G.
- kennicottii*, *Megascops kennicottii*, 127
- Kestrel, American, 132, 203  
   Eurasian, 132
- Killdeer, 112, 201
- Kingbird, Cassin's, 204  
   Eastern, 134  
   Thick-billed, 224  
   Tropical, 133, 314  
   Tropical/Couch's, 314–315, 320  
   Western, 133–134, 204
- Kingfisher, Belted, 130, 203
- Kinglet, Golden-crowned, 139  
   Ruby-crowned, 139, 207
- Kiskadee, Great, 224
- kiskensis*, *Troglodytes pacificus*, 138
- Kite, Mississippi, 199  
   White-tailed, 14, 199
- Kittiwake, Black-legged, 16, 39, 122  
   Red-legged, 16, 39, 122
- Knot, Great, 115  
   Red, 115
- Koepke, Josh S., *see* Carter, H. R.
- kumlieni*, *Larus glaucoides*, 123  
*lagophonus*, *Bubo virginianus*, 127–128  
*lagopodum*, *Delichon urbicum*, 137  
*Lagopus lagopus*, 102–103  
   *leucura*, 103, 233–243  
   *muta*, 103
- laingi*, *Accipiter gentilis*, 109
- Lanius cristatus*, 134  
   *excubitor*, 134  
   *ludovicianus*, 204
- Lapwing, Northern, 111
- Lark, Horned, 135–136  
   Sky, 135
- Larus argentatus*, 39, 123  
   *californicus*, 123  
   *canus*, 16, 39, 123  
   *crassirostris*, 122–123, 311  
   *delawarensis*, 123, 202  
   *dominicanus*, 220–221  
   *fuscus*, 125, 311, 322  
   *glaucescens*, 39, 125  
   *glaucoides*, 123, 125, 220, 311  
   *heermanni*, 123  
   *hyperboreus*, 16, 40, 125  
   *marinus*, 125  
   *occidentalis*, 123, 220  
   *schistisagus*, 16, 125, 220, 311  
   *lathamii*, *Poecile cinctus*, 138  
   *latifascia*, *Emberiza rustica*, 156  
   *leucocephalos*, *Emberiza leucocephalos*, 156  
   *leucopareia*, *Branta hutchinsii*, 33, 97–98  
*Leucophaeus atricilla*, 122, 311  
   *pipixcan*, 122  
*leucophrys*, *Zonotrichia leucophrys*, 155  
*leucoptera*, *Loxia leucoptera*, 163  
*leucorhoa*, *Oceanodroma leucorhoa*, 106  
*Leucosticte arctoa*, 160–161  
   *atrata*, 218  
   *tephrocotis*, 43, 161, 218  
*leucura*, *Pinicola enucleator*, 161
- Leukering, Tony, *see* Mlodinow, S. G.
- Levesque, Paul G., Fenneman, Jamie, and Kennedy, Jeremiah, First occurrence of the Cave Swallow in British Columbia, 264–266
- lilfordi*, *Grus grus*, 110–111  
*limicola*, *Rallus limicola*, 110  
*Limnodromus griseus*, 38, 118  
   *scolopaceus*, 118, 201  
*Limosa fedoa*, 114

## INDEX

- haemastica*, 16, 114, 309–310, 319  
*lapponica*, 71–75, 114, 310, 319, 322  
*limosa*, 114  
*lincolni*, *Melospiza lincolni*, 155  
*littoralis*, *Leucosticte tephrocotis*, 161  
*Locustella lanceolata*, 141  
*ochotensis*, 141  
 Long, Ashley M., Mathewson, Heather A., Robinson, Dianne H., Grzybowski, Joseph A., and Morrison, Michael L., Black-capped Vireo breeding habitat in north-central Texas, 256–260  
*longicauda*, *Toxostoma rufum*, 146  
*longipennis*, *Sterna hirundo*, 126  
 Longspur, Chestnut-collared, 315  
   Lapland, 42, 149  
   Smith's, 150, 225  
 Loon, Arctic, 103–104, 219, 318  
   Common, 35, 104  
   Pacific, 104  
   Red-throated, 11, 103  
   Yellow-billed, 104  
*Lophodytes cucullatus*, 102, 195  
 Lovich, Jeffrey E., Golden Eagle mortality at a wind-energy facility near Palm Springs, California, 76–80  
*Loxia curvirostra*, 163, 212  
   *leucoptera*, 163  
*lugens*, *Motacilla alba*, 147  
*Luscinia calliope*, 142  
   *cyane*, 142  
   *sibilans*, 142  
   *svecica*, 142  
*lutescens*, *Oreothlypis celata*, 150–151  
*luteus*, *Colaptes auratus*, 131–132  
*Lymnocyptes minimus*, 118  
  
*magnus*, *Aegolius funereus*, 128  
 Magpie, Black-billed, 41, 135  
 Mallard, 33, 99, 195  
*mandti*, *Cephus grylle*, 120  
*marginella*, *Zenaida macroura*, 127  
*marila*, *Aythya marila*, 100  
 Marks, Jeffrey S., Book Review: *Owls of North America and the Caribbean*, 347–348  
 Martin, Common House-, 137  
   Purple, 136  
 Mathewson, Heather A., *see* Long, A. M., *see* Colón, M. R.  
*maxima*, *Melospiza melodia*, 154  
 McFarland, Tiffany M., *see* Colón, M. R.  
 McHugh, Yvonne E., *see* Brake, A. J.  
 McNeil, Shannon E., Tracy, Diane, and Cappello, Caroline D., Loop migration by a western Yellow-billed Cuckoo wintering in the Gran Chaco, 244–255  
 Meadowlark, Eastern, 211  
   Western, 159, 211  
*mearnsi*, *Zenaida asiatica*, 126  
*Megaceryle alcyon*, 130, 203  
*Megascops kennicottii*, 127  
*Melanerpes formicivorus*, 81–82, 223  
   *uropygialis*, 18  
*Melanitta americana*, 35, 101  
   *fusca*, 35, 101  
   *perspicillata*, 35, 101  
*melanocephalus*, *Pheucticus melanocephalus*, 158  
*melanuroides*, *Limosa limosa*, 114  
*meligerus*, *Troglodytes pacificus*, 138  
*Melospiza georgiana*, 24, 155, 210  
   *lincolni*, 155, 210  
   *melodia*, 43, 154–155, 210  
*Melospiza fusca*, 209  
 Merganser, Common, 102, 195  
   Hooded, 102, 195  
   Red-breasted, 35, 102  
*merganser*, *Mergus merganser*, 102  
*Mergellus albellus*, 101–102, 318, 322  
*Mergus merganser*, 102, 195  
   *serrator*, 35, 102  
*meridionalis*, *Cathartes aura*, 108  
 Merlin, 40, 132, 203  
 Merrill, Ryan J., and Bartels, Matt, Ninth report of the Washington Bird Records Committee (2008–2010), 299–325  
*merrilli*, *Melospiza melodia*, 154–155  
*meruloides*, *Ixoreus naevius*, 42, 146  
*Mesophoyx intermedia*, 107  
 Meyer, Aran, Warning, Nathaniel, and Benedict, Lauryn, Direct removal of fecal sacs by Rock Wrens, 267–270  
 Meyers, Martin, Nevada Bird Records Committee Report for 2013, 8–27  
*middendorffii*, *Anser fabalis*, 97  
*migratorius*, *Turdus migratorius*, 146  
*Mimus polyglottos*, 146, 207  
*minima*, *Branta hutchinsii*, 98  
*minor*, *Chordeiles minor*, 129

INDEX

- Loxia curvirostra*, 163
- Mlodinow, Steven G., and Leukering, T., Colorado's first accepted record of the Cave Swallow, 331–335; and Leukering, Tony, Brooks, Tayler, and Moore, Nick, Apparent hybrid Downy Woodpecker × Hairy Woodpecker in Colorado, 2–7
- Mniotilta varia*, 150, 208, 315, 320–321
- Mockingbird, Northern, 146, 207
- modesta*, *Ardea alba*, 107
- Molothrus aeneus*, 212, 225
- ater*, 159, 212
- monilis*, *Patagioenas fasciata*, 126
- montanus*, *Junco hyemalis*, 155–156
- Moore, Nick, *see* Mlodinow, S. G.
- Moorhen, Common, 110
- Moreno-Contreras, Israel, Gómez de Silva, Héctor, Torres-Vivanco, Adrián, Villalpando-Navarrete, Nohemi, and Botello, Alejandro, Avifauna of Juárez Municipality, Chihuahua, Mexico, 190–215; and Gatica-Colima, Ana, and Venegas, Diana, New Montezuma Quail records from Chihuahua, Mexico, 339–342
- morinella*, *Arenaria interpres*, 114
- Morrison, Michael L., *see* Long, A. L., *see* Colón, M. R.
- Motacilla alba*, 147
- cinerea*, 147
- tschutschensis*, 146–147
- Murre, Common, 38, 119
- Thick-billed, 119, 310
- Murrelet, Ancient, 120
- Kittlitz's, 120
- Long-billed, 120, 319
- Marbled, 120
- Scripps's, 310
- Scripps's/Craveri's, 310
- Scripps's/Guadalupe, 310
- Xantus's, 310
- Muscicapa dauurica*, 141
- griseisticta*, 141
- sibirica*, 141
- striata*, 141
- Myadestes townsendi*, 143, 336–338
- Myiarchus cinerascens*, 133, 204
- crinitus*, 20, 133
- tuberculifer*, 20
- tyrannulus*, 224
- Myiodynastes luteiventris*, 224
- Myna, Crested, 320
- naevius*, *Ixoreus naevius*, 146
- nanus*, *Catharus guttatus*, 143
- nearctica*, *Aythya marila*, 34, 100
- nebulosa*, *Strix nebulosa*, 128
- Needletail, White-throated, 129
- neglecta*, *Sturnella neglecta*, 159
- nelsoni*, *Lagopus muta*, 103
- Picoides pubescens*, 131
- Sitta carolinensis*, 278–290
- neumanni*, *Muscicapa striata*, 141
- Nighthawk, Common, 129, 202
- Lesser, 129, 202
- Night-Heron, Black-crowned, 108, 198
- Yellow-crowned, 13
- Nightjar, Gray, 129
- nigricans*, *Branta bernicla*, 33, 97
- Ninox japonica*, 129
- nivalis*, *Plectrophenax nivalis*, 150
- nubilosus*, *Onychoprion fuscatus*, 125
- Nucifraga columbiana*, 135
- Numenius americanus*, 114, 201
- borealis*, 113
- madagascariensis*, 114
- minutus*, 113
- phaeopus*, 37, 114
- tahitiensis*, 114
- Nutcracker, Clark's, 135
- Nuthatch, Pygmy, 273–275
- Red-breasted, 138, 206
- White-breasted, 206, 278–290
- Nyctanassa violacea*, 13
- Nycticorax nycticorax*, 108, 198
- nycticorax*, *Nycticorax nycticorax*, 108
- occidentalis*, *Aechmophorus occidentalis*, 104
- Branta canadensis*, 98
- Certhia americana*, 138
- Coccyzus americanus*, 127
- Larus occidentalis*, 123
- Oceanodroma furcata*, 106
- homochroa*, 49–65, 308, 319
- leucorhoa*, 106
- ochracea*, *Spizella arborea*, 153
- ochroleucus*, *Troglodytes pacificus*, 139
- ocularis*, *Motacilla alba*, 147
- O'Donnell, Ryan P., Hybridization between the Dusky Grouse and Sharp-tailed Grouse, 351–352
- Oenanthe oenanthe*, 142

## INDEX

- oenanthe*, *Oenanthe oenanthe*, 142  
*olivaceus*, *Regulus satrapa*, 139  
     *Vireo olivaceus*, 135  
*Onychoprion aleuticus*, 40, 125  
     *fuscatus*, 125, 221  
*Oporornis agilis*, 22  
*oreganus*, *Junco hyemalis*, 155  
*Oreoscoptes montanus*, 207  
*Oreothlypis celata*, 150–151, 208  
     *luciae*, 208  
     *peregrina*, 150, 316, 321  
     *ruficapilla*, 151, 208  
     *virginiae*, 208  
*orientalis*, *Streptopelia orientalis*, 126  
 Oriole, Baltimore, 218, 321  
     Bullock's, 159, 212  
     Hooded, 225  
     Orchard, 159, 318  
     Scott's, 212  
     Streak-backed, 225  
*ornata*, *Emberiza aureola*, 156  
*osculans*, *Haematopus ostralegus*, 111  
 Osprey, 108, 198–199  
*Otus sunia*, 127  
 Ovenbird, 150, 315  
 Owl, Barn, 202  
     Barred, 17, 128  
     Boreal, 128  
     Burrowing, 202  
     Great Gray, 128  
     Great Horned, 127–128, 202,  
         271–272  
     Long-eared, 68–70, 128  
     Northern Hawk, 128, 313–314,  
         319, 322  
     Northern Pygmy-, 128  
     Northern Saw-whet, 129  
     Oriental Scops-, 127  
     Short-eared, 40, 128, 202  
     Snowy, 128  
     Western Screech-, 127  
*Oxyura jamaicensis*, 102, 195  
 Oystercatcher, Black, 36, 111  
     Eurasian, 111  
  
*pacifica*, *Calidris alpina* 37, 116  
*pacificus*, *Anthus rubescens*, 42, 149  
     *Apus pacificus*, 130  
     *Perisoreus canadensis*, 135  
     *Troglodytes pacificus*, 139  
*Pagophila eburnea*, 122, 311  
*pallescens*, *Stercorarius longicaudus*,  
     38, 119  
*pallidiceps*, *Bombycilla garrulus*, 149  
  
*pallidissimus*, *Larus hyperboreus*, 125  
*palmarum*, *Setophaga palmarum*, 152  
*Pandion haliaetus*, 108, 198–199  
 Pandolfino, Edward R., and Pieplow,  
     Nathan D., Comparison of  
     vocalizations of four U.S.  
     subspecies of the White-breasted  
     Nuthatch, 278–290; see Zamek, S.  
*Parabuteo unicinctus*, 199, 220, 319  
 Parker, Michael W., see Carter, H. R.  
*Parkesia motacilla*, 22  
     *noveboracensis*, 150, 208  
 Parula, Northern, 316  
     Tropical, 225  
*parvipes*, *Branta canadensis*, 98  
*Passer domesticus*, 164, 212  
*Passerculus sandwichensis*, 42, 153,  
     210  
*Passerella iliaca*, 43, 153–154, 317  
*Passerina amoena*, 158, 211  
     *caerulea*, 158, 211  
     *ciris*, 24, 211, 322  
     *cyanea*, 158, 317, 321  
*Patagioenas fasciata*, 126  
*pealei*, *Falco peregrinus*, 40, 132  
*pekinensis*, *Alauda arvensis*, 135  
     *Apus apus*, 130  
*Pelecanus erythrorhynchos*, 107, 198  
     *occidentalis*, 13, 107  
 Pelican, American White, 107, 198  
     Brown, 13, 107  
*peninsularis*, *Lagopus leucura*, 103  
*Perisoreus canadensis*, 135  
*perobscurus*, *Accipiter striatus*, 109  
 Petrel, Ashy Storm-, 49–65, 308, 319  
     Cook's, 105  
     Fork-tailed Storm-, 106  
     Hawaiian, 307–308  
     Leach's Storm-, 106  
     Mottled, 105, 307, 318–319  
     Murphy's, 307  
     Providence, 105, 303–306  
*Petrochelidon fulva*, 206, 224,  
     264–266, 331–335  
     *pyrrhonota*, 41, 136, 206  
*Peucaea cassinii*, 209–210  
 Pewee, Greater, 314  
     Western Wood-, 132, 204  
 Phainopepla, 208, 320  
*Phainopepla nitens*, 208, 320  
*Phalacrocorax auritus*, 35, 106, 198  
     *brasilianus*, 12, 196–197  
     *pelagicus*, 35, 106–107  
     *penicillatus*, 106

## INDEX

- urile*, 35, 106  
*Phalaenoptilus nuttallii*, 202  
 Phalarope, Red, 38, 119  
     Red-necked, 38, 119  
     Wilson's, 119, 201  
*Phalaropus fulicarius*, 38, 119  
     *lobatus*, 38, 119  
     *tricolor*, 119, 201  
*Phoebastria ludoviciana*, 158, 211, 317–318  
     *melanocephalus*, 158, 211  
*Phoebastria albatrus*, 104, 302–303  
     *immutabilis*, 104  
     *nigripes*, 104  
 Phoebe, Black, 133, 204, 314  
     Eastern, 133, 204, 320  
     Say's, 133, 204  
*Phoenicurus phoenicurus*, 142  
*phoenicurus*, *Phoenicurus*  
     *phoenicurus*, 142  
*Phylloscopus borealis*, 140  
     *collybita*, 140  
     *examinandus*, 140  
     *fuscatus*, 140  
     *inornatus*, 140  
     *proregulus*, 140  
     *sibilatrix*, 140  
     *trochilus*, 140  
*Pica hudsonia*, 41, 135  
*Picoides arcticus*, 131  
     *dorsalis*, 131  
     *pubescens*, 2–7, 131, 203  
     *scalaris*, 203  
     *villosus*, 2–7, 131  
 Pieplow, Nathan D., *see* Pandolfino, E. R.  
 Pigeon, Band-tailed, 126  
     Rock, 126, 202  
*pileolata*, *Cardellina pusilla*, 42, 153  
*Pinicola enucleator*, 161–162  
 Pintail, Northern, 34, 99, 195  
*pinus*, *Spinus pinus*, 163  
*Pipilo chlorurus*, 209  
     *erythrophthalmus*, 217–218  
     *maculatus*, 153, 209, 343–346  
 Pipit, American, 42, 149, 208, 263  
     Olive-backed, 147  
     Pechora, 147  
     Red-throated, 148–149  
     Sprague's, 22  
     Tree, 147  
*Piranga ludoviciana*, 158, 210  
     *olivacea*, 158  
     *rubra*, 210  
*Pitangus sulphuratus*, 224  
*platyrhynchos*, *Anas platyrhynchos*, 33, 99  
*Plectrophenax hyperboreus*, 150, 320  
     *nivalis*, 150  
*Plegadis chihi*, 198, 308–309  
     *falcinellus*, 219  
 Plover, American Golden-, 15, 111  
     Black-bellied, 111  
     Common Ringed, 112  
     European Golden-, 111  
     Lesser Sand-, 111  
     Little Ringed, 112  
     Mountain, 15, 322  
     Pacific Golden-, 36, 111  
     Semipalmated, 36, 112  
     Snowy, 112  
*plumbea*, *Oceanodroma furcata*, 106  
*plumbeus*, *Psaltriparus minimus*, 315  
*Pluvialis apricaria*, 111  
     *dominica*, 15, 111  
     *fulva*, 36, 111  
     *squatarola*, 111  
 Pochard, Common, 100  
*Podiceps auritus*, 104  
     *griseogena*, 104  
     *nigricollis*, 104, 196  
*podiceps*, *Podilymbus podiceps*, 104  
*Podilymbus podiceps*, 104, 196  
*Poecile atricapillus*, 137  
     *cinctus*, 138  
     *gambeli*, 137  
     *hudsonicus*, 137–138  
     *rufescens*, 137  
*polaris*, *Emberiza pallasi*, 156–157  
*Polioptila caerulea*, 207, 315  
     *melanura*, 207  
*pollicaris*, *Rissa tridactyla*, 39, 122  
*polyglottos*, *Mimus polyglottos*, 146  
*Polysticta stelleri*, 100  
 Pond-Heron, Chinese, 108  
*Poocetes gramineus*, 153, 210  
 Poorwill, Common, 202  
*Porzana carolina*, 110, 201  
 Pratincole, Oriental, 119  
*principalis*, *Corvus corax*, 135  
*Progne subis*, 136  
*Protonotaria citrea*, 315–316  
*Prunella montanella*, 146  
*Psaltriparus minimus*, 315  
 Ptarmigan, Rock, 103  
     White-tailed, 103, 233–243  
     Willow, 102–103  
*Pterodroma cookii*, 105

INDEX

- inexpectata*, 105, 307, 318–319  
*sandwichensis*, 307–308  
*solandri*, 105, 303–306  
*ultima*, 307  
*ptilocnemis*, *Calidris ptilocnemis*, 116  
*Ptychoramphus aleuticus*, 120  
Puffin, Horned, 39, 121, 311, 319  
    Tufted, 39, 121–122  
*Puffinus bulleri*, 105  
    *carneipes*, 105  
    *creatopus*, 105  
    *gravis*, 105, 308  
    *griseus*, 35, 105  
    *puffinus*, 105, 308  
    *tenuirostris*, 105  
*pugetensis*, *Zonotrichia leucophrys*, 155  
*purpureus*, *Haemorhous purpureus*, 162  
*pygmaea*, *Aethia pygmaea*, 121  
Pygmy-Owl, Northern, 128  
*Pyrocephalus rubinus*, 204  
*pyrrhonota*, *Petrochelidon pyrrhonota*, 41, 136  
*Pyrrhula pyrrhula*, 162  
*pyrrhulina*, *Emberiza schoeniclus*, 157  
*Pyrrhuloxia*, 211, 225
- Quail, Gambel's, 196  
    Montezuma, 339–342  
    Scaled, 196  
*quarta*, *Calidris ptilocnemis*, 116  
*Quiscalus mexicanus*, 211, 318  
    *quiscula*, 24, 159, 318
- Rail, Virginia, 110  
*Rallus limicola*, 110  
Raven, Chihuahuan, 205  
    Common, 41, 135  
*reai*, *Loxia curvirostra*, 163  
*Recurvirostra americana*, 111, 201  
Redhead, 100, 195  
Redpoll, Common, 25, 44, 163, 291–298  
    Hoary, 163, 225, 228, 318, 321  
Redshank, Spotted, 15, 113  
Redstart, American, 151, 208  
    Common, 142  
Redwing, 145  
*Regulus calendula*, 139, 207  
    *satrapa*, 139  
*Rhodostethia rosea*, 122  
*richardsoni*, *Aegolius funereus*, 128  
*ridgwayi*, *Oreothlypis ruficapilla*, 151  
Ringgenberg, Brandi, and Winker, K., Indications that the Common Redpoll is double brooded in Alaska, 291–298  
*Riparia riparia*, 41, 136, 206  
*riparia*, *Riparia riparia*, 41, 136  
Ripplinger, Christina M., *see* Greeney, H. F.  
*Rissa brevirostris*, 16, 39, 122  
    *tridactyla*, 16, 39, 122  
Roadrunner, Greater, 202  
Robin, American, 146, 207, 336–338  
    Rufous-backed, 20  
    Rufous-tailed, 142  
    Siberian Blue, 142  
Robinson, Dianne H., *see* Long, A. M.  
*robusta*, *Motacilla cinerea*, 147  
*rodgersii*, *Fulmarus glacialis*, 35, 105  
Rosefinch, Common, 162  
*roselaari*, *Calidris canutus*, 115  
Rosy-Finch, Asian, 160–161  
    Black, 218  
    Gray-crowned, 43, 161, 218  
*ruber*, *Sphyrapicus ruber*, 131  
*rubida*, *Oxyura jamaicensis*, 102  
*rubiginosa*, *Setophaga petechia*, 42, 152  
Rubythroat, Siberian, 142  
*rufescens*, *Poecile rufescens*, 137  
Ruff, 115, 310  
*ruficollis*, *Egretta tricolor*, 107  
*rufina*, *Melospiza melodia*, 154  
*rustica*, *Hirundo rustica*, 136  
*Rynchops niger*, 222
- Sage-Grouse, Gunnison, 217  
*salicicola*, *Catharus fuscescens*, 143  
*Salpinctes obsoletus*, 206, 267–270  
*sanaka*, *Melospiza melodia*, 43, 154  
*sanctijohannis*, *Buteo lagopus*, 36, 110  
Sanderling, 37, 116  
Sandpiper, Baird's, 116  
    Broad-billed, 115  
    Buff-breasted, 118, 310  
    Common, 112  
    Curlew, 115, 220  
    Green, 112  
    Least, 37, 118, 201  
    Marsh, 113  
    Pectoral, 118, 201  
    Purple, 116  
    Rock, 37, 116  
    Semipalmated, 118  
    Sharp-tailed, 115

## INDEX

- Solitary, 112–113, 201  
 Spoon-billed, 115–116  
 Spotted, 112, 201  
 Stilt, 16, 115  
 Terek, 112  
 Upland, 113  
 Western, 38, 118, 201  
 White-rumped, 118  
 Wood, 113  
 Sand-Plover, Lesser, 111  
*sandwichensis*, *Passerculus sandwichensis*, 42, 153  
 Sapsucker, Red-breasted, 131  
   Red-naped, 203  
   Williamson's, 89–91, 203  
   Yellow-bellied, 18, 130–131, 203, 314, 319  
*satrapa*, *Tyrannus melancholicus*, 133  
*saturata*, *Upupa epops*, 130  
*saturatus*, *Bubo virginianus*, 127  
   *Contopus sordidulus*, 132  
*Saxicola torquatus*, 142  
*Sayornis nigricans*, 133, 204, 314  
   *phoebe*, 133, 204, 320  
   *saya*, 133, 204  
 Scaup, Greater, 34, 100  
   Lesser, 34, 100, 195  
 Schmidt, Krista K., *see* Greeney, H. F.  
 Schneider, Ken R., Hypermelanistic American Pipit returns to winter in central California, 263  
 Scops-Owl, Oriental, 127  
 Scoter, Black, 35, 101  
   Surf, 35, 101  
   White-winged, 35, 101  
 Screech-Owl, Western, 127  
 Sea-Eagle, Steller's, 108–109  
 Searcy, Adam, Book review: *The Warbler Guide*, 186–187  
*Seiurus aurocapilla*, 150, 315  
*Selasphorus platycercus*, 203  
   *rufus*, 130, 203  
   *sasin*, 17, 319  
*semiafer*, *Sayornis nigricans*, 133  
*semidiensis*, *Troglodytes pacificus*, 41, 138  
*septentrionalis*, *Picoides villosus*, 131  
*septentrionalium*, *Anas cyanoptera*, 99  
*serripennis*, *Stelgidopteryx serripennis*, 136  
*serrirostris*, *Anser serrirostris*, 97  
*Setophaga americana*, 316  
   *auduboni*, 209  
   *caerulescens*, 152, 317, 321, 322  
   *castanea*, 24, 317  
   *chrysoparia*, 261–262  
   *citrina*, 208  
   *coronata*, 42, 152, 209  
   *discolor*, 24, 152  
   *dominica*, 317  
   *fusca*, 317  
   *graciae*, 209  
   *magnolia*, 151, 316–317  
   *nigrescens*, 209  
   *palmarum*, 152  
   *pensylvanica*, 152, 317  
   *petechia*, 42, 152, 208–209  
   *pinus*, 24, 209  
   *pitiayumi*, 225  
   *ruticilla*, 151, 208  
   *striata*, 152, 317, 321  
   *tigrina*, 151  
   *townsendi*, 152, 209  
   *virens*, 152  
 Shearwater, Buller's, 105  
   Flesh-footed, 105  
   Great, 105, 308  
   Manx, 105, 308  
   Pink-footed, 105  
   Short-tailed, 105  
   Sooty, 35, 105  
   Streaked, 319  
 Shedd, Jackson D., Acorn Woodpecker predation on the Western Fence Lizard in northern California, 81–82  
 Shoveler, Northern, 34, 99, 195  
 Shrike, Brown, 134  
   Loggerhead, 204  
   Northern, 134  
*Sialia currucoides*, 143, 207, 273–275  
   *mexicana*, 207  
   *sialis*, 207  
   *sibilans*, *Luscinia sibilans*, 142  
   *sibirica*, *Calidris falcinellus*, 115  
     *Muscicapa sibirica*, 141  
   *sibiricus*, *Lanius excubitor*, 134  
 Siemens, Larry, Two thrush species feed the same nestlings, 336–338  
*simillima*, *Motacilla tschutschensis*, 147  
*sinuosa*, *Passerella iliaca*, 154  
 Siskin, Eurasian, 163  
   Pine, 163, 212  
*sitkensis*, *Dendragapus fuliginosus*, 103  
   *Picoides villosus*, 131

## INDEX

- Sitta canadensis*, 138, 206  
     *carolinensis*, 206, 278–290  
     *pygmaea*, 273–275  
 Skimmer, Black, 222  
 Skua, South Polar, 119  
 Smew, 101–102, 318, 322  
*smithsonianus*, *Larus argentatus*, 39, 123  
 Snipe, Common, 118  
     Jack, 118  
     Pin-tailed, 118  
     Solitary, 118–119  
     Wilson's, 38, 118, 201  
 Solitaire, Townsend's, 143, 336–338  
*solitaria*, *Tringa solitaria*, 112  
*solitarius*, *Vireo solitarius*, 134  
*Somateria fischeri*, 100  
     *mollissima*, 101  
     *spectabilis*, 35, 101, 302  
 Sora, 110, 201  
 Sparrow, American Tree, 153  
     Black-chinned, 210, 225  
     Black-throated, 210  
     Brewer's, 153, 210  
     Cassin's, 209–210  
     Chipping, 153, 210  
     Clay-colored, 24, 153, 210  
     Fox, 43, 153–154, 317  
     Golden-crowned, 43, 155  
     Grasshopper, 210  
     Harris's, 155  
     House, 164, 212  
     Lark, 153, 210  
     Lincoln's, 155, 210  
     Rufous-crowned, 209  
     Sagebrush, 210  
     Savannah, 42, 153, 210  
     Song, 43, 154–155, 210  
     Swamp, 24, 155, 210  
     Vesper, 153, 210  
     White-crowned, 43, 155, 210  
     White-throated, 155  
*sparverius*, *Falco sparverius*, 132  
*Sphyrapicus nuchalis*, 203  
     *ruber*, 131  
     *thyroideus*, 89–91, 203  
     *varius*, 18, 130–131, 203, 314, 319  
*Spinus lawrencei*, 228  
     *pinus*, 163, 212  
     *psaltria*, 212  
     *pinus*, 163  
     *tristis*, 163, 212  
*Spiza americana*, 24, 158, 211, 318, 321  
*Spizella arborea*, 153  
     *atrogularis*, 210, 225  
     *breweri*, 153, 210  
     *pallida*, 24, 153, 210  
     *passerina*, 153, 210  
*sponsa*, *Anser albifrons*, 32, 97  
*spurius*, *Icterus spurius*, 159  
 Stahl, Justyn, Book Review: *Peterson Reference Guide to Seawatching*, 348–350  
 Stahlecker, Dale W., Prolonged incubation and two clutches in a New Mexico Great Horned Owl nest: 2011–2012, 271–272  
 Starling, European, 146, 207–208  
*stegmanni*, *Charadrius mongolus*, 111  
*stejnegeri*, *Anthus gustavi*, 147  
     *Melanitta fusca*, 101  
     *Saxicola torquatus*, 142  
*Stelgidopteryx serripennis*, 136, 205–206  
*stelleri*, *Cyanocitta stelleri*, 135  
*Stercorarius longicaudus*, 16, 38, 119  
     *maccormicki*, 119  
     *parasiticus*, 16, 38, 119  
     *pomarinus*, 119  
*Sterna hirundo*, 126  
     *paradisaea*, 40, 126  
*Sternula antillarum*, 17, 311–312  
 Stilt, Black-necked, 201  
     Black-winged, 111  
 Stint, Little, 116–118  
     Long-toed, 115  
     Red-necked, 116, 310  
     Temminck's, 115  
 Stonechat, 142  
 Storm-Petrel, Ashy, 49–65, 308, 319  
     Fork-tailed, 106  
     Leach's, 106  
*Streptopelia decaocto*, 126, 202, 222, 312, 322  
     *orientalis*, 126  
*strigatus*, *Chondestes grammacus*, 153  
*Strix nebulosa*, 128  
     *varia*, 17, 128  
*Sturnella magna*, 211  
     *neglecta*, 159, 211  
*Sturnus vulgaris*, 146, 207–208  
*subbuteo*, *Falco subbuteo*, 132  
*subis*, *Progne subis*, 136  
*suckleyi*, *Falco columbarius*, 132  
*Sula leucogaster*, 106, 308



## INDEX

- Surfbird, 115  
*surinamensis*, *Chlidonias niger*, 126  
*Surnia ulula*, 128, 313–314, 319, 322  
*suecica*, *Luscinia suecica*, 142  
*swainsoni*, *Vireo gilvus*, 134  
 Swallow, Bank, 41, 136, 206  
     Barn, 136–137, 206  
     Cave, 206, 224, 264–266, 331–335  
     Cliff, 41, 136, 206  
     Northern Rough-winged, 136, 205–206  
     Tree, 136, 205  
     Violet-green, 41, 136, 205  
 Swan, Trumpeter, 11, 98  
     Tundra, 33, 98, 301  
     Whooper, 98–99  
 Swift, Black, 129  
     Chimney, 129  
     Common, 130  
     Fork-tailed, 130  
     Vaux's, 129  
     White-throated, 202–203  
*Sylvia curruca*, 140  
*Synthliboramphus antiquus*, 120  
     *hypoleucus*, 310  
     *scrippsi*, 310  
     *scrippsi/craveri*, 310  
     *scrippsi/hypoleucus*, 310  
  
*tabida*, *Grus canadensis*, 110  
*Tachycineta bicolor*, 136, 205  
     *thalassina*, 41, 136, 205  
 Tanager, Scarlet, 158  
     Summer, 210  
     Western, 158, 210  
*Tarsiger cyanurus*, 142  
 Tattler, Gray-tailed, 113  
     Wandering, 37, 113  
*taverneri*, *Branta hutchinsii*, 98  
     *Spizella breweri*, 153  
 Teal, Baikal, 100, 301  
     Blue-winged, 33, 99, 195  
     Cinnamon, 99, 195  
     Green-winged, 34, 100, 195  
*tenuissima*, *Sitta carolinensis*, 278–290  
*tephrocotis*, *Leucosticte tephrocotis*, 161  
 Tern, Aleutian, 40, 125  
     Arctic, 40, 126  
     Black, 126  
     Caspian, 125–126  
     Common, 126  
     Least, 17, 311–312  
     Royal, 221  
     Sandwich, 221–222  
     Sooty, 125, 221  
     White-winged, 126  
*texensis*, *Chordeiles acutipennis*, 129  
*Thalassarche salvini*, 104  
*Thalasseus maximus*, 221  
     *sandvicensis*, 221–222  
*thalassina*, *Tachycineta thalassina*, 41, 136  
*thayeri*, *Larus glaucooides*, 123, 125  
 Thrasher, Brown, 21, 146, 315  
     Crissal, 207  
     Curve-billed, 21, 207  
     Sage, 207  
 Thrush, Dusky, 144–145  
     Eyebrowed, 144  
     Gray-cheeked, 143  
     Hermit, 42, 143, 207  
     Swainson's, 143, 207  
     Varied, 42, 146  
     Wood, 143  
*Thryomanes bewickii*, 207  
*tolmiei*, *Geothlypis tolmiei*, 151  
 Tomkovich, Pavel S., *see* Hajdukovich, N. R.  
*torquilla*, *Jynx torquilla*, 130  
 Torres-Vivanco, Adrián, *see* Moreno-Contreras, I.  
 Towhee, Canyon, 209  
     Eastern, 217–218  
     Green-tailed, 209  
     Spotted, 153, 209, 343–346  
*townsendi*, *Lagopus muta*, 103  
     *Myadestes townsendi*, 143  
     *Passerella iliaca*, 43, 154  
     *Plectrophenax nivalis*, 150  
*Toxostoma crissale*, 207  
     *curvirostre*, 21, 207  
     *rufum*, 21, 146, 315  
 Tracy, Diane, *see* McNeil, S. E.  
*Tringa brevipes*, 113  
     *erythropus*, 15, 113  
     *flavipes*, 113, 201  
     *glareola*, 113  
     *incana*, 37, 113  
     *melanoleuca*, 37, 113, 201  
     *nebularia*, 113  
     *ochropus*, 112  
     *semipalmata*, 113  
     *solitaria*, 112–113, 201  
     *stagnatilis*, 113  
*tristis*, *Phylloscopus collybita*, 140  
*trivialis*, *Anthus trivialis*, 147  
*Troglodytes aedon*, 206

INDEX

- pacificus*, 41, 138–139, 224–225  
*tschuktschorum*, *Calidris ptilocnemis*, 116  
*tschutschensis*, *Motacilla tschutschensis*, 146–147  
*tundrae*, *Charadrius hiaticula*, 112  
*tundrius*, *Falco peregrinus*, 132  
*Turdus iliacus*, 145  
     *migratorius*, 146, 207, 336–338  
     *naumanni*, 144–145  
     *obscurus*, 144  
     *pilaris*, 145  
     *rufopalliatu*s, 20  
*turneri*, *Poecile atricapillus*, 137  
 Turnstone, Black, 114  
     Ruddy, 37, 114  
 Turtle-Dove, Oriental, 126  
*Tympanuchus phasianellus*, 103  
     × *Dendragapus obscurus*, 351–352  
*Tyrannus crassirostris*, 224  
     *forficatus*, 20, 134, 315, 320  
     *melancholicus*, 133, 314  
     *melancholicus/couchii*, 314–315, 320  
     *tyrannus*, 134  
     *verticalis*, 133–134, 204  
     *vociferans*, 204  
*Tyto alba*, 202
- umbelloides*, *Bonasa umbellus*, 102  
*umbrina*, *Leucosticte tephrocotis*, 161  
*unalaschcensis*, *Passerella iliaca*, 43, 153  
*unicolor*, *Cinclus mexicanus*, 139  
*Upupa epops*, 130  
*Uria aalge*, 38, 119  
     *lomvia*, 119, 310  
*ustulatus*, *Catharus ustulatus*, 143
- Vander Pluym, David, Book review:  
     *Field Guide to Birds of the Northern California Coast*, 83–86  
*Vanellus vanellus*, 111  
*varia*, *Strix varia*, 128  
*variegatus*, *Numenius phaeopus*, 114  
*vauxi*, *Chaetura vauxi*, 129  
 Veery, 143  
*vegae*, *Larus argentatus*, 123  
*veliei*, *Contopus sordidulus*, 132  
*velox*, *Accipiter striatus*, 109  
 Venegas, Diana, *see* Moreno-Contreras, I.  
 Verdin, 206  
*versicolor*, *Quiscalus quiscula*, 159
- Villalpando-Navarrete, Nohemi, *see* Moreno-Contreras, I.  
*vinifer*, *Haemorrhous cassinii*, 66–68  
 Violetear, Green, 222  
*virens*, *Setophaga virens*, 152  
 Vireo, Bell's, 204, 315  
     Black-capped, 256–260  
     Blue-headed, 134, 205, 217, 315, 320  
     Cassin's, 134, 205, 217  
     Philadelphia, 134–135, 315, 320  
     Plumbeous, 205  
     Red-eyed, 135  
     Warbling, 134, 205  
*Vireo atricapilla*, 256–260  
     *bellii*, 204, 315  
     *cassinii*, 134, 205, 217  
     *gilvus*, 134, 205  
     *olivaceus*, 135  
     *philadelphicus*, 134–135, 315, 320  
     *plumbeus*, 205  
     *solitarius*, 134, 205, 217, 315, 320  
*viridigularis*, *Gavia arctica*, 103–104  
*v-nigrum*, *Somateria mollissima*, 101  
*vociferus*, *Charadrius vociferus*, 112  
*vulgaris*, *Sturnus vulgaris*, 146  
 Vulture, Black, 219  
     Turkey, 108, 198
- Wagtail, Eastern Yellow, 146–147  
     Gray, 147  
     White, 147  
 Warbler, Arctic, 140  
     Audubon's, 209  
     Bay-breasted, 24, 317  
     Black-and-white, 150, 208, 315, 320–321  
     Blackburnian, 317  
     Blackpoll, 152, 317, 321  
     Black-throated Blue, 152, 317, 321, 322  
     Black-throated Gray, 209  
     Black-throated Green, 152  
     Canada, 153  
     Cape May, 151  
     Chestnut-sided, 152, 317  
     Connecticut, 22  
     Dusky, 140  
     Golden-cheeked, 261–262  
     Grace's, 209  
     Hooded, 208  
     Kamchatka Leaf, 140  
     Lanceolated, 141  
     Lucy's, 208

## INDEX

- MacGillivray's, 151, 208  
 Magnolia, 151, 316–317  
 Middendorff's Grasshopper-, 141  
 Mourning, 151, 316  
 Myrtle, 209  
 Nashville, 151, 208  
 Orange-crowned, 150–151, 208  
 Pallas's Leaf, 140  
 Palm, 152  
 Pine, 24, 209  
 Prairie, 24, 152  
 Prothonotary, 315–316  
 Red-faced, 225  
 Sedge, 141  
 Tennessee, 150, 316, 321  
 Townsend's, 152, 209  
 Virginia's, 208  
 Willow, 140  
 Wilson's, 42, 153, 209  
 Wood, 140  
 Worm-eating, 320  
 Yellow, 42, 152, 208–209  
 Yellow-browed, 140  
 Yellow-rumped, 42, 152  
 Yellow-throated, 317  
 Warning, Nathaniel, *see* Meyer, A.  
 Waterthrush, Louisiana, 22  
     Northern, 150, 208  
 Waxwing, Bohemian, 149  
     Cedar, 149, 208  
 Wethington, Susan M., *see* Greeney, H. F.  
 Wheatear, Northern, 142  
 Whimbrel, 37, 114  
 Whip-poor-will, Eastern, 129, 217  
     Mexican, 217  
 Whistling-Duck, Black-bellied, 11, 228  
     Fulvous, 11, 218  
 Whitethroat, Lesser, 140  
 Whitworth, Darrell L., *see* Carter, H. R.  
 Wigeon, American, 33, 99, 195  
     Eurasian, 33, 99  
 Willet, 113  
 Williams, Sartor O. III, *see* Braun, C. E.  
*wilsonianus*, *Asio otus*, 128  
 Winker, Kevin, *see* Ringgenberg, B.  
 Withrow, Jack J., Notes on the birds of  
     Chirikof Island, Alaska, 28–48; *see*  
     Gibson, D. D.  
 Woodpecker, Acorn, 81–82, 223  
     American Three-toed, 131  
     Black-backed, 131  
     Downy, 2–7, 131, 203  
     Gila, 18  
     Great Spotted, 131  
     Hairy, 2–7, 131  
     Ladder-backed, 203  
 Wood-Pewee, Western, 132, 204  
 Wren, Bewick's, 207  
     Cactus, 207  
     Canyon, 206  
     House, 206  
     Marsh, 139, 206–207  
     Pacific, 41, 138–139, 224–225  
     Rock, 206, 267–270  
 Wrentit, 320  
 Wryneck, Eurasian, 130  
  
*Xanthocephalus xanthocephalus*,  
     159, 211  
*Xema sabini*, 122  
*Xenus cinereus*, 112  
  
*yakutensis*, *Phylloscopus trochilus*,  
     140  
 Yellowlegs, Greater, 37, 113, 201  
     Lesser, 113, 201  
 Yellowthroat, Common, 151, 208  
*yukonensis*, *Bonasa umbellus*, 102  
     *Sayornis saya*, 133  
*yunnanensis*, *Anthus hodgsoni*, 147  
  
*zaboria*, *Passerella iliaca*, 154  
 Zamek, Steve, and Pandolfino,  
     Edward R., Interspecific feeding of  
     Mountain Bluebird nestlings by a  
     Pygmy Nuthatch, 273–275  
*Zenaida asiatica*, 126, 202, 312, 319,  
     322  
     *macroura*, 127, 202  
*Zonotrichia albicollis*, 155  
     *atricapilla*, 43, 155  
     *leucophrys*, 43, 155, 210  
     *querula*, 155