

# WESTERN BIRDS, INDEX, VOLUME 48, 2017

Compiled by Daniel D. Gibson

- Able, Kenneth P., *see* Pandolfino, E. R.  
*Acanthis flammea*, 97, 270  
*Accipiter cooperii*, 7  
    *gentilis*, 251  
    *striatus*, 250–251  
*Actitis macularius*, 6, 238  
*aculeata*, *Sitta carolinensis*, 26–34  
*Aethia cristatella*, 243  
    *psittacula*, 243  
*Agapornis roseicollis*, 91  
*Agelaius phoeniceus*, 280  
*aikeni*, *Junco hyemalis*, 102, 108  
*alascensis*, *Calcarius lapponicus*, 270  
    *Certhia americana*, 259  
*Alauda arvensis*, 258  
Albatross, Black-footed, 247  
    Laysan, 247  
    Short-tailed, 247  
*aleuticus*, *Ptychoramphus aleuticus*,  
    242–243  
*aliciae*, *Catharus minimus*, 263–266  
Almazán-Núñez, R. Carlos, *see* Torres-  
    Jiménez, J. G.  
*Amazilia beryllina*, 80  
    *rutila*, 5  
*Amazona finschi*, 8, 16  
    *oratrix*, 8  
*americana*, *Bucephala clangula*,  
    228–229  
    *Fulica americana*, 230  
*americanus*, *Mergus merganser*, 229  
*Ammodramus savannarum*, 35–55  
*amoenus*, *Regulus satrapa*, 262  
*Anas acuta*, 226  
    *americana*, 225  
    *clypeata*, 5, 12, 226  
    *crecca*, 5, 77, 226  
    *cyanoptera*, 5, 226  
    *discors*, 5, 12, 226  
    *formosa*, 77  
    *penelope*, 225  
    *platyrhynchos*, 225–226  
    *querquedula*, 226  
    *strepera*, 225  
*anatum/tundrius*, *Falco peregrinus*,  
    253–254  
Anhinga, 105  
*Anhinga anhinga*, 105  
Ani, Groove-billed, 5, 13, 79  
*Anser albifrons*, 223  
*Anthus cervinus*, 267–268  
    *hodgsoni*, 267  
    *rubescens*, 9, 268–269  
*Antigone canadensis*, 230  
*Antrostomus ridgwayi*, 79  
*Apus pacificus*, 230  
*Archilochus alexandri*, 58–59  
    *colubris*, 60–64, 80  
*articola*, *Eremophila alpestris*, 258  
*arctolegus*, *Agelaius phoeniceus*, 280  
*Ardea alba*, 7  
    *herodias*, 7, 250  
*Ardenna bulleri*, 247–248  
    *carneipes*, 248  
    *creatopus*, 248  
    *grisea*, 88, 248  
    *tenuirostris*, 248  
*Arenaria interpres*, 6, 80–81, 233  
    *melanocephala*, 6, 233  
*arizonae*, *Spizella passerina*, 275  
*arra*, *Uria lomvia*, 242  
*Artemisiospiza nevadensis*, 35–55  
*Asio flammeus*, 251  
*Athene cunicularia*, 8  
*atricapillus*, *Accipiter gentilis*, 251  
*auduboni*, *Setophaga coronata*, 10  
Auklet, Cassin's, 242–243  
    Crested, 243  
    Parakeet, 243  
    Rhinoceros, 243  
*Aythya affinis*, 227  
    *americana*, 227  
    *collaris*, 227  
    *ferina*, 227  
    *marila*, 227  
    *valisineria*, 226–227  
  
*banksi*, *Setophaga petechia*, 273  
*barrovianus*, *Larus hyperboreus*, 246  
*Bartramia longicauda*, 80, 231–232  
*Basileuterus lachrymosus*, 101, 108  
    *rufifrons*, 101  
Bassett, Fred, *see* Cubie, D.  
*baueri*, *Limosa lapponica*, 232–233  
Becard, Rose-throated, 9, 94, 106  
Benesh, Chris D., Book Review: *Water-  
    fowl of North America, Europe &  
    Asia*, 65–67  
*bensoni*, *Callipepla douglasii*,  
    180–195  
*beringiae*, *Limosa fedoa*, 233  
Blackbird, Brewer's, 205–210

## INDEX

- Red-winged, 280  
 Rusty, 103, 205–210, 280  
 Blanco, Diego C., DeRaad, Devon A.,  
 and Maley, James M., Geographic  
 Variation and Intergradation in the  
 Elegant Quail, 181–196  
 Bluebird, Mountain, 263  
     Western, 173–180  
 Bobolink, 103, 109  
*Bombycilla cedrorum*, 9, 267  
     *garrulus*, 267  
 Bond, Laura, *see* Miller, R. A.  
 Booby, Blue-footed, 7, 88  
     Brown, 7, 88  
*borealis*, *Lanius excubitor*, 255  
 Bowman, Aaron, *see* Robinson, B. W.  
*Brachyramphus brevirostris*, 242  
     *marmoratus*, 242  
*brachyrhynchus*, *Larus canus*, 245  
 Brambling, 269  
 Brant, 77, 224  
*Branta bernicla*, 77, 224  
     *canadensis*, 224  
     *hutchinsii*, 77, 224  
*brewsteri*, *Empidonax traillii*, 254  
*Bubo scandiacus*, 251  
*Bubulcus ibis*, 7  
*Bucephala albeola*, 228  
     *clangula*, 228–229  
     *islandica*, 229  
 Bufflehead, 228  
 Bunting, Indigo, 11  
     Painted, 11  
     Rustic, 279  
     Snow, 107, 270  
     Varied, 11, 21  
*Buteo brachyurus*, 90–91, 105  
     *jamaicensis*, 7  
     *lagopus*, 251  
     *lineatus*, 90, 105  
*Buteogallus anthracinus*, 7  
*Butorides virescens*, 7, 15  
  
*caerulescens*, *Chen caerulescens*, 224  
*Calcarius lapponicus*, 98, 107, 270  
     *pictus*, 98, 270  
*Calidris acuminata*, 81, 233–234  
     *alba*, 6, 13, 234  
     *alpina*, 6, 234  
     *bairdii*, 6, 235  
     *canutus*, 6, 81, 104, 233  
     *ferruginea*, 234  
     *fuscicollis*, 81, 105  
     *himantopus*, 6, 234  
     *mauri*, 6, 236–237  
     *melanotos*, 6, 236  
     *minutilla*, 6, 235–236  
     *ptilocnemis*, 234–235  
     *pugnax*, 81, 233  
     *pusilla*, 236  
     *ruficollis*, 234  
     *subruficollis*, 81, 236  
     *virgata*, 6, 233  
*californica*, *Polioptila californica*,  
     124–140  
*californicus*, *Podiceps nigricollis*, 230  
*Callipepla douglasii*, 5, 181–196  
*campicola*, *Geothlypis trichas*, 272  
*Camptostoma imberbe*, 8  
*canadensis*, *Antigone canadensis*, 230  
 Canvasback, 226–227  
*capitalis*, *Leptotila verreauxi*, 5  
 Caracara, Crested, 8  
 Caracara cheriway, 8  
*Cardellina canadensis*, 101  
     *pusilla*, 10, 21, 274  
 Cardinal, Northern, 11  
*Cardinalis cardinalis*, 11  
 Carlisle, Jay D., *see* Miller, R. A.  
*carolinensis*, *Anas crecca*, 226  
     *Pandion haliaetus*, 250  
*carolinus*, *Euphagus carolinus*, 280  
 Catbird, Gray, 266  
*Cathartes aura*, 7  
*Catharus guttatus*, 266  
     *minimus*, 263–266  
     *ustulatus*, 9, 266  
*caurina/kenaiensis*, *Melospiza melo-*  
*dia*, 276–277  
*caurinus*, *Limnodromus griseus*,  
     237–238  
*celata*, *Oreothlypis celata*, 271–272  
*Cepphus columba*, 242  
*Cerorhinca monocerata*, 243  
*Certhia americana*, 154–172, 259  
*Chaetura pelagica*, 79  
*Chamaea fasciata*, 154–172  
*Charadrius hiaticula*, 231  
     *nivosus*, 6  
     *semipalmatus*, 6, 231  
     *vociferus*, 6, 231  
 Chat, Red-breasted, 11  
     Yellow-breasted, 154–172  
*Chen caerulescens*, 224  
     *canagica*, 223–224  
 Chickadee, Black-capped, 95, 259  
     Chestnut-backed, 154–172  
*chilcatensis/townsendi*, *Passerella*

## INDEX

- iliaca*, 276  
*Chloroceryle americana*, 8  
*Chondestes grammacus*, 10, 21, 35–55  
*Chondrohierax uncinatus*, 7, 15–16  
*Chordeiles acutipennis*, 5  
     *minor*, 230  
*Chroicocephalus philadelphia*, 6, 244–245  
*cincinatus*, *Phalacrocorax auritus*, 249  
*cinnamomea*, *Tringa solitaria*, 238  
*Circus cyaneus*, 7, 250  
*Cistothorus platensis*, 97, 106  
*Clangula hyemalis*, 228  
*Coccyzus minor*, 5, 13  
*Colaptes auratus*, 252  
 Collared-Dove, Eurasian, 5, 12  
*columba*, *Cepphus columba*, 242  
*Columba livia*, 5  
*columbarius*, *Falco columbarius*, 252  
*columbianus*, *Cygnus columbianus*, 225  
*Columbina inca*, 5  
*Contopus cooperi*, 254  
     *sordidulus*, 8, 154–172, 254  
     *virens*, 91, 105  
 Cooper, Daniel S., Mongolo, Jennifer, and Dellith, Chris, Status of the California Gnatcatcher at the Northern Edge of Its Range, 124–140  
*cooperi*, *Contopus cooperi*, 254  
 Coot, American, 5, 13, 230  
*Coragyps atratus*, 7  
 Cormorant, Double-crested, 249  
     Pelagic, 249–250  
     Red-faced, 249  
*cornutus*, *Podiceps auritus*, 229  
*Corvus corax*, 258  
*couesi*, *Calidris ptilocnemis*, 235  
 Cowbird, Brown-headed, 11, 21, 113–123  
 Cowell, Samuel, Sullivan, Kim, Domgaard, Hannah, Lorscheider, Sara, Panoussi, Mariah, Parrish, Lindsey, Rodman, Taryn, Lorenz, Teresa, and Fischer, Phil, Tag-Team Takeover: Usurpation of Woodpecker Nests by Western Bluebirds, 173–180  
 Crane, Sandhill, 230  
*crecca*, *Anas crecca*, 77, 226  
 Creeper, Brown, 154–172, 259  
 Crossbill, Red, 269  
     White-winged, 269–270  
*Crotophaga sulcirostris*, 5, 13, 79  
 Cruzado Cortés, Juan, *see* Gómez de Silva, H.  
 Cruz Nieto, Javier, *see* Gómez de Silva, H.  
 Cruz Nieto, Miguel Angel, *see* Gómez de Silva, H.  
 Cubie, Doreen, and Bassett, Fred, Extreme Hummingbirds: Three Species North of the 55th Parallel, 60–64  
 Cuckoo, Mangrove, 5, 13  
 Curlew, Bristle-thighed, 232  
     Long-billed, 6  
*Cyanocitta cristata*, 95  
*Cygnus buccinator*, 77, 104, 224–225  
     *columbianus*, 225  
     *cygnus*, 225  
*Cynanthus latirostris*, 5  
*Cypseloides niger*, 79, 104  
  
 Davis, Jeff N., Carotenism in the Purple Finch, 69–71  
 DeCicco, Lucas H., Gibson, Daniel D., Tobish, Theodore G. Jr., Heinl, Steven C., Hajdukovich, Nicholas R., Johnson, James A., and Wright, Charles W., Birds of Middleton Island, A Unique Landfall for Migrants in the Gulf of Alaska, 214–293; *see also* Robinson, B. W.  
*deglandi*, *Melanitta fusca*, 228  
 Dellith, Chris, *see* Cooper, D. S.  
 DeRaad, Devon A., *see* Blanco, D. C.  
 Dickcissel, 11  
*discolor*, *Setophaga discolor*, 274  
*Dolichonyx oryzivorus*, 103, 109  
 Domgaard, Hannah, *see* Cowell, S.  
*douglasii*, *Callipepla douglasii*, 181–196  
 Dove, Common Ground-, 5  
     Eurasian Collared-, 5, 12  
     Inca, 5  
     Mourning, 5, 12  
     White-tipped, 5  
     White-winged, 5  
 Dowitcher, Long-billed, 6, 238  
     Short-billed, 6, 237–238  
*Dryocopus pileatus*, 154–172  
 Duck, Harlequin, 227–228

INDEX

- Long-tailed, 228  
 Ring-necked, 227  
 Ruddy, 229  
*Dumetella carolinensis*, 266  
 Dunlin, 6, 234  
 Dunn, Jon L., *see* Pandolfino, E. R.  
 Dybala, Kristen E., *see* Trochet, J. A.
- Eagle, Bald, 250  
 Egret, Cattle, 7  
   Great, 7  
   Reddish, 88  
   Snowy, 7  
*Egretta caerulea*, 7  
   *rufescens*, 88  
   *thula*, 7  
   *tricolor*, 7  
 Eider, Steller's, 227  
 Elaenia, Greenish, 8  
*Elanoides forficatus*, 90  
*Emberiza rustica*, 279  
*Empidonax alnorum*, 254  
   *difficilis*, 8, 154–172  
   *flaviventris*, 91–92, 254  
   *hammondii*, 255  
   *minimus*, 8, 16, 92, 105, 255  
   *oberholseri*, 255  
   *traillii*, 254  
   *wrightii*, 35–55  
 Engilis, Andrew Jr., *see* Trochet, J. A.  
 Engilis, Irene E., *see* Trochet, J. A.  
*Eremophila alpestris*, 35–55, 258  
*ericrypta*, *Melospiza georgiana*, 278  
*erythrogaster*, *Hirundo rustica*,  
   197–204, 259  
 Estrada-Ramírez, Antonio, *see* Torres-  
   Jiménez, J. G.  
*Eudocimus albus*, 90  
*Euphagus carolinus*, 103, 205–210,  
   280  
   *cianocephalus*, 205–210  
*Euptilotis neoxenus*, 91
- Falco columbarius*, 8, 252  
   *peregrinus*, 8, 16, 150–151,  
     253–254  
   *rufifigularis*, 8  
   *rusticolus*, 252–253  
   *sparverius*, 8, 252  
   *subbuteo*, 252  
 Falcon, Bat, 8  
   Peregrine, 8, 16, 150–151,  
     253–254  
*fannini*, *Ardea herodias*, 250
- Ficedula albicilla*, 263  
 Finch, Asian Rosy-, 141–144  
   Cassin's, 9  
   Gray-crowned Rosy-, 97, 269  
   Purple, 107–71, 107, 269  
 Fischer, Phil, *see* Cowell, S.  
*flammea*, *Acanthis flammea*, 270  
   *Piranga bidentata*, 10  
*flammeus*, *Asio flammeus*, 251  
*flava*, *Eremophila alpestris*, 258  
 Flicker, Northern, 252  
 Flycatcher, Alder, 254  
   Brown-crested, 8  
   Dusky, 255  
   Dusky-capped, 8  
   Gray, 35–55  
   Great Crested, 94, 255  
   Hammond's, 255  
   Least, 8, 16, 92, 105, 255  
   Nutting's, 92–94, 106  
   Olive-sided, 254  
   Pacific-slope, 8, 154–172  
   Taiga, 263  
   Tufted, 91  
   Vermilion, 8, 16  
   Willow, 254  
   Yellow-bellied, 91–92, 254  
*Forpus cyanopygius*, 8  
*forreri*, *Vireo flavoviridis*, 9  
*francescae*, *Granatellus venustus*, 11  
*Fratercula cirrhata*, 243  
   *corniculata*, 243  
*Fregata magnificens*, 7, 88  
 Frigatebird, Magnificent, 7, 88  
*Fringilla montifringilla*, 269  
*Fulica americana*, 5, 13, 230  
 Fulmar, Northern, 247  
*Fulmarus glacialis*, 247  
*fumosus*, *Buteo jamaicensis*, 7  
*fuscatus*, *Phylloscopus fuscatus*, 262
- Gadwall, 225  
*Gallinago delicata*, 6, 238  
*Gallinula galeata*, 5, 13  
 Gallinule, Common, 5, 13  
   Purple, 80  
*gambelii*, *Zonotrichia leucophrys*, 278  
 Garganey, 226  
 Garrett, Kimball L., *see* Pandolfino,  
   E. R.  
*Gavia adamsii*, 87, 247  
   *arctica*, 246  
   *immer*, 247  
   *pacifica*, 246–247

INDEX

- stellata*, 86, 246  
*Geothlypis formosa*, 99  
*philadelphia*, 99, 272  
*tolmiei*, 10, 20, 272  
*trichas*, 272  
 Gibson, Daniel D., *see* DeCicco, L. H.  
 Gnatcatcher, Black-capped, 97  
   Blue-gray, 9, 17  
   California, 124–140  
 Godwit, Bar-tailed, 232–233  
   Hudsonian, 80, 232  
   Marbled, 6, 233  
 Goldeneye, Barrow's, 229  
   Common, 228–229  
 Golden-Plover, American, 6, 80, 231  
   Pacific, 80, 231  
 Goldfinch, Lesser, 10  
*goldmani*, *Trogon elegans*, 8  
 Gómez de Silva, Héctor, Pérez Vil-  
 lafaña, Mónica G., Cruz Nieto,  
 Javier, Cruzado Cortés, Juan, Ham-  
 ilton, Robert A., Vásquez Vásquez,  
 Santiago, and Cruz Nieto, Miguel  
 Ángel, Review of the Avifauna of  
 the Tres Marias Islands, Mexico,  
 Including New and Noteworthy  
 Records, 2–25  
 Goose, Cackling, 77, 224  
   Canada, 224  
   Emperor, 223–224  
   Greater White-fronted, 223  
   Snow, 224  
 Goshawk, Northern, 251  
*gracilis*, *Melospiza lincolni*, 278  
 Grackle, Common, 103, 109  
   Great-tailed, 11  
*Granatellus venustus*, 11  
*graysoni*, *Amazilia rutila*, 5  
   *Picoides scalaris*, 8  
   *Turdus rufopalliatius*, 9  
*graysonii*, *Icterus pustulatus*, 11  
 Grebe, Eared, 5, 230  
   Horned, 229  
   Least, 78, 104  
   Pied-billed, 5, 56–57  
   Red-necked, 78–79, 229–230  
*grinnelli*, *Regulus calendula*, 262  
 Grosbeak, Black-headed, 11, 21, 279  
   Rose-breasted, 279  
   Yellow, 103  
 Ground-Dove, Common, 5  
 Guillemot, Pigeon, 242  
 Gull, Bonaparte's, 6, 244–245  
   California, 245  
   Glaucous, 85, 246  
   Glaucous-winged, 84, 246  
   Heermann's, 7  
   Herring, 7, 245  
   Iceland, 245  
   Ivory, 82  
   Laughing, 7, 82–84  
   Lesser Black-backed, 84  
   Little, 82  
   Mew, 84, 105, 245  
   Ring-billed, 7, 245  
   Ross's, 150–151  
   Sabine's, 244  
   Slaty-backed, 245–246  
   Thayer's, 84, 105  
   Western, 84, 105  
   Western/Yellow-footed, 7, 14  
*guttatus*, *Catharus guttatus*, 266  
*gutturialis*, *Hirundo rustica*, 197–204  
 Gyrfalcon, 252–253  
  
*Haematopus bachmani*, 230–231  
   *palliatius*, 6  
*Haemorrhous cassinii*, 9  
   *purpureus*, 69–71, 107, 269  
 Hajdukovich, Nicholas R., *see* DeCicco,  
 L. H.  
*Haliaeetus leucocephalus*, 250  
 Hamilton, Robert A., *see* Gómez de  
 Silva, H.  
 Harrier, Northern, 7, 250  
 Hauser, Scott, *see* Robinson, B. W.  
 Hawk, Common Black, 7  
   Cooper's, 7  
   Red-shouldered, 90, 105  
   Red-tailed, 7  
   Rough-legged, 251  
   Sharp-shinned, 250–251  
   Short-tailed, 90–91, 105  
 Hayes, Floyd E., *see* Scholz, S.  
 Heintz, Steven C., *see* DeCicco, L. H.  
*Heliomaster constantii*, 79–80, 104  
*helleri*, *Troglodytes pacificus*,  
 259–262  
 Helmericks, Isaac J., First Records of  
 the Asian Rosy-Finch in Alaska and  
 North America, 141–144  
*Helmitheros vermivorum*, 98  
 Heron, Great Blue, 7, 250  
   Green, 7, 15  
   Little Blue, 7  
   Tricolored, 7  
   Yellow-crowned Night-, 7  
*Himantopus mexicanus*, 5

INDEX

- Hirundo rustica*, 9, 17, 197–204, 259  
*Histrionicus histrionicus*, 227–228  
 Hobby, Eurasian, 252  
*holboellii*, *Podiceps grisegena*,  
 229–230  
*hooveri*, *Setophaga coronata*, 274  
*hudsonicus*, *Numenius phaeopus*,  
 232  
*hudsonius*, *Circus cyaneus*, 250  
 Hummingbird, Allen's, 154–172  
     Berylline, 80  
     Black-chinned, 58–59  
     Broad-billed, 5  
     Calliope, 60–64  
     Cinnamon, 5  
     Ruby-throated, 60–64, 80  
     Rufous, 5, 60–64, 154–172, 230  
 Hunn, Eugene, Book Review: *Birds of  
 the Pacific Northwest: A Photo-  
 graphic Guide*, 148–149  
*Hydrocoloeus minutus*, 82  
*Hydroprogne caspia*, 7, 15, 246  
*hyemalis*, *Junco hyemalis*, 279  
*hyemalis* × *oreganus*, *Junco hyemalis*,  
 279  
*Hylocichla mustelina*, 9, 17, 97, 107  
  
 Ibis, Glossy, 90, 105  
     White, 90  
     White-faced, 7  
*Icteria virens*, 154–172  
*Icterus bullockii*, 11, 21  
     *cucullatus*, 11, 21  
     *galbula*, 104, 109  
     *pustulatus*, 11, 104, 109  
     *spurius*, 103–104, 109  
     *wagleri*, 109  
*iliaca*, *Passerella iliaca*, 102, 108  
*impedita*, *Callipepla douglasii*,  
 181–196  
*incanus*, *Catharus ustulatus*, 266  
*inornata*, *Uria aalge*, 241–242  
*insignis/kenaiensis*, *Melospiza melo-  
 dia*, 276–277  
*insularis*, *Forpus cyanopygius*, 8  
     *Myadestes occidentalis*, 9  
     *Nyctidromus albicollis*, 5  
     *Pachyrhamphus aglaiae*, 9, 94, 106  
     *Setophaga pitiayumi*, 10  
*interpres*, *Arenaria interpres*, 233  
 Irons, David S., see Musher, L. J.  
*Ixoreus naevius*, 266  
  
 Jaeger, Long-tailed, 81–82, 241  
     Parasitic, 81, 240–241  
     Pomarine, 81, 239–240  
*japonicus*, *Anthus rubescens*, 269  
 Jay, Blue, 95  
 Johnson, James A., see DeCicco, L. H.  
 Junco, Dark-eyed, 102, 108, 154–  
 172, 279  
*Junco hyemalis*, 102, 108, 154–172,  
 279  
  
 Kaltenecker, Gregory S., see Miller,  
 R. A.  
*kenaiensis/caurina*, *Melospiza melo-  
 dia*, 276–277  
*kenaiensis/insignis*, *Melospiza melo-  
 dia*, 276–277  
 Kestrel, American, 8, 252  
 Killdeer, 6, 231  
 Kingbird, Eastern, 255  
     Tropical, 9  
     Western, 9, 16  
 Kingfisher, Belted, 8, 251  
     Green, 8  
     Ringed, 8  
 Kinglet, Golden-crowned, 262  
     Ruby-crowned, 9, 17, 262  
 Kite, Hook-billed, 7, 15–16  
     Swallow-tailed, 90  
 Kittiwake, Black-legged, 82, 243–244  
     Red-legged, 244  
 Knot, Red, 6, 81, 104, 233  
*kumlieni*, *Larus glaucooides*, 245  
  
*Lagopus muta*, 229  
*languens*, *Callipepla douglasii*,  
 181–196  
*Lanius excubitor*, 255  
     *ludovicianus*, 35–55  
 Lark, Horned, 35–55, 258  
*Larus argentatus*, 7, 245  
     *californicus*, 245  
     *canus*, 84, 105, 245  
     *delawarensis*, 7, 245  
     *fuscus*, 84  
     *glaucescens*, 84, 246  
     *glaucooides*, 245  
     *heermanni*, 7  
     *hyperboreus*, 85, 246  
     *occidentalis*, 84, 105  
     *occidentalis/liuensis*, 7, 14  
     *schistisagus*, 245–246  
     *thayeri*, 84, 105  
 Lasprugato, Dawn, see Pandolfino,  
 E. R.

## INDEX

- latifascia*, *Emberiza rustica*, 279  
*lawrencei*, *Cyananthus latirostris*, 5  
*lawrencii*, *Pheugopedius felix*, 9  
*Leptotila verreauxi*, 5  
*Leucophaeus atricilla*, 7, 82–84  
*leucoptera*, *Loxia leucoptera*,  
 269–270  
*leucorhoa*, *Oceanodroma leucorhoa*,  
 249  
*Leucosticte arctoa*, 141–144  
   *tephrocotis*, 97, 269  
*Limnodromus griseus*, 6, 237–238  
   *scolopaceus*, 6, 238  
*Limosa fedoa*, 6, 233  
   *haemastica*, 80, 232  
   *lapponica*, 232–233  
*littoralis*, *Leucosticte tephrocotis*, 269  
*longirostris*, *Melanotis caerulescens*, 9  
 Longspur, Lapland, 98, 107, 270  
   Smith's, 98, 270  
 Loon, Arctic, 246  
   Common, 247  
   Pacific, 246–247  
   Red-throated, 86, 246  
   Yellow-billed, 87, 247  
*Lophodytes cucullatus*, 154–172, 229  
 Lorenz, Teresa, *see* Cowell, S.  
 Lorscheider, Sara, *see* Cowell, S.  
 Lovebird, Rosy-faced, 91  
*Loxia curvirostra*, 269  
   *leucoptera*, 269–270  
   *lutescens*, *Oreothlypis celata*,  
   271–272  
   *luteus*, *Colaptes auratus*, 252  
  
*madrensis*, *Patagioenas flavirostris*, 5  
 Maley, James M., *see* Blanco, D. C.  
 Mallard, 225–226  
*mariae*, *Cardinalis cardinalis*, 11  
 Meadowlark, Western, 35–55  
*Megaceryle alcyon*, 8, 251  
   *torquata*, 8  
*Megascops* (sp.), 8  
*Melanitta americana*, 77–78, 228  
   *fusca*, 228  
   *perspicillata*, 228  
*melanocephalus*, *Pheucticus melano-*  
*cephalus*, 279  
*Melanotis caerulescens*, 9, 107  
*Melospiza georgiana*, 278  
   *lincolni*, 10, 278  
   *melodia*, 276–278  
 Merganser, Common, 229  
   Hooded, 154–172, 229  
   Red-breasted, 5, 229  
*Mergus merganser*, 229  
   *serrator*, 5, 229  
 Merlin, 8, 252  
*merrilli*, *Melospiza melodia*, 277–278  
*meruloides*, *Ixoreus naevius*, 266  
*Micrathene whitneyi*, 8, 16  
 Migas, Patrick N., *see* Miller, R. A.  
*migratorius*, *Turdus migratorius*, 266  
 Miller, Robert A., Bond, Laura, Migas,  
   Patrick N., Carlisle, Jay D., and  
   Kaltenecker, Gregory S., Con-  
   trasting Habitat Associations of  
   Sagebrush-Steppe Songbirds in the  
   Intermountain West, 35–55  
*Mimus polyglottos*, 9, 266–267  
*minima*, *Branta hutchinsii*, 224  
   *Myiopagis viridicata*, 8  
*minor*, *Chordeiles minor*, 230  
   *Loxia curvirostra*, 269  
*Mitrephanes phaeocercus*, 91  
*Mniotilta varia*, 10  
 Mockingbird, Blue, 9, 107  
   Northern, 9, 266–267  
*Molothrus ater*, 11, 21, 113–123  
 Mongolo, Jennifer, *see* Cooper, D. S.  
*monilis*, *Patagioenas fasciata*, 230  
*Motacilla tschutschensis*, 267  
 Murre, Common, 241–242  
   Thick-billed, 242  
 Murrelet, Ancient, 242  
   Kittlitz's, 242  
   Marbled, 242  
 Musher, Lukas J., Pyle, Peter, Irons,  
   David S., and Tietz, James R.,  
   Identification of Male *Euphagus*  
   Blackbirds in Fresh Fall Plumages,  
   205–210  
*Myadestes occidentalis*, 9, 107  
   *townsendi*, 263  
*Myiarchus crinitus*, 94, 255  
   *nuttingi*, 92–94, 106  
   *tuberculifer*, 8  
   *tyrannulus*, 8  
*Myioborus miniatus*, 101, 108  
*Myiopagis viridicata*, 8  
  
*nearctica*, *Aythya marila*, 227  
*nelsoni*, *Lagopus muta*, 229  
   *Picoides pubescens*, 252  
 Nighthawk, Common, 230  
   Lesser, 5  
 Night-Heron, Yellow-crowned, 7  
 Nightjar, Buff-collared, 79

## INDEX

- nigricans*, *Branta bernicla*, 224  
*nivalis*, *Plectrophenax nivalis*, 270  
*Numenius americanus*, 6  
     *phaeopus*, 6, 13, 232  
     *tahitiensis*, 232  
 Nuthatch, Red-breasted, 259  
     White-breasted, 26–34  
*Nyctanassa violacea*, 7  
*Nyctidromus albicollis*, 5
- occidentalis*, *Branta canadensis*, 224  
*Oceanodroma furcata*, 249  
     *leucorhoa*, 249  
*ochracea*, *Spizelloides arborea*,  
 274–275  
*oenanthe*, *Oenanthe oenanthe*, 263  
*Oenanthe oenanthe*, 263  
*olivaceus*, *Vireo olivaceus*, 258  
*Onychoprion aleuticus*, 246  
     *fuscatus*, 7  
*oreganus*, *Junco hyemalis*, 279  
*oreganus* × *hyemalis*, *Junco hyemalis*,  
 279  
*Oreoscoptes montanus*, 35–55  
*Oreothlypis celata*, 10, 19–20,  
 154–172, 271–272  
     *peregrina*, 10, 19, 98–99, 107,  
 271  
     *ruficapilla*, 10, 20, 272  
     *superciliosa*, 98  
 Oriole, Baltimore, 104, 109  
     Black-vented, 109  
     Bullock's, 11, 21  
     Hooded, 11, 21  
     Orchard, 103–104, 109  
     Streak-backed, 11, 104, 109  
 Ortega, Catherine P., see Ortega, J. C.  
 Ortega, Joseph C., and Ortega,  
 Catherine P., Age Structure of  
 Adult Brown-headed Cowbirds in  
 Southwest Colorado, 113–123  
 Osprey, 7, 250  
 Ovenbird, 10  
 Owl, Barn, 8, 16  
     Burrowing, 7  
     Elf, 8, 16  
     Short-eared, 251  
     Snowy, 251  
*Oxyura jamaicensis*, 229  
 Oystercatcher, American, 6  
     Black, 230–231
- Pachyramphus aglaiae*, 9, 94  
*pacifica*, *Calidris alpina*, 234  
*pacificus*, *Anthus rubescens*, 268–269  
     *Apus pacificus*, 230  
*Pagophila eburnea*, 82  
*pallescens*, *Stercorarius longicaudus*,  
 241  
*pallida*, *Caracara cheriway*, 8  
*pallidiceps*, *Bombycilla garrulus*, 267  
*palmarum*, *Setophaga palmarum*,  
 274  
*Pandion haliaetus*, 7, 250  
 Pandolfino, Edward R., Able, Kenneth  
 P., Dunn, Jon L., Garrett, Kimball  
 L., and Lasprugato, Dawn, Ranges  
 of the Subspecies of the White-  
 breasted Nuthatch in California.  
 26–34  
 Panoussi, Mariah, see Cowell, S.  
*Parkesia motacilla*, 10, 17  
     *noveboracensis*, 10, 17, 270–271  
 Parrish, Lindsey, see Cowell, S.  
 Parrot, Lilac-crowned, 8, 16  
     Yellow-headed, 8  
 Parrotlet, Mexican, 8  
 Parula, Northern, 272  
     Tropical, 10, 99  
*parvipes*, *Branta canadensis*, 224  
*Passer domesticus*, 9, 17  
*Passerculus sandwichensis*, 35–55,  
 108, 275  
*Passerella iliaca*, 102, 108, 275–276  
*Passerina ciris*, 11  
     *cyanea*, 11  
     *versicolor*, 11, 21  
*Patagioenas fasciata*, 230  
     *flavirostris*, 5  
 Pauraque, Common, 5  
*pealei*, *Falco peregrinus*, 253–254  
*pekinensis*, *Alauda arvensis*, 258  
*Pelecanus occidentalis*, 7  
 Pelican, Brown, 7  
 Pérez Villafaña, Mónica G., see Gómez  
 de Silva, H.  
 Petrel, Fork-tailed Storm-, 249  
     Hawaiian, 87–88  
     Leach's Storm-, 249  
     Mottled, 247  
*Petrochelidon fulva*, 95, 106  
     *pyrrhonota*, 259  
 Pewee, Eastern Wood-, 91, 105  
     Western Wood-, 8, 154–172, 254  
*Phaethon aethereus*, 7, 85  
*Phalacrocorax auritus*, 249  
     *pelagicus*, 249–250  
     *urile*, 249



## INDEX

- Phalarope, Red, 6, 13–14, 239  
 Red-necked, 239  
 Wilson's, 6
- Phalaropus fulicarius*, 6, 13–14, 239  
*lobatus*, 239  
*tricolor*, 6
- Pheucticus chrysopheplus*, 103  
*ludovicianus*, 279  
*melanocephalus*, 11, 21, 279
- Pheugopedius felix*, 9
- Phoebastria albatrus*, 247  
*immutabilis*, 247  
*nigripes*, 247
- Phoebe, Eastern, 145–147  
 Say's, 255
- Phylloscopus fuscatus*, 262  
*inornatus*, 262–263  
*sibilatrix*, 262
- Picoides arcticus*, 173–180  
*pubescens*, 252  
*scalaris*, 8  
*villosus*, 154–172, 173–180
- Pigeon, Band-tailed, 230  
 Rock, 5
- pileolata*, *Cardellina pusilla*, 274
- Pintail, Northern, 226
- pinus*, *Spinus pinus*, 270
- Pipilo chlorurus*, 35–55
- Pipit, American, 9, 268–269  
 Olive-backed, 267  
 Red-throated, 267–268
- Piranga bidentata*, 10, 102, 108–109  
*ludoviciana*, 10, 154–172, 279  
*olivacea*, 102, 108
- Platalea ajaja*, 90
- platyrhynchos*, *Anas platyrhynchos*,  
 225–226
- Plectrophenax nivalis*, 107, 270
- Plegadis chihi*, 7  
*falcinellus*, 90, 105
- Plover, American Golden-, 6, 80, 231  
 Black-bellied, 6, 231  
 Common Ringed, 231  
 Pacific Golden-, 80, 231  
 Semipalmated, 6, 231  
 Snowy, 6
- Pluvialis dominica*, 6, 80, 231  
*fulva*, 80, 231  
*squatarola*, 6, 231
- Pochar, Common, 227
- Podiceps auritus*, 229  
*griseogenae*, 78–79, 229–230  
*nigricollis*, 5, 230
- Podilymbus podiceps*, 5, 56–57
- Poecile atricapillus*, 95, 259  
*rufescens*, 154–172
- Polioptila caerulea*, 9, 17  
*californica*, 124–140  
*nigriceps*, 97
- pollicaris*, *Rissa tridactyla*, 243–244
- polyglottos*, *Mimus polyglottos*,  
 266–267
- Polysticta stelleri*, 227
- Poocetes gramineus*, 10, 35–55
- Porphyrio martinicus*, 80
- principalis*, *Corvus corax*, 258
- Ptarmigan, Rock, 229
- Pterodroma inexpectata*, 247  
*sandwichensis*, 87–88
- ptilocnemis*, *Calidris ptilocnemis*, 235
- Ptychoramphus aleuticus*, 242–243
- Puffin, Horned, 243  
 Tufted, 243
- Puffinus puffinus*, 248–249
- purpureus*, *Haemorrhous purpureus*,  
 269
- pusillus*, *Vireo bellii*, 154–172
- Pyle, Peter, *see* Musher, L. J.
- Pyrocephalus rubinus*, 8, 16
- pyrrhonota*, *Petrochelidon pyrrhonota*, 259
- Quail, Elegant, 5, 181–196
- Quetzal, Eared, 91
- Quiscalus mexicanus*, 11  
*quiscula*, 103, 109
- Rademaker, Kurt, *see* Rosenberg, G. H.
- Rail, Virginia, 5
- Rallus limicola*, 5
- Raven, Common, 258
- Redhead, 227
- Redpoll, Common, 97, 270
- Redstart, American, 10, 20, 272  
 Slate-throated, 101, 108
- Regulus calendula*, 9, 17, 262  
*satrapa*, 262
- Rhodostethia rosea*, 150–151
- Ridgwayia pinicola*, 97, 107
- riparia*, *Riparia riparia*, 259
- Riparia riparia*, 259
- Rissa brevirostris*, 244  
*tridactyla*, 82, 243–244
- Robin, American, 266  
 Rufous-backed, 9
- Robinson, Bryce W., and DeCicco,  
 Lucas H., Notes on Eurasian Barn  
 Swallows in Alaska, Including the

## INDEX

- First Documentation of Successful Breeding in North America, 197–204; and DeCicco, Lucas H., Bowman, Aaron, Hauser, Scott, and Wright, John M., First Record of the Eastern Phoebe Breeding in Alaska: Extralimital by 2000 km, 145–147
- rodgersii*, *Fulmarus glacialis*, 247
- Rodman, Taryn, *see* Cowell, S.
- roselaari*, *Calidris canutus*, 233
- Rosenberg, Gary H., Radamaker, Kurt, and Vander Pluym, David, Arizona Bird Committee Report, 2010–2014 Records, 74–112
- rostratus*, *Passerculus sandwichensis*, 108
- Rosy-Finch, Asian, 141–144
- Gray-crowned, 97, 269
- ruber*, *Sphyrapicus ruber*, 251–252
- rubida*, *Oxyura jamaicensis*, 229
- rubiginosa*, *Setophaga petechia*, 273
- Ruff, 81, 233
- ruficapilla*, *Oreothlypis ruficapilla*, 272
- rustica*, *Hirundo rustica*, 197–204
- Rynchops niger*, 85, 105
- sanctijohannis*, *Buteo lagopus*, 251
- Sanderling, 6, 13, 234
- Sandpiper, Baird's, 6, 235
- Buff-breasted, 81, 236
- Curlw, 234
- Least, 6, 235–236
- Pectoral, 6, 236
- Rock, 234–235
- Semipalmated, 236
- Sharp-tailed, 81, 232–234
- Solitary, 6, 238
- Spotted, 6, 238
- Stilt, 6, 234
- Upland, 80, 231–232
- Western, 6, 236–237
- White-rumped, 81, 10, 105
- sandwichensis*, *Passerculus sandwichensis*, 275
- Sapsucker, Red-breasted, 251–252
- Yellow-bellied, 8, 16, 251
- Saxicola torquatus*, 263
- Sayornis phoebe*, 145–147
- saya, 255
- Scaup, Greater, 227
- Lesser, 227
- Scholz, Suzanne, and Hayes, Floyd E.,
- Pied-billed Grebe Predation on a Common Yellowthroat, 56–57
- Scoter, Black, 77–78, 228
- Surf, 228
- White-winged, 228
- screech-owl (sp.), 8
- Seedeater, White-collared, 10
- Seiurus aurocapilla*, 10
- Selasphorus calliope*, 60–64
- rufus, 5, 60–64, 154–172, 230
- sasin, 154–172
- septentrionalium*, *Anas cyanoptera*, 226
- Setophaga americana*, 272
- castanea, 99
- coronata, 10, 274
- discolor, 100, 274
- dominica, 10, 20, 100, 108
- fusca, 99–100, 107
- magnolia, 99, 272–273
- nigrescens, 10
- palmarum, 100, 108, 274
- pennsylvanica, 273
- petechia, 10, 20, 154–172, 273
- pinus, 100
- pitiayumi, 10, 99
- rubicilla, 10, 20, 272
- striata, 100, 108, 273
- tigrina, 99, 107, 272
- townsendi, 10, 274
- virens, 101
- Shearwater, Buller's, 247–248
- Flesh-footed, 248
- Manx, 248–249
- Pink-footed, 248
- Short-tailed, 248
- Sooty, 88, 248
- Shoveler, Northern, 12, 226
- Shrike, Loggerhead, 35–55
- Northern, 255
- Sialia currucoides*, 263
- mexicana, 173–180
- sinuosa*, *Passerella iliaca*, 275–276
- sinuosa* × *zaboria*, *Passerella iliaca*, 276
- Siskin, Pine, 270
- Sitta canadensis*, 259
- carolinensis, 25–34
- Skimmer, Black, 85, 105
- Skua, South Polar, 239
- Skylark, Eurasian, 258
- smithsonianus*, *Larus argentatus*, 245
- Snipe, Wilson's, 6, 238
- Sole, Pete, Peregrine Falcons Attack

## INDEX

- a Ross's Gull in Central Coastal California, 150–151
- Solitaire, Brown-backed, 9, 107
  - Townsend's, 263
- solitarius*, *Vireo solitarius*, 255
- sordidus*, *Vireo hypochryseus*, 9
- Sparrow, American Tree, 101–102, 274–275
  - Brewer's, 35–55
  - Chipping, 275
  - Clay-colored, 275
  - Field, 102, 108
  - Fox, 102, 108, 275–276
  - Golden-crowned, 278–279
  - Grasshopper, 35–55
  - Harris's, 278
  - House, 9, 17
  - Lark, 10, 21, 35–55
  - Lincoln's, 10, 278
  - Sagebrush, 35–55
  - Savannah, 35–55, 108, 275
  - Song, 276–278
  - Swamp, 278
  - Vesper, 10, 35–55
  - White-crowned, 10, 278
  - White-throated, 278
- sparverius*, *Falco sparverius*, 252
- Sphyrapicus ruber*, 251–252
  - varius*, 8, 16, 251
- Spinus pinus*, 270
  - psaltria*, 10
- Spiza americana*, 11
- Spizella breweri*, 35–55
  - pallida*, 275
  - passerina*, 275
  - pusilla*, 102, 108
  - (sp.), 10
- Spizelloides arborea*, 101–102, 274–275
- sponsa*, *Anser albifrons*, 223
- Spoonbill, Roseate, 90
- Sporophila torqueola*, 10
- Starling, European, 267
- Starthroat, Plain-capped, 79–80, 104
- stejnegeri*, *Saxicola torquatus*, 263
- Stelgidopteryx serripennis*, 9, 17
- Stercorarius longicaudus*, 81–82, 241
  - maccormicki*, 239
  - parasiticus*, 81, 240–241
  - pomarinus*, 81, 239–240
  - (sp.), 82
- Sterna paradisaea*, 85, 246
- Sternula antillarum*, 7, 14
- Stilt, Black-necked, 5
  - Stint, Red-necked, 234
  - Stonechat, 263
  - Storm-Petrel, Fork-tailed, 249
    - Leach's, 249
  - strepera*, *Anas strepera*, 225
  - Streptopelia decaocto*, 12
  - Sturnella neglecta*, 35–55
  - Sturnus vulgaris*, 267
  - subbuteo*, *Falco subbuteo*, 252
  - Sula leucogaster*, 7, 88
    - nebouxii*, 7, 88
  - Sullivan, Kim, *see* Cowell, S.
  - Surfbird, 6, 233
  - swainsoni*, *Vireo gilvus*, 255–256
  - Swallow, Bank, 259
    - Barn, 9, 17, 197–204, 259
    - Cave, 95, 106
    - Cliff, 259
    - Mangrove, 9
    - Northern Rough-winged, 9, 17
    - Tree, 258
    - Violet-green, 258–259
  - Swan, Trumpeter, 77, 104, 224–225
    - Tundra, 225
    - Whooper, 225
  - Swift, Black, 79, 104
    - Chimney, 79
    - Fork-tailed, 230
  - Synthliboramphus antiquus*, 242
- Tachybaptus dominicus*, 78, 104
- Tachycineta albilinea*, 9
  - bicolor*, 258
  - thalassina*, 258–259
- Tanager, Flame-colored, 10, 102, 108–109
  - Scarlet, 102, 108
  - Western, 10, 154–172, 279
- Tattler, Gray-tailed, 238
  - Wandering, 6, 238–239
- Teal, Baikal, 77
  - Blue-winged, 5, 12, 226
  - Cinnamon, 5, 226
  - Green-winged, 5, 77, 226
- tenuissima*, *Sitta carolinensis*, 26–34
- teres*, *Callipepla douglasii*, 181–196
- Tern, Aleutian, 246
  - Arctic, 85, 246
  - Caspian, 7, 15, 246
  - Elegant, 7, 85, 105
  - Least, 7, 14
  - Royal, 7
  - Sooty, 7
- Thalasseus elegans*, 7, 85, 105

## INDEX

- maximus*, 7  
*thalassina*, *Tachycineta thalassina*, 258–259  
*thayeri*, *Larus glaucooides*, 245  
 Thrasher, California, 154–172  
     Sage, 35–55  
 Thrush, Aztec, 97, 107  
     Gray-cheeked, 263–266  
     Hermit, 266  
     Swainson's, 9, 266  
     Varied, 266  
     White-throated, 9, 17  
     Wood, 9, 17, 97, 107  
*Thryophilus sinaloa*, 97  
 Tietz, James R., see Musher, L. J.  
 Tobish, Theodore G. Jr., see DeCicco, L. H.  
*tolmiei*, *Geothlypis tolmiei*, 272  
 Torres-Jiménez, José Gilberto, Almazán-Núñez, R. Carlos, and Estrada-Ramírez, Antonio, Black-chinned Hummingbird Captured in Web of the Spider *Nephila clavipes* in Mexico, 58–59  
 Towhee, Green-tailed, 35–55  
*townsendi*, *Myadestes townsendi*, 263  
*townsendi/chilcatensis*, *Passerella iliaca*, 276  
*Toxostoma redivivum*, 154–172  
*tresmariae*, *Amazona oratrix*,  
*Tringa brevipes*, 238  
     *flavipes*, 6, 239  
     *incana*, 6, 238–239  
     *melanoleuca*, 239  
     *semipalmata*, 6  
     *solitaria*, 6, 238  
 Trochet, John A., Engilis, Andrew Jr., Truan, Melanie L., Engilis, Irene E., Walsh, Robert A., Whisler, Edward, and Dybala, Kristen E., New and Extralimital Records of Breeding Birds for Putah Creek, California, 154–172  
*Troglodytes hiemalis*, 95, 106  
     *pacificus*, 259–262  
 Trogon, Elegant, 8  
*Trogon elegans*, 8  
 Tropicbird, Red-billed, 7, 85  
 Truan, Melanie L., see Trochet, J. A.  
*tschuktschorum*, *Calidris ptilocnemis*, 234–235  
*tschutschensis*, *Motacilla tschutschensis*, 267  
*tundrae*, *Charadrius hiaticula*, 231  
*tundrius/anatum*, *Falco peregrinus*, 253–254  
*Turdus assimilis*, 9, 17  
     *migratorius*, 266  
     *rufopalliatus*, 9  
*turneri*, *Poecile atricapillus*, 259  
 Turnstone, Black, 6, 233  
     Ruddy, 6, 80–81, 233  
 Tyrannulet, Northern Beardless, 8  
*Tyrannus melancholicus*, 9  
     *tyrannus*, 255  
     *verticalis*, 9, 16  
*Tyto alba*, 8, 16  
*Uria aalge*, 241–242  
     *lomvia*, 242  
 Vander Pluym, David, see Rosenberg, G. H.  
*variegatus*, *Numenius phaeopus*, 232  
 Vásquez Vásquez, Santiago, see Gómez de Silva, H.  
*veliei*, *Contopus sordidulus*, 254  
*velox*, *Accipiter striatus*, 250–251  
*Vermivora chrysoptera*, 98  
     *cyanoptera*, 98, 107  
 Vireo, Bell's, 154–172  
     Blue-headed, 94, 106, 255  
     Cassin's, 9  
     Golden, 9  
     Philadelphia, 94, 106, 255  
     Red-eyed, 94, 106, 258  
     Warbling, 9, 17, 154–172, 255–256  
     White-eyed, 94  
     Yellow-green, 9, 95, 106  
     Yellow-throated, 94  
*Vireo bellii*, 154–172  
     *cassinii*, 9  
     *flavifrons*, 94  
     *flavoviridis*, 9, 95, 106  
     *gilvus*, 9, 17, 154–172, 255–256  
     *griseus*, 94  
     *hypochryseus*, 9  
     *olivaceus*, 94, 106, 258  
     *philadelphicus*, 94, 106, 255  
     *solitarius*, 94, 106, 255  
*viridigularis*, *Gavia arctica*, 246  
*vociferus*, *Charadrius vociferus*, 231  
*vulgaris*, *Sturnus vulgaris*, 267  
 Vulture, Black, 7  
     Turkey, 7  
 Wagtail, Eastern Yellow, 267

## INDEX

- Walsh, Robert A., *see* Trochet, J. A.
- Warbler, Audubon's, 10
- Bay-breasted, 99
  - Black-and-white, 10
  - Blackburnian, 99–100, 107
  - Blackpoll, 100, 108, 273
  - Black-throated Gray, 10
  - Black-throated Green, 101
  - Blue-winged, 98, 107
  - Canada, 101
  - Cape May, 99, 107, 272
  - Chestnut-sided, 273
  - Crescent-chested, 98
  - Dusky, 262
  - Fan-tailed, 101, 108
  - Golden-winged, 98
  - Kentucky, 99
  - MacGillivray's, 10, 20, 272
  - Magnolia, 99, 272–273
  - Mourning, 99, 272
  - Nashville, 10, 20, 272
  - Orange-crowned, 10, 19–20, 154–172, 271–272
  - Palm, 100, 108, 274
  - Pine, 100
  - Prairie, 100, 274
  - Rufous-capped, 101
  - Tennessee, 10, 19, 98–99, 107, 271
  - Townsend's, 10, 274
  - Wilson's, 10, 21, 274
  - Wood, 262
  - Worm-eating, 98
  - Yellow, 10, 20, 154–172, 273
  - Yellow-browed, 262–263
  - Yellow-rumped, 274
  - Yellow-throated, 10, 20, 100, 108
- Waterthrush, Louisiana, 10, 17
- Northern, 10, 17, 270–271
- Waxwing, Bohemian, 267
- Cedar, 9, 267
- Wheatear, Northern, 263
- Whimbrel, 6, 13, 232
- Whisler, Edward, *see* Trochet, J. A.
- Wigeon, American, 225
- Eurasian, 225
- Willet, 6
- witti*, *Spinus psaltria*, 10
- Woodpecker, Black-backed, 173–180
- Downy, 252
  - Hairy, 154–172, 173–180
  - Ladder-backed, 8
  - Pileated, 154–172
- Wood-Pewee, Eastern, 91, 105
- Western, 8, 154–172, 254
- Wren, Happy, 9
- Pacific, 259–262
  - Sedge, 97, 106
  - Sinaloa, 97
  - Winter, 95, 106
- Wrentit, 154–172
- Wright, Charles W., *see* DeCicco, L. H.
- Wright, John M., *see* Robinson, B. W.
- Xema sabini*, 244
- Yellowlegs, Greater, 239
- Lesser, 6, 239
- Yellowthroat, Common, 272
- yukonensis*, *Sayornis saya*, 255
  - yunnanensis*, *Anthus hodgsoni*, 267
- zaboria*, *Passerella iliaca*, 102, 276
- zaboria* × *sinuosa*, *Passerella iliaca*, 276
- Zenaida asiatica*, 5
- macroura*, 5, 12
- Zonotrichia albicollis*, 278
- atricapilla*, 278–279
  - leucophrys*, 10, 278
  - querula*, 278