

WESTERN BIRDS, INDEX, VOLUME 49, 2018

Compiled by Daniel D. Gibson

- Aagaard, Kevin J., *see* Gunn, C.
Acanthis flammea, 41, 253
Accipiter nisus, 185
 soloensis, 196, 202
 striatus, 47–61
Acrocephalus aedon, 181, 226–230
 dumetorum, 181–183
 orientalis, 198, 202
Actitis hypoleucos, 7–8, 197
Aechmophorus clarkii, 258–269
 occidentalis, 6, 258–269
Aerodramus pelewensis, 198
Agropsar philippensis, 199
Airola, Daniel A., Kostka, Stan, and
 Elwood, Corinna, Attempts to
 Establish Colonies of the Purple
 Martin in Nest Boxes in California:
 First Success and Evaluation of
 Failures, 113–125
Akepa, Maui, 5
 Oahu, 5
Akialoa, Maui-nui, 5
 Oahu, 5
Akialoa ellisiana, 5
 lanaiensis, 5
alascensis, *Buteo jamaicensis*,
 126–135
Albatross, Chatham, 30–31
 Salvin's/Chatham, 31–32
Alcedo atthis, 198, 202
Alopecoenas canifrons, 198
Amaurornis moluccana, 196
 phoenicurus, 197, 199
Ammodramus leconteii, 42, 108
 savannarum, 107–108
Anas acuta, 86–88, 196
 crecca, 196
 platyrhynchos, 86–88
 superciliosa, 196
Ani, Groove-billed, 26, 101
Anous minutus, 197
 stolidus, 197
Anser canagicus, 26, 240
Anthus cervinus, 199
 godlewskii, 199, 203
Antigone canadensis, 86–88
Aplonis opaca, 199
Archilochus alexandri, 282–284
 colubris, 101, 240
Ardea alba, 16–17, 196
 cinerea, 16, 196
 herodias, 47–61
 intermedia, 17, 196
Ardeenna carneipes, 176
 creatopus, 13–14
 gravis, 32
 pacifica, 32, 196
Ardeola bacchus, 195–199
Arenaria interpres, 101, 197
 melanocephala, 7, 101
Artamus leucorhynchus, 198
Asio otus, 179
Atthis heloisa, 270–276
Auklet, Rhinoceros, 11–12
Aythya ferina, 195, 196, 240
 fuligula, 196
Ayyash, Amar, *see* Pyle, P.
Bartosik, Mark B., *see* Pyle, P.
Bartramia longicauda, 28, 240
Basilius, Umai, *see* Otobed, D.
Beason, Jason P., *see* Gunn, C.
Bee-eater, Rainbow, 198
Benson, Thomas A., *see* Searcy, A. J.;
 and *see* McCaskie, G.
Bertram, Mark, and Grimm, Adam,
 Hypereumelanistic Horned Grebe
 Observed in Eastern Interior
 Alaska, 234–235
Bittern, American, 16
 Von Schrenck's, 196
 Yellow, 196
Blackbird, Rusty, 42, 253
 Yellow-headed, 86–88
Black Hawk, Common, 36, 43, 103,
 249, 255
Booby, Brown, 177–178, 196
 Masked, 33, 196, 247
 Masked/Nazca, 34, 177, 248
 Nazca, 34, 177, 247–248
 Red-footed, 34–35, 178, 196, 248
borealis, *Cypseloides niger*, 214–225
Botaurus lentiginosus, 16
Brachyramphus perdix, 28
Brambling, 20
Brant, 101
Branta bernicla, 101
 canadensis, 86–88
brewsteri, *Sula leucogaster*, 177–178
Brown, Carl W., Patla, Susan, and
 Johnson, Richard E., Extension of
 the Breeding Range of the Black

INDEX

- Rosy-Finch in Wyoming, 82–85
- Bubo scandiacus*, 18, 249
- Bubulcus coromandus*, 196
- Bucephala islandica*, 5–6
- Bulweria bulwerii*, 196
fallax, 245
- Bunting, Black-headed, 199
 Painted, 110
 Snow, 41–42
 Varied, 43
- Bush-hen, Pale-vented, 196
- Bush Warbler, Palau, 198
- Butastur indicus*, 196
- Buteo jamaicensis*, 126–135
- Buteogallus anthracinus*, 36, 43, 103, 249, 255
- Butorides striata*, 196
virescens, 280–281
- Buzzard, Gray-faced, 196
- Cacatua galerita*, 198
- Cacomantis variolosus*, 198
- Calcarius pictus*, 253
- Calidris acuminata*, 197
alba, 197
alpina, 197
canutus, 197
falcinellus, 197, 199
ferruginea, 28, 197, 241
fuscicollis, 101–102, 243
maritima, 241
melanotos, 197
minuta, 28, 241–243
pugnax, 197
ruficollis, 197, 241
subminuta, 197
tenuirostris, 197
virgata, 7
- californicus*, *Podiceps nigricollis*, 175
- Calliope calliope*, 199
- Caloenas nicobarica*, 198
- Calonectris leucomelas*, 196
- Calypte anna*, 280–281
- Campbell, Kyle K., *see* Cheek, R. G.
- Caprimulgus jotaka*, 198
phalaena, 198
- Caracara, Crested, 36, 158–162, 249
- Caracara cheriway*, 36, 158–162, 249
- Cardellina canadensis*, 109
rubrifrons, 43, 206–213
- Cardinal, Northern, 110
- Cardinalis cardinalis*, 110
- cardonensis*, *Megascops kennicottii*, 152–157
- Carpodacus roseus*, 184
- Catbird, Gray, 184
- Catharus minimus*, 40
- Cepphus grylle*, 244
- Cerorhinca monocerata*, 11–12
- Charadrius alexandrinus*, 197
dubius, 197
hiaticula, 197
leschenaultii, 197
mongolus, 197, 240
montanus, 101
veredus, 197
wilsonia, 28
- Chasiempis ibidis*, 5
sclateri, 5
- Cheek, Rebecca G., Campbell, Kyle K., Winker, Kevin, Dickerman, Robert W., and Wijdeven, Berry, Mitochondrial DNA Suggests Recent Origins of Subspecies of the Sharp-shinned Hawk and Great Blue Heron Endemic to Coastal British Columbia and Southeast Alaska, 47–61
- Chlidonias hybrida*, 9–10, 198
leucopterus, 8–9, 198
- Chloris sinica*, 252–253
- Chroicocephalus ridibundus*, 28, 197, 244
- chrysogenys*, *Melanerpes chrysogenys*, 285–288
- Cicadabird, Palau, 198
- Circus hudsonius*, 86–88
- Cistothorus palustris*, 86–88
- Clamator coromandus*, 198, 200
- Clark, William S., The Alaska Red-tailed Hawk, 126–135
- Coccothraustes coccothraustes*, 252
- Cockatoo, Sulphur-crested, 198
- Coleman, Tyler H., *see* Veverka, J. L.
- Columbina talpacoti*, 240
- Condor, California, 103
- Contopus pertinax*, 249
virens, 36–37
- Coot, American, 6–7
- Coracina monacha*, 198
- Coragyps atratus*, 36, 248–249
- Cordonbleu, Red-cheeked, 20
- Cormorant, Little Black, 196
 Little Pied, 196
 Neotropic, 103
- Corvus corax*, 18–19
- Coturnicops noveboracensis*, 28
- Cowbird, Bronzed, 108

INDEX

- Crake, Red-legged, 196
 Slaty-legged, 196
 White-browed, 197
- Crane, Sandhill, 86–88
- Crossbill, White-winged, 107
- Crotophaga sulcirostris*, 26, 101
- Cuckoo, Brush, 198
 Channel-billed, 198, 201
 Chestnut-winged, 198, 200
 Common, 6, 198, 277–279
 Oriental, 198
 Pacific Long-tailed, 198
 Rufous Hawk-, 198
- Cuculus canorus*, 6, 198, 277–279
optatus, 198
- Curlew, Eurasian, 197, 199
 Far Eastern, 197
 Little, 197
 Long-billed, 176
- Cyanocitta cristata*, 40
- Cygnus buccinator*, 26
- Cyananthus latirostris*, 26–28, 101,
 240, 255
- Cypseloides niger*, 214–225
- Daniels, Brian E., *see* Searcy, A. J.
 David, Reginald E., *see* VanderWerf, E. A.
 DeCicco, Lucas H., *see* Gibson, D. D.
 Decker, Karie L., *see* Fontaine, J. J.
Dendrocygna autumnalis, 25
bicolor, 26
- DeRaad, Devon A., *see* Sieburth, D.
- Dickcissel, 110
- Dickerman, Robert W., *see* Cheek, R. G.
- Dollarbird, Oriental, 198
- Donaldson, Peter, *see* VanderWerf, E. A.
- Dotterel, Red-kneed, 197
- Dove, Palau Fruit, 198
 Palau Ground, 198
 Ruddy Ground-, 240
 White-tipped, 26
- Duck, Black-bellied Whistling-, 25
 Fulvous Whistling-, 26
 Harlequin, 101
 Pacific Black, 196
 Ruddy, 6
 Tufted, 196
- Ducula oceanica*, 198
- Dumetella carolinensis*, 184
- Dunlin, 197
- Eberdong, Milang, *see* Otobed, D.
Eclectus roratus, 198
- Egret, Eastern Cattle, 196
 Great, 16–17, 196
 Intermediate, 17, 196
 Little, 196
- Egretta garzetta*, 196
sacra, 196
tricolor, 248
- Elanoides forficatus*, 249
- Elanus leucurus*, 142–144
- Elepaio, Kauai, 5
 Oahu, 5
- Elwood, Corinna, *see* Airola, D. A.
- Emberiza melanocephala*, 199
- Empidonax affinis*, 289–292
flaviventris, 37
fulvifrons, 249–251
minimus, 105
- Erythrogonyx cinctus*, 197
- Erythrura trichroa*, 199
- Estrilda troglodytes*, 20–21
- Etpison, Mandy T., *see* Otobed, D.
- Euphagus carolinus*, 42, 253
- Eurystomus orientalis*, 198
- Falco columbarius*, 17–18
peregrinus, 142–144, 198
- Falcon, Peregrine, 142–144, 198
fannini, *Ardea herodias*, 47–61
- Fantail, Palau, 198
- Feenstra, Jonathan S., *see* Searcy, A. J.
- Ficedula narcissina*, 199
- Finch, Black Rosy-, 41, 82–85
 Purple, 107
- flavinuchus*, *Melanerpes chrysogenys*,
 285–288
- Flycatcher, Brown-crested, 168–170
 Buff-breasted, 249–251
 Dusky-capped, 37, 249
 Gray-streaked, 199
 Great Crested, 105
 Least, 105
 Narcissus, 199
 Palau, 198
 Pine, 289–292
 Scissor-tailed, 105
 Social, 37
 Sulphur-bellied, 249
 Yellow-bellied, 37
- Fontaine, Joseph J., and Decker, Karie
 L., A Noninvasive Technique for
 Sampling Food Availability for
 Foliage-Gleaning Birds, 206–213
- Fregata ariel*, 196
magnificens, 33, 245–246

INDEX

- magnificens/minor/ariel*, 33, 246–247
minor, 196, 246
 Frigatebird, Great, 196, 246
 Lesser, 196
 Magnificent, 33, 245–246
 Magnificent/Great/Lesser, 33, 246–247
Fringilla montifringilla, 20
 Fruit Dove, Palau, 198
Fulica americana, 6–7

Gallinago gallinago, 197
 hardwickii, 202–203
 megala, 197
Gallinula chloropus, 197
Gallirallus philippensis, 196
Gallus gallus, 196
 Gannet, Northern, 43, 255
 Garganey, 196
 Garrett, Kimball L., *see* Long, M. C.
Garrulax caerulatus, 5
Gavia adamsii, 30, 102–103, 245
 arctica, 30, 245
 stellata, 102
Gelochelidon nilotica, 197, 200
Geothlypis formosa, 108
 philadelphia, 42, 254
 trichas, 86–88
 Gibson, Daniel D., Common Cuckoo (*Cuculus canorus*) Courtship in Southwestern Alaska and Summary of Occurrence in the State, 277–279; and DeCicco, Lucas H., Gill, Robert E. Jr., Heinel, Steven C., Lang, Aaron J., Tobish, Theodore G. Jr., and Withrow, Jack J., Fourth Report of the Alaska Checklist Committee, 2013–2017, 174–191
 Gill, Robert E. Jr., *see* Gibson, D. D.
Glareola maldivarum, 197
 Godwit, Bar-tailed, 28, 197, 240–241
 Black-tailed, 197
 Hudsonian, 28, 241
 Goldeneye, Barrow's, 5–6
 Golden-Plover, American, 101
 Pacific, 197
 Goose, Canada, 86–88
 Emperor, 26, 240
Gorsachius goesagi, 196
 melanolophus, 196
 Grackle, Common, 42, 231–233, 253–254

 Grebe, Clark's, 258–269
 Eared, 145–148, 175
 Horned, 234–235
 Western, 6, 258–269
 Greenfinch, Oriental, 252–253
 Greenshank, Common, 197
 Grimm, Adam, *see* Bertram, M.
 Grisham, Blake A., Book review: *Those of the Gray Wind: The Sandhill Crane*, 89–90
 Grosbeak, Rose-breasted, 185
 Ground-Dove, Ruddy, 240
 Guillemot, Black, 244
 Gull, Black-headed, 28, 197, 244
 Herring, 293–306
 Iceland, 29, 244
 Kelp, 29–30, 244–245
 Lesser Black-backed, 8, 293–306
 Little, 29, 102, 244
 Ring-billed, 86–88
 Slaty-backed, 29, 244
 Yellow-footed, 293–306
 Gunn, Carolyn, Aagaard, Kevin J., Potter, Kim M., and Beason, Jason P., Sexually Dimorphic Plumage Characteristics in the Northern Black Swift, 214–225
Gygis alba, 197
Gymnogyps californianus, 103

 Haber, Emily, *see* Morin, M. P.
Haemorrhous purpureus, 107
Halcyon coromanda, 198, 202
Haliastur indus, 196
 Harrier, Northern, 86–88
 Harter, Lauren B., *see* Vander Pluym, D.
 Hawfinch, 252
 Hawk, Common Black, 36, 43, 103, 249, 255
 Red-tailed, 126–135
 Sharp-shinned, 47–61
 Hawk-Cuckoo, Rufous, 198
 Hawk-Owl, Brown, 198
 Hayes, Floyd E., Turner, Dylan G., Zimmerly, Nathan D., Peralta, Manuel B., McIntosh, Bryan J., and Hellie, Mychal E., Egg Destruction by Males in the Western Grebe and Clark's Grebe, 258–269; and *see* Rigolosi, F.
 Heinel, Steven C., *see* Gibson, D. D.
 Hellie, Mychal E., *see* Hayes, F. E.
Helmitheros vermivorum, 42, 254
Hemignathus affinis, 5

INDEX

- lucidus*, 5
- Heron, Black-crowned Night-, 196
- Chinese Pond, 195–199
- Gray, 16, 196
- Great Blue, 47–61
- Green, 280–281
- Japanese Night-, 196
- Pacific Reef, 196
- Rufous Night-, 196
- Striated, 196
- Tricolored, 248
- Yellow-crowned Night-, 35
- Hierococcyx hyperythrus*, 198
- Himantopus himantopus*, 197
- Himatione fraithii*, 5
- Hirundapus caudacutus*, 198, 201–202
- Hirundo rustica*, 198
- Histrionicus histrionicus*, 101
- Honeycreeper, Laysan, 5
- Horornis annae*, 198
- House, Deborah J., First Record of
Melanism in a *Myiarchus* Flycatcher, 168–170
- Hummingbird, Allen's, 280–281
- Anna's, 280–281
- Black-chinned, 282–284
- Broad-billed, 26–28, 101, 240, 255
- Bumblebee, 270–276
- Calliope, 175
- Ruby-throated, 101, 240
- Hydrocoloeus minutus*, 29, 102, 244
- Hylocichla mustelina*, 40–41, 106, 184, 251
- Ianthocincla (Garrulax) berthemyi*, 19
- Ibis, Glossy, 35, 196, 248
- White-faced, 86–88, 178–179
- Icterus cucullatus*, 184
- galbula*, 108
- pustulatus*, 253
- Ictinia mississippiensis*, 36, 103
- Iduna aedon*, 181, 226–230
- Ixobrychus eurhythmus*, 196
- sinensis*, 196
- Jaeger, Long-tailed, 198
- Parasitic, 102
- Jay, Blue, 40
- Johnson, Richard E., see Brown, C. W.
- Junglefowl, Red, 196
- Kammerichs-Berke, Deven, Northernmost Record of the Wedge-rumped Storm-Petrel (*Oceanodroma tethys*), 74–76
- Ketebengang, Heather, see Otobed, D.
- Kingbird, Couch's, 37
- Thick-billed, 37, 105, 249
- Kingfisher, Collared, 198
- Common, 198, 202
- Ruddy, 198, 202
- Rusty-capped, 198
- Kite, Black, 179, 196
- Brahminy, 196
- Mississippi, 36, 103
- Swallow-tailed, 249
- White-tailed, 142–144
- Kittiwake, Black-legged, 102
- Knot, Great, 197
- Red, 197
- Kostka, Stan, see Airola, D. A.
- Lang, Aaron J., see Gibson, D. D.; and see Rosenberg, G. H.
- Lanius cristatus*, 37–40, 198
- Larus argentatus*, 293–306
- delawarensis*, 86–88
- dominicanus*, 29–30, 244–245
- fuscus*, 8, 293–306
- glaucoides*, 29, 244
- livens*, 293–306
- schistisagus*, 29, 244
- Laughingthrush, Buffy (Gray-sided), 5, 19
- Leaf Warbler, Kamchatka, 181
- Lehman, Paul E., River Warbler (*Locustella fluviatilis*) at Gambell, Alaska: First Record for North America, 136–141; and see Rosenberg, G. H.
- Leidich, Ron, see Otobed, D.
- León-Girón, Gonzalo de, see Ruiz-Campos, G.
- Leptotila verreauxi*, 26
- Leucosticte atrata*, 41, 82–85
- Limosa haemastica*, 28, 241
- lapponica*, 28, 197, 240–241
- limosa*, 197
- lineatus*, *Milvus migrans*, 179
- Locustella fluviatilis*, 136–141, 183
- lanceolata*, 198
- Loffland, Helen L., see Siegel, R. B.
- Lonchura atricapilla*, 199
- Long, Michael C., and Garrett, Kimball L., Green Heron Preys upon Hummingbirds, 280–281
- Longspur, Smith's, 253
- Loon, Arctic, 30, 245

INDEX

- Red-throated, 102
 Yellow-billed, 30, 102–103, 245
Loxia leucoptera, 107
Loxops ochraceus, 5
 wolstenholmei, 5
 Lyons, Krista, Depredation of Black-chinned Hummingbird Nestlings by Yellowjackets, 282–284

 Maley, James M., *see* Sieburth, D.
 Mallard, 86–88
Mareca penelope, 196
 Martin, Purple, 106, 113–125
 May, Richard, *see* VanderWerf, E. A.
 McCaskie, Guy, Rottenborn, Stephen C., Terrill, Scott B., and Benson, Thomas A., The 42nd Annual Report of the California Bird Records Committee: 2016 Records, 238–257
 McIntosh, Bryan J., *see* Hayes, F. E.
 McKinlay, Glenn H., *see* Otobed, D.
 Meadowlark, Western, 93–95
 Megapode, Micronesian, 196
Megapodius laperouse, 196
Megascops kennicottii, 152–157
Megazosterops palauensis, 198
Melanerpes chrysogenys, 285–288
 lewis, 179
Melanitta americana, 101
 nigra, 26
 Mendoza, Anthony, The Effect of a Total Eclipse of the Sun on Bird Calls, 86–88
 Merlin, 17–18
Merops ornatus, 198
 Meyers, Martin, *see* Tinsman, J.
Micrathene whitneyi, 36, 249
Microcarbo melanoleucos, 196
Milvus migrans, 179, 196
Molothrus aeneus, 108
Monticola solitarius, 199
 Moorhen, Common, 197
 Morin, Marie P., Raine, André F., Haber, Emily, and Torres, Robert Z., First Record of a Tahiti Petrel (*Pterodroma rostrata*) from Hawaiian Waters, 77–81
 Morningbird, 198
Morus bassanus, 43, 255
Motacilla alba, 41, 199, 251–252
 cinerea, 199
 tschutschensis, 41, 199
 Munia, Chestnut, 199

 Murre, Thick-billed, 243
 Murrelet, Ancient, 102
 Long-billed, 28
Muscicapa griseisticta, 199
Myiagra erythrops, 198
Myiarchus crinitus, 105
 tuberculifer, 37, 249
 tyrannulus, 168–170
Myiodynastes luteiventris, 249
Myiozetetes similis, 37
 Myzomela, Micronesian, 198
Myzomela rubratra, 198

 Needletail, White-throated, 198, 201–202
 Nelson, Kristie, Two Examples of Apparent Avian Keratin Disorder from California, 93–95
nelsoni, *Icterus cucullatus*, 184
 Night-Heron, Black-crowned, 196
 Japanese, 196
 Malayan, 196
 Rufous, 196
 Yellow-crowned, 35
 Nightjar, Gray, 198
 Palau, 198
Ninox scutulata, 198
 Noddy, Black, 197
 Brown, 197
 Nukupuu, Maui, 5
 Oahu, 5
Numenius americanus, 176
 arquata, 197, 199
 madagascariensis, 197
 minutus, 197
 phaeopus, 197
Nyctanassa violacea, 35
Nycticorax caledonicus, 196
 nycticorax, 196

 O'Brien, Mark, *see* Otobed, D.
obsoletus, *Salpinctes obsoletus*, 179–181
Oceanites oceanicus, 15
Oceanodroma matsudairae, 196
 tethys, 15–16, 32–33, 74–76, 245
 tristrami, 33
Oenanthe isabellina, 199, 202
 pleschanka, 184
 Olsen, Alan R., *see* Otobed, D.
Onychoprion anaethetus, 8, 30, 198
 fuscatus, 198
 lunatus, 198
Oreothlypis ruficapilla, 184

INDEX

- Oriole, Baltimore, 108
 Hooded, 184
 Streak-backed, 253
 Osprey, 196
 Otobed, Demei, Olsen, Alan R.,
 Eberdong, Milang, Ketebengang,
 Heather, Etpison, Mandy T., Pratt,
 H. Douglas, McKinlay, Glenn H.,
 Wiles, Gary J., VanderWerf, Eric
 A., O'Brien, Mark, Leidich, Ron,
 Basilius, Umai, and Yalap, Yalap,
 First Report of the Palau Bird Re-
 cords Committee: 2016, 192–205
otus, *Asio otus*, 179
 Owl, Brown Hawk-, 198
 Elf, 36, 249
 Great Gray, 62–73
 Long-eared, 179
 Palau, 198
 Snowy, 18, 249
 Western Screech-, 152–157
Oxyura jamaicensis, 6

Pachycephala tenebrosa, 198
Pandion haliaetus, 196
Parkesia motacilla, 42
 Parrot, Eclectus, 198
 Parrotfinch, Blue-faced, 199
 Parula, Northern, 185
Passer montanus, 199
Passerina ciris, 110
versicolor, 43
 Patla, Susan, *see* Brown, C. W.
Pelecanus conspicillatus, 196
 Pelican, Australian, 196
 Peralta, Manuel B., *see* Hayes, F. E.
perobscurus, *Accipiter striatus*, 47–61
 Petrel, Bulwer's, 196
 Jouanin's, 245
 Matsudaira's Storm-, 196
 Providence, 196
 Pycroft's, 12
 Tahiti, 12–13, 77–81
 Tristram's Storm-, 33
 Wedge-rumped Storm-, 15–16,
 32–33, 74–76, 245
 White-chinned, 32
 White-necked, 32
 Wilson's Storm-, 15
Petrochelidon fulva, 40, 251
Peucaea cassinii, 42, 107
 Pewee, Eastern Wood-, 36–37
 Greater, 249
Phaethon lepturus, 196

rubricauda, 196, 245
Phalacrocorax brasilianus, 103
sulcirostris, 196
 Phalarope, Red-necked, 197
Phalaropus lobatus, 197
Pheucticus ludovicianus, 185
 Phillips, Ryan A., Book review:
*Raptors of Mexico and Central
 America*, 163–164
phoenicurus, *Phoenicurus phoenicu-
 rus*, 183
Phoenicurus phoenicurus, 183
Phylloscopus examinandus, 181
fuscatus, 40, 251
inornatus, 181
Picoides albolarvatus, 93–95
arcticus, 149–151
 Pigeon, Micronesian Imperial, 198
 Nicobar, 198
 Pintail, Northern, 86–88, 196
 Pipit, Blyth's, 199, 203
 Red-throated, 199
Piranga olivacea, 110, 255
Platalea ajaja, 35
minor, 195, 196
Plectrophenax nivalis, 41–42
Plegadis chihi, 86–88, 178–179
falcinellus, 35, 196, 248
 Plover, American Golden-, 101
 Black-bellied, 197
 Common Ringed, 197
 Greater Sand-, 197
 Kentish, 197
 Lesser Sand-, 197, 240
 Little Ringed, 197
 Mountain, 101
 Oriental, 197
 Pacific Golden-, 197
 Wilson's, 28
Pluvialis dominica, 101
fulva, 197
squatarola, 197
 Pochard, Common, 195, 196, 240
Podiceps auritus, 234–235
nigricollis, 145–148, 175
 Pond Heron, Chinese, 195–199
Porphyrio melanotus, 197
Porzana carolina, 86–88
cinerea, 197
 Potter, Kim M., *see* Gunn, C.
 Pratincole, Oriental, 197
 Pratt, H. Douglas, *see* VanderWerf, E.
 A.; and *see* Otobed, D.
Procellaria aequinoctialis, 32

INDEX

- Progne subis*, 106, 113–125
- Pterodroma cervicalis*, 32
- pycrofti*, 12
- rostrata*, 12–13, 77–81
- solandri*, 196
- Ptilinopus pelewensis*, 198
- Puffinus bailloni*, 196
- bryani*, 14–15
- puffinus*, 176–177
- Pyle, Peter, Ayyash, Amar, and Bartosik, Mark B., Replacement of Primaries during Prealternate Molts in North American Larus Gulls, 293–306; see Siegel, R. B.; and see Vander-Werf, E. A.
- Pyrrhoxylus podargina*, 198
- Quady, David E., see Shuford, W. D.
- Quiscalus quiscula*, 42, 231–233, 253–254
- Rail, Buff-banded, 196
- Virginia, 86–88
- Yellow, 28
- Raine, André F., see Morin, M. P.
- Rallina eurizonoides*, 196
- fasciata*, 196
- Rallus limicola*, 86–88
- Raven, Common, 18–19
- Redpoll, Common, 41, 253
- Redshank, Common, 197
- Spotted, 8, 243
- Redstart, Common, 183
- Reed Warbler, Blyth's, 181–183
- Oriental, 198, 202
- Rhipidura lepida*, 198
- Rigoli, Faith, and Hayes, Floyd E., Attempted Kleptoparasitism of a White-tailed Kite by a Peregrine Falcon, 142–144
- Rissa tridactyla*, 102
- Robin, Rufous-backed, 251
- Rock Thrush, Blue, 199
- Rosefinch, Pallas's, 184
- Rosenberg, Gary H., and Stejskal, David J., First Record of the Pine Flycatcher (*Empidonax affinis*) for Arizona and the United States, 289–292; and Lehman, Paul E., Lang, Aaron J., and Stoll, Victor and Ruben, Thick-billed Warbler (*Iduna aedon*) at Gambell, Alaska: First Record for North America, 226–230
- roseus*, *Carpodacus roseus*, 184
- Rosy-Finch, Black, 41, 82–85
- Rottenborn, Stephen C., see McCaskie, G.
- Rubythroat, Siberian, 199
- Ruff, 197
- ruficapilla*, *Oreothlypis ruficapilla*, 184
- Ruiz-Campos, Gorgonio, León-Girón, Gonzalo de, and Unitt, Philip, Western Screech-Owl (*Megascops kennicottii cardonensis*) in the Sierra La Asamblea, Baja California, México, 152–157
- Salpinctes obsoletus*, 179–181
- Sanderling, 197
- Sandpiper, Broad-billed, 197, 199
- Common, 7–8, 197
- Curlew, 28, 197, 241
- Green, 197
- Marsh, 197, 243
- Pectoral, 197
- Purple, 241
- Sharp-tailed, 197
- Terek, 7, 197
- Upland, 28, 240
- White-rumped, 101–102, 243
- Wood, 197
- Sand-Plover, Greater, 197
- Lesser, 197, 240
- Scoter, Black, 101
- Common, 26
- Screech-Owl, Western, 152–157
- Scythrops novaehollandiae*, 198, 201
- Searcy, Adam J., Daniels, Brian E., Feenstra, Jonathan S., Tietz, James R., and Benson, Thomas A., The 41st Annual Report of the California Bird Records Committee: 2015 Records, 24–46
- Selasphorus calliope*, 175
- sasin*, 280–281
- Setophaga americana*, 185
- caerulescens*, 109
- castanea*, 109
- cerulea*, 43
- dominica*, 185
- graciae*, 43
- magnolia*, 108–109
- nigrescens*, 185
- palmarum*, 109
- pensylvanica*, 109
- tigrina*, 43, 108, 254–255

INDEX

- virens*, 109
 Shearwater, Bryan's, 14–15
 Flesh-footed, 176
 Great, 32
 Manx, 176–177
 Pink-footed, 13–14
 Streaked, 196
 Tropical, 196
 Wedge-tailed, 32, 196
 Shrike, Brown, 37–40, 198
 Shuford, W. David, and Quady, David E., In Memoriam: Jon P. Winter, 1941–2014, 165–167
 Sieburth, Desmond, DeRaad, Devon A., and Maley, James M., Evidence of Intergradation within the Golden-cheeked Woodpecker, 285–288
 Siegel, Rodney B., Pyle, Peter, and Loffland, Helen L., Molt Sequences in an Extralimital Great Gray Owl Detected over Two Winters in Northwestern California, 62–73
smithsonianus, *Larus argentatus*, 293–306
 Snipe, Common, 197
 Latham's, 202–203
 Swinhoe's, 197
 Sora, 86–88
 Sparrow, Cassin's, 42, 107
 Eurasian Tree, 199
 Field, 42, 253
 Grasshopper, 107–108
 LeConte's, 42, 108
 Sparrowhawk, Chinese, 196, 202
 Eurasian, 185
Spatula cyanoptera, 86–88
 discors, 86–88
 querquedula, 196
Spiza americana, 110
Spizella pusilla, 42, 253
 Spoonbill, Black-faced, 195, 196
 Roseate, 35
 Starling, Chestnut-cheeked, 199
 Micronesian, 199
stegmanni, *Acrocephalus aedon*, 181
 Stejskal, David J., see Rosenberg, G. H.
Stercorarius longicaudus, 198
 parasiticus, 102
Sterna hirundo, 198
 sumatrana, 198
Sternula albifrons, 198
 Stillman, Andrew N., and Tousley, Frankie, Novel Function of Flutter Display in the Black-backed Woodpecker, 149–151
 Stilt, Black-winged, 197
 Stint, Little, 28, 241–243
 Long-toed, 197
 Red-necked, 197, 241
 Stoll, Ruben, see Rosenberg, G. H.
 Stoll, Victor, see Rosenberg, G. H.
 Storm-Petrel, Matsuaira's, 196
 Tristram's, 33
 Wedge-rumped, 15–16, 32–33, 74–76, 245
 Wilson's, 15
Strix nebulosa, 62–73
Sturnella neglecta, 93–95
Sula dactylatra, 33, 196, 247
 dactylatra/granti, 34, 177, 248
 granti, 34, 177, 247–248
 leucogaster, 177–178, 196
 sula, 34–35, 178, 196, 248
 Surfbird, 7
 Swallow, Barn, 198
 Cave, 40, 251
 Swampphen, Australasian, 197
 Swan, Trumpeter, 26
 Swarth, Christopher W., The Bumblebee Hummingbirds (*Atthis heloisa*) of Ramsey Canyon Revisited, 270–276
 Swift, Black, 214–225
 Swiftlet, Palau, 198
Synthliboramphus antiquus, 102

 Tanager, Scarlet, 110, 255
 Tanino, Lance, see VanderWerf, E. A.
 Tattler, Gray-tailed, 197
 Wandering, 197
 Teal, Blue-winged, 86–88
 Cinnamon, 86–88
 Green-winged, 196
 Tern, Black-naped, 198
 Bridled, 8, 30, 198
 Common, 198
 Elegant, 10–11
 Greater Crested, 197
 Gull-billed, 197, 202
 Little, 198
 Sooty, 198
 Spectacled, 198
 Whiskered, 9–10, 198
 White, 197
 White-winged, 8–9, 198
 Terrill, Scott B., see McCaskie, G.
Thalassarche eremita, 30–31
 salvini/eremita, 31–32

INDEX

- Thalasseus bergii*, 197
elegans, 10–11
- Thrasher, Brown, 107
 Curve-billed, 41, 43, 106, 255
 Gray, 41
- Thrush, Blue Rock, 199
 Eyebrowed, 199
 Gray-cheeked, 40
 Scaly, 199
 Wood, 40–41, 106, 184, 251
- Tietz, James R., *see* Searcy, A. J.
- Tinsman, Jeanne, and Meyers, Martin,
 Nevada Bird Records Committee
 Report for 2016, 98–112
- Tobish, Theodore G. Jr., *see* Gibson,
 D. D.
- Todiramphus chloris*, 198
pelewensis, 198
- Torres, Robert Z., *see* Morin, M. P.
- Tousley, Frankie, *see* Stillman, A. N.
- Toxostoma cinereum*, 41
curvirostre, 41, 43, 106, 255
rufum, 107
- Tringa brevipes*, 197
erythropus, 8, 243
glareola, 197
incana, 197
melanoleuca, 86–88
nebularia, 197
ochropus, 197
stagnatilis, 197, 243
totanus, 197
- Troglodytes hiemalis*, 40, 251
- Tropicbird, Red-tailed, 196, 245
 White-tailed, 196
- Turdus obscurus*, 199
*rufopalliatu*s, 251
- Turner, Dylan G., *see* Hayes, F. E.
- Turnstone, Black, 7, 101
 Ruddy, 101, 197
- Tyrannus couchii*, 37
crassirostris, 37, 105, 249
forficatus, 105
- Unitt, Philip, *see* Ruiz-Campos, G.
- Uraeginthus bengalus*, 20
- Uria lomvia*, 243
- Urodynamis taitensis*, 198
- Vander Pluym, David, and Harter,
 Lauren B., First Record of the
 Common Grackle from Sonora,
 231–233
- VanderWerf, Eric A., David, Reginald
 E., Donaldson, Peter, May, Richard,
 Pratt, H. Douglas, Pyle, Peter, and
 Tanino, Lance, First Report of the
 Hawaii Bird Records Committee,
 2–23; and *see* Otobed, D.
- Vermivora chrysoptera*, 108, 254
cyanoptera, 42, 254
- versicolor*, *Quiscalus quiscula*,
 231–233
- Veverka, Joseph L., and Coleman,
 Tyler, H., Nesting of the Crested
 Caracara in Organ Pipe Cactus
 National Monument, Arizona,
 158–162
- Vireo, Blue-headed, 40, 105, 251
 Philadelphia, 40
 Red-eyed, 105–106
 White-eyed, 40, 251
 Yellow-green, 106
 Yellow-throated, 105
- Vireo flavifrons*, 105
flavoviridis, 106
griseus, 40, 251
olivaceus, 105–106
philadelphicus, 40
solitarius, 40, 105, 251
- Vulture, Black, 36, 248–249
- Wagtail, Eastern Yellow, 41, 199
 Gray, 199
 White, 41, 199, 251–252
- Warbler, Bay-breasted, 109
 Black-throated Blue, 109
 Black-throated Gray, 185
 Black-throated Green, 109
 Blue-winged, 42, 254
 Blyth's Reed, 181–183
 Canada, 109
 Cape May, 43, 108, 254–255
 Cerulean, 43
 Chestnut-sided, 109
 Dusky, 40, 251
 Golden-winged, 108, 254
 Grace's, 43
 Kamchatka Leaf, 181
 Kentucky, 108
 Lanceolated, 198
 Magnolia, 108–109
 Mourning, 42, 254
 Nashville, 184
 Oriental Reed, 198, 202
 Palau Bush, 198
 Palm, 109
 Red-faced, 43, 206–213

INDEX

- River, 136–141, 183
Thick-billed, 181, 226–230
Worm-eating, 42, 254
Yellow-browed, 181
Yellow-throated, 185
Waterhen, White-breasted, 197, 199
Waterthrush, Louisiana, 42
Waxbill, Black-rumped, 20–21
websteri, *Sula sula*, 178
Wheatear, Isabelline, 199, 202
 Pied, 184
Whimbrel, 197
Whistling-Duck, Black-bellied, 25
 Fulvous, 26
White-eye, Citrine, 199
 Dusky, 199
 Giant, 198
Wigeon, Eurasian, 196
Wijdeven, Berry, *see* Cheek, R. G.
Wilcox, Jeffery T., Onshore Foraging
 by an Eared Grebe, 145–148
Wiles, Gary J., *see* Otobed, D.
Winker, Kevin, *see* Cheek, R. G.
Withrow, Jack J., *see* Gibson, D. D.
Woodpecker, Black-backed, 149–151
 Golden-cheeked, 285–288
 Lewis's, 179
 White-headed, 93–95
Wood-Pewee, Eastern, 36–37
Woodswallow, White-breasted, 198
Wren, Marsh, 86–88
 Rock, 179–181
 Winter, 40, 251
Xanthocephalus xanthocephalus,
 86–88
Xenus cinereus, 7, 197
Yalap, Yalap, *see* Otobed, D.
Yellowlegs, Greater, 86–88
Yellowthroat, Common, 86–88
Zimmerly, Nathan D., *see* Hayes, F. E.
Zosterora dauma, 199
Zosterops finschii, 199
 semperi, 199